

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-------------|--|--|---|---|---|---|--------------------------------------|--|--|------------------------|--------|
| Woody: Vine | Dioscorea villosa | Wild Yam | Mid Spring to Early Summer | Full Sun | 6-10' | | | | | | ✓ |
| | Wild Yam is a beautifu long and wide. The te are in loose straggling need to be grown tog | xture effect is t clusters.Individ | errific. Small gree dual plants are eith | n flowers first ap er male or fema | ppear in mid spo le. The plant is | ring and not self | continue fertile ar | e into early s nd both mal | summer. T | he flowers | |
| Woody: Vine | Gelsemium sempervirens 'Margarita' | Carolina Jessamine | Spring to Fall | Full Sun | 10-20' | | | | | | ✓ |
| | A twining evergreen was a trellises and even as a They need fertile, well | an accent for sm | nall trees. Cultivar | 'Margarita' is a c | | | | _ | | | |
| Woody: Vine | Lonicera sempervirens 'Major Wheeler' | Trumpet Honeysuckle | Summer to Fall | Sun to Partial Shade | 3-8' x 1-10' | ✓ | | • | ✓ | | ✓ |
| | This native honeysuck demonstrated that th spring through the en landscape.Needs a litt edges of woodlands, t | is is the most p d of summer ar tle support in th | rofuse bloomer of nd highly disease re ne garden, or let it s | its species and wesistant foliage, ' scramble over a | vith its mass dis Major Wheeler nearby large sh | play of the state | thin tubu v care, hi und in su | lar, red-ora gh color add inny clearin | nge flowers dition to th gs and alon | e g the | |
| Woody: Vine | Pieris phillyreifolia | Climbing Fetterbush | Late Winter | Sun to Partial Shade | 3' x 2' | | | | | | • |
| | Climbing fetterbush is bell-shaped flowers a climbing under the ba Good for pairing with intolerant of drought | ttract early poll ark on pond cyp other acid lovir | inators in February ress or sometimes ng plants like azale | . Compact habit false cypress. La | only 3 ft high acking support | with a 2 it grows | ft spread as a low | d. Natively i spreading s | t is found a shrub or gro | s a vine oundcover. | |
| Woody: Vine | Wisteria frutescens 'Amethyst Falls' | American Wisteria | Late Spring- Early Summer | Sun to Partial Shade | 20' | | | | | | • |
| | 'Amethyst Falls' is an flowers as a younger | • | | | - | | | urple flowe | r clusters ar | nd it also | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|----------------------------|---|---|--|--|--|---|-------------------------------------|--|--|-------------------------------------|--------|
| Woody: Vine | Wisteria macrostachya 'Blue Moon' | Kentucky Wisteria | Summer | Full Sun | 15-25' | | | • | | | ✓ |
| | Kentucky wisteria has repeat through the su Minnesota. Prefers de the summer and then | ummer. Some co eep, moist but v | onsider this to be a well drained loamy | sub-species of A | merican wiste | ria. This | cultivar i | s a hardy se | election fro | m | i |
| Woody: Tree- Ornamental | Cercis canadensis 'Appalachian Red' | Eastern Redbud | Mid Spring | Sun to Partial Shade | 25' x 25' | | ✓ | | • | | ✓ |
| | Cercis canadensis 'Ap Clusters of fuschia-pir the fall. The Eastern F to keep this tree heal | nk to red bloom Red bud does w | s abound in April, | followed by dark | blue-green hea | art-shap | ed foliag | e that turns | yellow/pa | le green in | |
| Woody: Tree- Ornamental | Cercis canadensis 'JN2' The Rising Sun™ | Eastern Redbud | Spring to Fall | Sun to Partial Shade | 12' x 10' | | | • | ✓ | • | ✓ |
| | This compact round t Large heart-shaped le Summer. Fall color is walnut and heat toler planting. Naturally re shade. | eaves emerge as golden orange rant. Very resis | s peachy apricot, to foliage followed b tant to foliage burn | urn chartreuse-ye y smooth yellow n. Flowers attrac | llow and finally bark in the win t bees and butt | y deep g ter.This erflies. | reen as t native is Perfect f | hey mature drought, co or smaller | e all through old, clay soi gardens or | n the I, black accent | |
| Woody: Tree- Ornamental | Chionanthus virginicus | White Fringetree | Year Round | Sun to Partial Shade | 12-20' x 12- 20' | ✓ | | | | | ✓ |
| | White Fringetree is or for even dogwood do drip from all the bran | es not carry itse | elf with such refine | ement, dignity and | d class" Enjo | y masse | es of soft | fragrant flo | | | |
| Woody: Tree- Ornamental | Cornus florida 'Appalachian Spring' | Flowering Dogwood | Year Round | Sun to Partial Shade | 20-30' x 25- 35' | ✓ | | | | | ✓ |
| | Cornus florida is one cultivar 'Appalachian lead into winter wher the glossy red berries during drought, mulcifertilizers. | Spring' has larg n the interesting 'Appalachian | e white flowers in g bark and horizon Spring' showed su | spring followed b tal branching patt perior resistance | y dark green fo tern make the to dogwood ar | oliage. <i>A</i> tree a fo othracno | Abundant ocal point ose in an | red berries in the land extensive to | s and vivid r scape. Bird ial. Water | red leaves ds feast on plants | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|----------------------------|--|---|--|--|--|---|--|--|--|-----------------------------------|--------|
| Woody: Tree- Ornamental | Cornus florida 'Cherokee Princess' | Flowering Dogwood | Spring to Fall | Sun to Partial Shade | 15-30' x 15- 30' | ✓ | | | • | | • |
| | 'Cherokee Princess' had branching habit. The green clusters but each Oval, dark green leave summer/early fall and organically rich, acidic | early Spring blo th flower cluste es turn attractiv I may persist un | om, usually overlar r is surrounded by 4 e shades of red in f til late in the year. | os the bloom per 4 showy, white, all. Bright red fr This dogwood is | riod of redbuds petal-like bract ruits (poisonous s easily grown in | The tree to see giving to hunder to hunder average to hunder average. | the dogw the appe nans but ge, well-c | rood flowers earance of a loved by bir | s are tiny, y single 3-4" ds) mature | ellowish ' flower. in late | |
| Woody: Tree- Ornamental | Cornus florida f. rubra | Pink Flowering Dogwood | Mid Spring | Sun to Partial Shade | 15-30' | ✓ | | ✓ | • | | ✓ |
| | Cornus florida f. rubra white blooms with ye is a favorite for its yea may last well into earl Will grow well in aver | llow flower center- r-round beauty y winter . The | ters that emerge in : spring blooms,su genus name come f | mid-spring.Upr ummer foliage, a from Latin 'corn | ight with a som outumn leaf col u' (meaning 'ho | ewhat f or and k rn'), wh | flat-toppo pird-attra pich may | ed habit, the cting late-so refer to the | e flowering ummer fuit strength o | dogwood s which f its wood. | |
| Woody: Tree- Ornamental | Cornus florida 'Karen's Appalachian Blush' | Flowering Dogwood | Spring | Sun to Partial Shade | 20' x 20' | ✓ | | | | | • |
| | 'Karen's Appalachian I to powdery mildew. (background to accent organically rich, acidic | Glossy red fruit uate flowers.Ea | is attractive but rea sily grown in avera | adily eaten by bi ge, medium mo | rds. Best used sture, well-dra | as a spe ined soi | ecimen ai Is in full s | nd placed in sun to part s | front of a characteristic front of a charact | dark | |
| Woody: Tree- Ornamental | Halesia tetraptera | Carolina Silverbell | Year Round | Sun to Partial Shade | 30-40' x 20- 35' | | | | | | |
| | The silverbell is a low September. Handsco Prefers rich, well-drain | me lawn tree se | t off best against a | n evergreen bac | kground. Matı | • | | | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-------------------------------|--|---|--|---|--|-------------------------------------|--------------------------------------|---|--|--------------------------------------|--------|
| Woody: Tree- Ornamental | Prunus maritima | Beach Plum | Spring to Summer | Sun to Partial Shade | 5' x 5' | • | | • | | | • |
| | Prunus maritima is a leaves with highly dis fruits develop over so wildlife. Grows well in humans, pets, or live | tinguishing lenti ummer and riper high drainage s | icels that form on b n early fall. These f | oark.Dense cluste ruits, while tart, | ers of white floor are edible and | wers be a great | gin bloor food sou | ming in late rce for bird | spring. Sma | all pitted- | |
| Woody: Tree- Ornamental | Ptelea trifoliata | Hop Tree | Spring to Winter | Partial Shade to Shade | 15-20' x 15- 20' | | | | | • | ✓ |
| | This lovely tree is a d leaves are shiny, dark flowers are not partic disc that matures to well-drained soils in p | k green in summ cularly showy, th brown in late su | er, turning yellow i ney give way to attı mmer and persist t | in the fall. Termi ractive pendulou hrough most of | nal clusters of s seed clusters the winter. Ho | tiny wh . Each p tree is | ite flowe seed is e s easily g | rs appear in ncased in a rown in ave | late spring thin, winge rage, dry to | . While the d, 1-inch | е |
| Woody: Tree- Ornamental | X Gordlinia grandiflora | Mountain Gordlinia | Year Round | Full Sun | 30' x 15' | | | • | | | • |
| | An absolute must-had (now believed extinct shaped evergreen treappeal. It is more continued to USDA Hardiness Zone | t in the wild) wit ee with large, se ld-hardy, longer Gordlinia is cer | th those of Gordoni mi-cupped 3-4" wh -lived, and disease- | ia lasianthus, the lite blooms, rich c resistant than its | beloved Loblo orange and rec s parents.Intro | olly Bay. I fall foli duced b | Mountain age, vigo y Dr. Tor | n Gordlinia i prous growt m Ranney of | s a small, b h, and irres North Card | eautifully istible olina State | |
| Woody: Tree- Canopy/ Shade | Carpinus caroliniana | American Hornbeam | Fall to Winter | Sun to Partial Shade | 20-30' x 20- 30' | | | | | | • |
| | Rigid branching patte like leaves, and unus one.Adaptable to sur | ual leafy cones in | n fall make this one | e of those small t | rees you wond | ler how | you lived | d without ur | _ | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-------------------------------|---|--|---|---|--|---------------------------------|---------------------------------------|---|---|-------------------------------|----------|
| Woody: Tree- Canopy/ Shade | Catalpa speciosa | Northern Catalpa | Late Spring | Sun to Partial Shade | 40-70' x 20- 50' | | | | • | ✓ | • |
| | Catalpa speciosa has lare a real showstoppe late Spring. Flowers grelease the seeds with unpleasant aroma whoth wet and dry soils | er! Bell-shaped, ive way to long nin. Bark of mat en bruised as is | orchid-like white f slender green seed ure trees is fissured the case with the | flowers, to 2" lor dpods up to 22" d, ridged and pal similar Catalpa b | ng, with purple long, which ma e gray-brown. ignonioides.To | and yel Iture in The leav | low inner Fall to da ves of thi | spotting ap rk brown a s species do | opear in paind then splind then splind on the mile of | nicles in it open to an | |
| Woody: Tree- Canopy/ Shade | Diospyros virginiana | Persimmon | Fall | Sun to Partial Shade | +30' x +20' | ✓ | | • | | | ✓ |
| | Common persimmon lands of the Mississip strength. Persimmon food. The glossy leath taproot. | oi River Valley. is much better | The wood is close a | grained and som s, however. The | etimes used fo y are enjoyed b | r specia y peopl | l product e as well | s requiring as many sp | hardness a ecies of wil | nd Idlife for | |
| Woody: Tree- Canopy/ Shade | Liquidambar styraciflua | Sweet Gum | Spring to Fall | Sun to Partial Shade | 60-80' x 40- 60' | • | | | | | ✓ |
| | The Sweet Gum has s color of the fruiting he and familiar trees, wit crushed. Sweet Gum | eads fades to year th distinctive sta | ellow as maturity is ar-shaped leaves ar | reached in Sept nd spiky ball-sha _l | ember to Nove ped fruits. The | mber. S leaves l | weet Gu have a pl | m is one of easant, swe | our most c | ommon | |
| Woody: Tree- Canopy/ Shade | Maclura pomifera | Osage orange | Summer to Fall | Full Sun | 30' | | | | • | | • |
| | Osage orange is a smagreen flowers bloom humans and most will in order to produce frestablished, species or | all to medium si in late spring. L dlife, but have k uit.Long-lived p | arge fruiting bodie been found to be ef lant is capable of g | s are produced t ffective in repelli rowing in mediu | hroughout the ng invertebrat m to coarse so | summe e pests. ils, prov | r and into Female ided the | the fall. F trees need e is abunda | ruit are not a male tree ant sunlight | edible to pollinator | |
| Woody: Tree- Canopy/ Shade | Oxydendrum arboreum | Sourwood | Year Round | Sun to Partial Shade | 25-30' | | | | | | • |
| | This is a pyramidal tre Flowers are small, urr yellow-green when th | ı-shaped, and co | ome on 4 to 10" dr | ooping panicles | that lay on top | of the g | lossy foli | | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-------------------------------|---|---|--|---|--|---------------------------------|------------------------------------|--|--|---------------------------------------|--------|
| Woody: Tree- Canopy/ Shade | Quercus bicolor | Swamp White Oak | Fall | Sun to Partial Shade | 50' x 60' | • | | | | • | ✓ |
| | Swamp White Oak is usually yellow, bu insects that attract wild turkey, black bresistance. | ut sometimes red migrating vireos, | dish purple. Thou tanagers and war | gh ornamentally i blers in search of | nsignificant, flo a meal. Large | wers bl acorns n | oom in A nature in | pril attracti early fall p | ng pollen-so roviding foo | eeking od for deer, | , |
| Woody: Tree- Canopy/ Shade | Quercus phellos | Willow Oak | Year Round | Full Sun | 40-75' x 25- 50' | • | | | | | • |
| | Willow Oak is a me green, darkens in somedium to wet soil drainage. Tolerant wood is desirable to | ummer, and turns ls. Prefers moist of of urban pollutio | s shades of yellow well-drained loam n.Willow oak is a f | bronze-orange, y s, but adapts to a | ellow-brown ar wide range of | nd russe soils inc | t-red in t uding cla | he fall.Easil ays with son | y grown in a | average, or | |
| Woody: Tree- Canopy/ Shade | Quercus rubra Northern Red Oak i | Red Oak | Fall | Full Sun | 60' x 60' | as au | ckly as n | ossible. The | ase stately t | trees are | ✓ |
| | often planted on go tree in the America Oak is highly esteer is the most importa | olf courses, parks, n Northeast and I med for its autum | and campuses. N Midwest. It is tole n foliage, and its s | orthern Red Oak i erant of salt spray symmetrical habit | s tolerant of ur and does well | ban air even in | pollution exposed | and widely coastal pos | planted as itions. Nor | a street thern Red | |
| Woody: Tree- Canopy/ Shade | Tilia americana | American Linden | Spring | Sun to Partial Shade | 50-80' x 35' | • | | • | | | ✓ |
| | American linden is a flowers in late sprir Ontario and the no bees often visit in sprized gourmet foo | ng, small nutlets v rtheastern and no uch abundant nu | vith attached leafy orthcentral U.S., ir mbers that humm | y wings and large on the control of | dark green leav d areas as well many feet from | es. It is as mois the tre | native to t, low wo e. Honey | o a variety on a variety on a variety of a v | of habitats in tree is in f these flow | n southern ull bloom, vers is a | |

manner as maple syrup.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|---|--|--|---|---|---|---|--|--|--|--------|
| Woody: Shrub | Aesculus parviflora | Bottlebrush Buckeye | Summer to Fall | Sun to Partial Shade | 8-10' x 8-15' | ✓ | ✓ | • | ✓ | | ✓ |
| | Bottlebruch buckeye leaves have their lea arranged in cylindrics summer for 2 to 3 was perfers acid soil, but | flets arranged lik al clusters that a eeks. In the fall | ke fingers radiating re 8-12"s long and | g from a person's 2-4" wide. This r | hand and mea native buckeye | sure 8-1 blooms | 0" across in our a | s. Small wh rea around | ite flowers July Fourth | are each | |
| Woody: Shrub | Callicarpa americana | American Beautyberry | Fall | Sun to Partial Shade | 4-6' x 4-6' | • | | | | | • |
| | Beautyberry is a nati berry-like drupes wh severe winter weath year round beauty an production. It will fr established. This nat | ich encircle the ser.Beautyberry ind food for wildluit most abunda | stem in fall. These s valued for its spe ife. Plant as a singl ntly in full sun but | e fruits remain att ectacular fruits. G e plant or in colo may be grown in | ractive for a lo reat for low m nies. Cut back light shade. Th | ong time naintena severel ne plant | although nce natu y in the S needs m | n they are g ral gardens pring each inimal care | enerally go where it co year for bes once its roo | ne before ontributes st berry ots are | |
| Woody: Shrub | Calycanthus floridus | Common Sweetshrub | Spring | Sun to Partial Shade | 6-8' x 6-8' | | | | • | | ✓ |
| | This beautiful decidured increase in width to scent produced by the intermittently there assume its natural has water when dry but of | eventually form ne unusual flowe after throughout abit.Sweetshrub | a thicket. Sweetshers. Rusty red to be the summer. Use is easy to grow in | rub has aromatic rown, the 1-2 incl sweetshrub in na average soil, is ea | leaves, bark, t h blossoms app tural areas and | wigs and bear in d d woodl | d roots. I Juantities and gard | Best of all is during the ens where i | the wonde spring and t can sucke | erfully fruitor | |
| Woody: Shrub | Calycanthus floridus var. purpureus 'Burgundy Spice' | Purple- leaved Sweetshrub | Spring to Fall | Sun to Partial Shade | 8' x 6' | | | ✓ | • | | • |
| | 'Burgundy Spice' Swe | eetshrub represe | | | | | | | | _ | |

'Burgundy Spice' Sweetshrub represents a radical color change in Calycanthus foliage, with lustrous deep burgundy leaves throughout the summer. The maroon flowers appear in May and June, and have the classic mango and pineapple fragrance of good Sweetshrub selections. The fall foliage adds another season of enjoyment, turning attractive shades of yellow and amber. Sweetshrub is easy to grow in average soil, is easy to care for and is essentially pest-free! Likes moist soils so water when dry but can survive periods of drought if necessary.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|---|---|---|--|---------------------------------------|----------------------|-------------------------|------------------------|-------------------|---------------------|--------|
| Woody: Shrub | Ceanothus americanus | New Jersey Tea | Spring | Full Sun | 2-3' | ✓ | ✓ | • | | ✓ | • |
| | New Jersey Tea is a si likes sandy soils in op | | | | | | | | laptable pla | ant that | |
| Woody: Shrub | Clethra acuminata | Cinnamon Clethra | Year Round | Sun to Partial Shade | 8-12' | | | • | ✓ | | |
| | The cinnamon clethra small, lightly fragrant bark can be a beautif soil; may need addition | white flowers and ul polished cinna | re produced in mi amon brown coloi | d-summer and ar r, often exhibiting | e attractive to an attractive o | butterfl | ies. Fall c | olor is a be | autiful yello | ow. The | l |
| Woody: Shrub | Clethra alnifolia 'Hummingbird' | Summerswee t Clethra | Year Round | Sun to Partial Shade | 3-4' | | | • | ✓ | | • |
| | Clethra alnifolia 'Hum freely in July and Aug Horticultural Society border, or in foundat | ust. Growth hab Gold Medal Awa | oit is compact and ard as well as othe | mounded. Fall co er prestigious awa | olor is golden-y ords. It is an ou | ellow.Tl tstandir | nis plant | received th | e Pennsylva | ania | |
| Woody: Shrub | Clethra alnifolia 'Ruby Spice' | Summerswee t Clethra | Year Round | Sun to Partial Shade | 6-8' | | | • | ✓ | | • |
| | 'Ruby Spice' clethra is borne in 2-6"long clus golden brown in fall. supplemented with o | sters on the tips Certainly one of | of branches in Jul the best native s | ly and August. Lu hrubs for summe | strous medium r color and frag | to deep grance. | o green le Prefers a | eaves turn p | oale yellow | to rich | |
| Woody: Shrub | Clethra alnifolia 'Sixteen Candles' | Summerswee t Clethra | Summer | Sun to Partial Shade | 3-3.5' | | | • | ✓ | | • |
| | This cultivar was selected its parent plant. It ho July. The spent inflor part shade and consist | olds its flowers up escents add inte | pright like candles rest through wint | s on a cake which er.Easily grown i | inspired its na n average, med | me. The lium to v | ey are wh | ite coming | in late June | e and early | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|--|---|--|--|-------------------------------------|------------------------|---------------------------|-------------------------------|------------------------------|---------------------|----------|
| Woody: Shrub | Cornus amomum | Silky Dogwood | Late Spring | Sun to Partial Shade | 6'-12' x 6'- 12' | ✓ | | • | ✓ | | ✓ |
| | A great shrub for wil important food sour be a great addition t wet soil, creating thi steams/ponds or for | ce for many son o your yard for ckets which are | gbirds. Reddish-b those soggy areas great for wildlife h | rown stems add w that are difficult t | vinter interest. o find good pla | Does pantings f | articularlı or. Its br | y well in mo anches hav | ist areas, so e a tendeno | o it would | |
| Woody: Shrub | Cornus sericea (stolonifera) 'Baileyi' | Redosier Dogwood | Winter | Sun to Partial Shade | 6-9' x 6-9' | ✓ | | • | | | ✓ |
| | Cornus sericea 'Baile and fruit are milky w against dark evergre should be cut to the | hite. The plant ens or mixed wi | s most interesting th sericea 'Flavirar | ; feature is its rich mea' or sericea 'Ca | dark-red to blo ardinal'. Prefe | ood-red rs rich, n | stem col | or in winter | . The color | is great | |
| Woody: Shrub | Cornus sericea (stolonifera) 'Cardinal' | Redosier Dogwood | Winter | Sun to Partial Shade | 8-10' x 8-10' | • | | • | | | ✓ |
| | Cornus sericea 'Card are creamy white in then to pale chartred dogwoods with red of | May and June. use green in spr | The stems of 'Carding. What a show | dinal' are magical, ! The plant is easi | cherry-red in f | all, prog | ressing t | o iridescent | coral-pink | in winter | |
| Woody: Shrub | Cornus sericea (stolonifera) 'Kelseyi' | Redosier Dogwood | Year Round | Full Sun | 3' x3' | ✓ | ✓ | ✓ | | | ✓ |
| | Kelsey is a dwarf Cor (cymes) appear in lat with a low, compact on steep slopes. Bar | te spring and are form and lush g | e followed in late s reen foliage that p | summer by white perfectly foils less | berries (drupe attractive base | s) which es of larg | are attra ger shrub | active to bir s. Excellent | ds. A dwarf t for erosior | dogwood | |
| Woody: Shrub | Corylus americana | American Filbert | Spring to Fall | Sun to Partial Shade | 8' x 6' | ✓ | | • | | ✓ | ✓ |
| | Leaves of American I fall. Flowers are intr turn brown when the wide range of condit | iguing catkins (I e nuts are ripe. | ike birch). Female Nuts are 1/2 inch i | flowers develop in size. When a fe | nto a small clu w are planted, | ster of r | nuts encl | osed by two | protective | bracts tha | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|--|--|---|---|---|--------------------------------------|--|--|--|--|----------|
| Woody: Shrub | Deutzia x rosea 'NCDX1' Yuki Snowflake® | Hybrid Deutzia | Spring | Sun to Partial Shade | 2' x 2' | | | | ✓ | | |
| | Deutzia 'Yuki Snowfla and more abundantly plants. In Fall the foli shade. Branches can | . This compact s age changes to | hrub can be used an attractive purpl | as part of a flowe e. Easy to grow i | er garden or as | an info | mal grou | ındcover wl | nen using m | nultiple | |
| Woody: Shrub | Euonymus americanus | Hearts-A- Burstin | Year Round | Partial Shade | 6-9' | | | | | • | • |
| | This airy, deciduous slappear in spring and he "husks" open to reveal loose, suckering, sprahundreds of "bursting droughts, and alkaling | nave five, distind al orange-red se wling shrub, it is "red capsules. | ct, clawed petals. I eds. This dramatic best used in natu | Bright green, ova husk-and-seed ral settings, in th | I leaves becom display is respo e shade of larg | ne dark i onsible fo ger shrul | ed in fall or the "he os and tre | when brigh earts-a-burs ees. Large s | nt pink to po stin" comm specimens o | urple fruit on name. <i>A</i> can have | 4 |
| Woody: Shrub | Euonymus atropurpureus var. atropurpureus | Eastern Wahoo | Year Round | Sun to Partial Shade | 12-24' | • | | | | • | ✓ |
| | This native shrub is al winter. But don't con it grows well and become foot small tree. Flower | fuse this plant v omes an attracti | vith the common v | winged euonymu n in full sun. Car | s, Euonymus a be grown in c | latus. Th lump fo | nis burnin rm or pru | ng bush is ve ined up to f | ery shade to | olerant, yet | |
| Woody: Shrub | Fothergilla gardenii | Dwarf Fothergilla | Spring | Sun to Partial Shade | 3' | | | | • | | ✓ |
| | Fothergilla gardenii is before the leaves emo are best in full sun. C | erge. In Fall, the | e leaves turn an att | tractive yellow-se | - | _ | | | | • | |
| Woody: Shrub | Fothergilla major 'Mount Airy' | Dwarf Fothergilla | Spring to Fall | Sun to Partial Shade | 5-6' | | | | ✓ | | ✓ |
| | Fothergilla 'Mount Air flower spikes in early with a range of red, yo borders, foundation p a high organic conten | spring are effect ellow and orang Ilantings, or mas | tive for three to fo e. It has a vigorou | ur weeks. Dark s upright habit a | blue-green foli nd tends to su | age eme cker, cre | erges afte eating col | er flowering onies. Use | . Fall color this native | is superb plant in | 1 |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|--|---|--|---|---|----------------------------------|-------------------------------------|--|---|---------------------------------------|--------|
| Woody: Shrub | Hamamelis vernalis 'Kohankie Red' | Vernal Witchhazel | Winter | Sun to Partial Shade | 7-9' x 8-10' | | | | • | | • |
| | Hamamelis vernalis 'K Each flower consists of emergence of the foliomedium moisture, we | of 4 ribbon-like, age. Superior w | curly, strap-shaped inter-flowering shru | petals with dull ub for the landso | purple calyces | s.Flowers | s in axilla oodland | ry clusters gardens.Eas | prior to the sily grown in | e n average, | |
| Woody: Shrub | Hamamelis vernalis 'Purple Ribbons' | Vernal Witchhazel | Early Spring | Sun to Partial Shade | 10' x 10' | | | | • | | • |
| | 'Purple Ribbons' is a not of yellow-orange in the ribbon-like petals are seed capsules. Prune a grown in average, me organically rich soils. | ie fall. Fragrant held over an ex after flowering i | , lavender-purple fl tended period of til n the spring to con | owers are freely me. As the leav trol shape and s | produced in ves develop the ize if desired. | ery early flowers Pleasing | y spring. fade, fol yellow-c | These beau lowed by in orange leaf | utiful bloom conspicuou color in fall | ns of wavy us woody .Easily | |
| Woody: Shrub | Hamamelis virginiana | Virginia Witchhazel | Fall | Sun to Partial Shade | 20' x 15' | | | | | | • |
| | Native understory tre is the last woody plan moist, cool, acidic soil dense multi-stemmed | t to flower. Exc . Tolerates clay | ellent for naturalist soil and poor drair | tic areas as well nage. It forms a | as shady areas | . Likes f | ull sun to | partial sha | de and pre | fers a | |
| Woody: Shrub | Hydrangea arborescens 'Abetwo' Incrediball™ | Smooth Hydrangea | Summer | Partial Shade | 4-5' x 4-5' | | | | | | ✓ |
| | 'Abetwo', commonly s globular flower heads stay upright even afte but mature to pure w stems back to the gro soil in part shade. Tole | with 4 times th r they are rain s hite. Flowers blo und in late wint | e flowers per head oaked. The densely oom in early June fo er each year helps | . With the adde y packed fertile to or up to two mo promote stem v | d bonus of hav flowers on the nths. Flowers igor. Easily gro | ring muc flower h contrast | h thicker leads of I well wit | upright ste INCREDIBAL th the dark a | ms, the flo L emerge li green leave | wer heads ime green, s. Pruning | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|--|--------------------------------------|--|--------------------------------------|----------------------------------|-------------------|-------------------|------------------------|-------------------|---------------------|--------|
| Woody: Shrub | Hydrangea arborescens 'Annabelle' | Smooth Hydrangea | Summer | Partial Shade | 3-5' x 3-5' | | | | | | • |
| | 'Annabelle' is one of and are produced on weather. Cut flowers ground in late winter | new wood starts at the base and | ing light yellow-gre d hang to dry for wi | en turning a cre nter bouquets. l | amy white. Blo Jse massed, as | ooms m a low h | ay persis | t for two m | onths in co | ol | S |
| Woody: Shrub | Hydrangea quercifolia 'Munchkin' | Oakleaf Hydrangea | Early Summer | Sun to Partial Shade | 3' x 4-5' | | | | | | • |
| | A new cultivar of the rains. In early summe growth, and flower h full sun or light shade | er, flowers oper eads held uprigl | white and gradual | ly turn medium | oink.Growing 3 | -4 feet | tall and 4 | -5 feet wide | e after nine | years of | |
| Woody: Shrub | Hydrangea quercifolia 'Queen of Hearts' | Oakleaf Hydrangea | Early Summer | Sun to Partial Shade | 5-6' x 7-9' | | | | | | • |
| | This outstanding cros that open white and exfoliating bark.Easily | slowly age to de | ep pink. Dark gree | n foliage turns n | nahogany red i | n fall. Ol | der plan | ts add winte | • | | |
| Woody: Shrub | llex verticillata 'Chrysocarpa' | Winterberry Holly | Fall to Winter | Sun to Partial Shade | 8' x 6' | ✓ | | | | | • |
| | Winterberry is a dense color in early winter a for fruit production; 'drained landscapes.' | after the leaves Jim Dandy' reco | have fallen off. Sur mmended.It prefer | mmer flowers ar | e inconspicuou | s but at | tract pol | linators. Re | equires a m | ale plant | |
| Woody: Shrub | llex verticillata 'Jim Dandy' | Winterberry Holly | Fall | Sun to Partial Shade | 8' | ✓ | | | | | • |
| | Ilex verticillata 'Jim D ensure good berry pr | | • | | | | interberi | ry hollies su | ch as 'Red S | Sprite' to | |
| Woody: Shrub | llex verticillata 'Red Sprite' | Winterberry Holly | Winter | Full Sun to Partial Shade | 3'-5' | ✓ | | | | | ✓ |
| | This is a compact sele Perfers moist acidic s backdrop of winter si | oils but will tole | • | • | • | | | • | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|---|--|--|---|---|-------------------------------|------------------------------------|----------------------------|--|--|--------|
| Woody: Shrub | Itea virginica 'Henry's Garnet' | Virginia Sweetspire | Spring to Fall | Sun to Shade | 3-5' | | | | | | • |
| | 'Henry's Garnet' is a in summer and put o College campus. Bo | on an autumn di | splay of dazzling pu | urples and crimso | ns. 'Henry's Ga | | | | | • | า |
| Woody: Shrub | Jasminum nudiflorum | Winter Jasmine | Winter | Sun to Partial Shade | 3-4' x 4-7' | | | | ✓ | ✓ | |
| | Winter Jasmine is a g months. Its habit is deep glossy green in rejuvenate. Layer to | mounded and sp summer. It pre | oreading with slend fers well-drained se | der angled stems, | green when yo | oung tui | ning gray | y-brown wit | th age. Leav | ves are a | |
| Woody: Shrub | Lindera benzoin | Spicebush | Spring to Fall | Sun to Partial Shade | 6-12' x 6-12' | • | | ✓ | ✓ | ✓ | • |
| | A deciduous shrub nup the spring landscommale pollinator in or emit a fragrance simthis shrub. Lindera is clay soils. | ape in April. Sm der to set fruit, ilar to "Old Spic | all red fruits, on th however.Fall color e" when bruised | e female plant, a is a good clear ye The larva (caterpi | re especially er ellow, especiall llar) of the spic | njoyed b y when ebush s | y birds ir grown in wallowta | the Fall. For full sun. St | emale plant ems, fruit a feeds on th | ts need a and leaves e leaves of | |
| Woody: Shrub | Morella (Myrica) pensylvanica | Bayberry | Year Round | Sun to Partial Shade | 6-10' x 6-10' | ✓ | | | ✓ | ✓ | • |
| | Morella (Myrica) per plants provide the fr and for areas where spray. | agrance for bay | berry candles. This | s is a useful shrub | for massing in | borders | s, erosior | control for | highway p | lantings | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|---|--|--|--|---|---|---|--|---|---|----------|
| Woody: Shrub | Photinia (Aronia) melanocarpa 'Viking' | Black Chokecherry | Spring to Fall | Sun to Partial Shade | 3-6' x 5-6' | ✓ | | ✓ | | • | • |
| | A much prized plant be than the species; ¾" in excellent eating fresh, ornamental beauty, less of orange, scarlet, and color!Chokeberry thrifor a full crop of berries. | n diameter, rou stewed, dried, eave the berries d carmine, whick ves in moist soil | nd, profuse and ma or juiced. Clusters on the shrub as the h remain for many but will tolerate d | ture in early aut of small white f ey provide nutrit weeks before fa ry soil in sun or p | tumn. They are lowers bloom it ious meals for lling into a colopartial shade. | e rich in n spring the son orful poo /iking' is | vitamin (g. if you a gbirds.A ol on the g self-fer | C, ferrum, a re growing utumn leave garden floo tile, so you r | nd iodine, a 'Viking' for es sport bri er. Show-st | and make its Iliant tones opping | ; |
| Woody: Shrub | Physocarpus opulifolius 'SMPOTW' Tiny Wine® | Ninebark | Late Spring | Sun to Partial Shade | 4' x 4' | | | | | | ✓ |
| | This is definitely for the buds that open into we reveal several layers of in average garden soil conditions. Prune as re | hite to light pin of reddish to ligh that is well-dra | k flowers.Physocar nt brown inner bark inged. Best in full s | pus are noted fo c. This characteri un but apprecia | or exfoliating bastic makes it in tes some aftern | ark (on r Ivaluabl noon sh | mature b e during ade. Tole | ranches) wh the winter r | nich peels ii months.Eas | n strips to ily grown | |
| Woody: Shrub | Physocarpus opulifolius 'ZLEBiC5' Sweet Cherry Tea™ | Ninebark | Early Summer | Sun to Partial Shade | 4' x 4' | • | | ✓ | • | • | ✓ |
| | Physocarpus are fast g in mid-summer. Delic drought tolerant and flowers attract numer | rate leaves eme grow in sun or p | rge in spring with a part shade. They ca | reddish orange in be used in the | color before ag garden as a sp | ging to r ecimen | ich purp or scree | e. Ninebark ning plant. | s are tough The small o | and clusters of | |
| Woody: Shrub | Rhododendron canescens | Piedmont Azalea | Spring | Sun to Partial Shade | 10-15' | | | • | | | ✓ |
| | Deciduoua azaleas are planting. This native a has a stoloniferous gr | azalea is a large | | | | | | | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|---|---|---|---|---|---|--|---|---|---------------------------------------|----------|
| Woody: Shrub | Rhus aromatica 'Lacette' | Fragrant Sumac | Spring | Full Sun | 4.5' x 7' | ✓ | | ✓ | | | • |
| | Compact growing, Lac are aromatic when cru red, wrapping up the lots and is lovely in inf branching habit, it sele hedges becoming mon | ushed and half t fall season with formal landscap dom needs prur | he size of others in a bang.Tolerant of es. It is native the ning – developing t | n the market. A a wide array o eastern U.S. ar ight little mour | s summer starts f soils, Lacette tl d attracts varior ds that remain t | to fade nrives in us speci- tidy if sh | , lush gre I full sun es of bird | een leaves to on sloping l ds and butte | urn vibrant nillsides, url rflies. With | shades of ban parking n a free- | |
| Woody: Shrub | Rhus copallina 'Lanham's Purple' | Flameleaf Sumac | Spring to Fall | Full Sun | 10' x 10' | | | • | ✓ | ✓ | ✓ |
| | 'Lanham's Purple' Sun has matured to burgu dry sites, and colonize resistant. It attracts b | ndy-green, and ss banks, hillside | the fall color is a st s and rocky areas | triking combina well with its su | tion of purple, r ckering habit.It is | ed, orar s native | nge and y | ellow. It is | ery tolerar | nt of poor | |
| Woody: Shrub | Rosa palustris | Swamp Rose | Early Summer | Full Sun | 3-6' x 3-6' | ✓ | | • | | | ✓ |
| | Rosa palustris, commo wide. It is native to w and Louisiana. Reddis contrasting yellow cer 1/2" long). Leaves tur | et ground (swar h stems with cu nter stamens blo | mps, marshes, ditc rved prickles are cl oom from late spri | hes, stream bar ad with dark gr ng to early sum | nks) from Nova S een leaves. Frag mer (June- July) | Scotia to grant, sin . Flowe | Ontariongle pink rs are fol | to Minneso roses (to 2' llowed by p | ota south to ' across) wi ea-sized red | Florida th | |
| Woody: Shrub | Rosa virginiana | Virginia Rose | Spring to Fall | Full Sun | 4-6' | ✓ | | | | | ✓ |
| | Virginia Rose is a beau provide food for hung soaking up the sun an winter white landscap garden. They take cersteeped to make rose | ry birds in the w d the fragrance e. Though Virgi nter stage under | vinter. The scent of coming from these nia Rose is a wonderground so they ne | of the blooming the beauties. The terful addition the ted lots of room | petals is amazir red berries, cal o any landscape | ng. You led hips palette | will want , add a w , they are | t to sit in yo onderful sp e not good i | ur yard eac lash of colc neighbors ir | h morning or to a n a small | |

| TypeDesc | Botanicai Name | Name | Interest | Exposure | Size | Birds | Hbirds | Butterflies | Resistant | Tolerant | ivalive |
|--------------|--|--|--|---|--|---------------------------------|----------------------------------|--|--|------------------------|----------|
| Woody: Shrub | Salix discolor | Pussy Willow | Early Spring | Sun to Partial Shade | 6-15' | ✓ | | | • | | ✓ |
| Woody: Shrub | Salix discolor, also known to the pads on the pads on the pads on the pads are also a favor Hummingbirds are also a rain garden. The of pussy willows, pro | aws of cats. This ored food source so known to use ey also adapt we | large native shruk for numerous ca the catkin fluff to Il to drier sites an | o serves as an imp terpillars, which in o construct their r d their rapid grow | ortant food so n turn provide lests.Pussy will oth is useful in d | urce for provide ows thri | early be esential ve in we | es and othe food for nes t soils, maki | r pollinator stling birds. ing it an ide | rs. The eal addtion | I |
| Woody: Shrub | Smilax nana | Catbriers | Year Round | Sun to Partial Shade | 10" x 24" | | | | ✓ | | |
| Woody: Shrub | This rare shrub, native fall and the somewhat in a flower garden, n | at thorny zig-zag | stem provide wir | nter interest. Smi | ax nanahas an | irregula | r, billow | | | - | |
| | Spiraea tomentosa | Steeplebush | Spring to Fall | Sun to Partial Shade | 2-5' | ✓ | | • | | | ✓ |
| | Native to the New Er distinct as they are b merits closer attention | road, spike-shap | ed clusters that a | | | | | | | | |
| Woody: Shrub | Syringa meyeri 'Palibin' | Dwarf Korean Lilac | Spring | Full Sun | 4-5' | ✓ | | • | | | |
| | This selection is the r green leaves that are best in almost any w | somewhat leatl | nery. In spring, th | ie deep purple bu | | | _ | • | | | |
| Woody: Shrub | Viburnum dentatum 'Synnestvedt' Chicago Lustre® | Arrowwood Viburnum | Summer | Sun to Partial Shade | 8' x 8' | • | • | | | | ✓ |
| | An outstanding Vibu mid to late June, follo | | | | | _ | _ | | | • | |

An outstanding Viburnum, this selection has an upright-rounded habit and glossy dark green foliage. Creamy white flowers appear in mid to late June, followed by an ornamental cluster of blue-black fruit in autumn. Reddish purple or gold fall color and with a slightly later bloom than the species. Summer fruit attracts songbirds. An extremely durable and adaptable choice for hedging, screening and mass plantings. All V. dentatums need another cultivar for pollination to make copius fruit. Prefers acidic, moist soils. Adaptable to seashore conditions.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|--------------|--|---|--|---|---|------------------------------------|-------------------------------------|---|--|--------------------------------|----------|
| Woody: Shrub | Viburnum nudum 'Winterthur' | Possomhaw Viburnum | Spring to Fall | Sun to Partial Shade | 5-6' x 5-6' | ✓ | | • | • | | • |
| | This handsome flower spectacular vibrant re form, beginning white pollination for good from shaded sites and sunning the shaded site | d-purple in fall. changing to pir cuiting. Possom | In May-June, creank and finally brillia haw grows natural | my white flower ant blue. Its hab | rs are 2-4" acro it is more comp | ss. As to | he leaves refined | s turn in aut than the spe | umn fruit c ecies. It ne | clusters eds cross- | |
| Woody: Shrub | Viburnum prunifolium | Blackhaw Viburnum | Spring to Fall | Sun to Partial Shade | 15-30' | ✓ | | • | | ✓ | ✓ |
| | Blackhaw is usually gr small, single trunk tre native plant has white which often persist in turn attractive shades | e. As a shrub, it flowers in flat- to winter and an | typically grows 12 topped cymes appre quite attractive | 2-15' tall with a s earing in spring. to birds and wild | pread of 6-12', Flowers give v Ilife. Ovate, find | but as a vay in au ely tootl | a tree ma utumn to ned, gloss | y reach a he blue-black, sy dark gree | eight of 30' berry-like en leaves (t | . This drupes o 4" long) | |
| Woody: Shrub | Viburnum trilobum | American Cranberrybus h | Summer to Fall | Sun to Partial Shade | 8-12' x 8-12' | • | | | | | ✓ |
| | Viburnum trilobum is has a moderate grown persists on the plant us small flowering tree. | h rate. The flow | ers are white bloo | ms in early June | .The fruit is a r | ed drup | e, mature | es in Septen | nber, is edi | ble and | |
| Woody: Shrub | Xanthorhiza simplicissima | Yellowroot | Spring | Partial Shade to Shade | 1-3' x 1-3' | • | | | | | ✓ |
| | Yellowroot is a fantas produce star-shaped t wide variety of soil ty | ruits eaten by b | pirds. In the fall, the | e foliage turns fr | om yellow to a | stunnin | g red or | purple.Yello | wroot tole | rates a | |
| Woody: Shrub | Zenobia pulverulenta 'Woodlander's Blue' | Dusty Zenobia | Spring | Sun to Partial Shade | 4' x 6' | | | | | | • |
| | 'Woodlander's Blue' is in leaves that are typi pendant racemes of s Nursery selection has | cally green, but mall white bells | this amazing selec . In fall, the foliage | tion has powder e turns scarlet be | blue foliage. I | n spring | , the airy | clumps are | topped wi | th 2' long | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|---------------------|---|--|--|---------------------------------------|---------------------------------|--------------------------|-----------------------|-----------------------------|-----------------------------|-------------------------|--------|
| Woody: Evergreen | Arctostaphylos uva-ursi 'Massachusetts' | Bearberry | Late Spring | Sun to Partial Shade | 6" x 3'-6' | ✓ | | | ✓ | | • |
| | Common Bearberry i solution for a difficul large rock. Its small grabundantly and is a conselection originated in | t site since it gro reen leaves have lisease-resistant | ws where few oth silver grey backs selection with sm | er plants are hap and often appear | py. Artostaph to be edged ir | yllos is lo n silver. | ovely dra 'Massacl | ped over th | e edge of a vers and fru | wall or uits | |
| Woody: Evergreen | Camellia 'April Rose' | Hybrid Camellia | Late Winter | Partial Shade | 6-8' x 4' | | | | | | |
| | This introduction from with the vagaries of emedium to late season | each particular se | | | | | _ | • | • | | / |
| Woody: Evergreen | Gaultheria procumbens | Wintergreen | Year Round | Partial Shade to Shade | 5" and spreading | | | | | | ✓ |
| | Native evergreen low cold weather. Habit some moisture but a groundcover good fo | is procumbent a daptable to conc | nd horizontal spre | ading slowly.Wir | tergreen likes | light to i | moderate | e shade, org | ganic acidic | soils with | |
| Woody: Evergreen | Illicium floridanum f. album | Florida Anisetree | Late Spring | Shade | 6-10' x 5-9' | | | | ✓ | | ✓ |
| | Illicium floridanum is pleasant to everyone in a naturalistic settir | . Star shaped re | d-purple flowers a | are spectacular in | late spring to | early su | mmer. It | | | | |
| Woody: Evergreen | Illicium x 'Scorpio' | Florida Anise- tree | Year Round | Partial Shade | | | | | | | ✓ |
| | This evergreen shrub flowers bloom multip facing to nodding. Th May and again in Sep | ole times through ey last 5-10 days | nout the year and s and each has a sl | the shrub is com ight anise fragrar | pact in shape ance. The shrub | nd size. itself ha | Flowers as two m | are solitary ain bloom s | and are ou easons, firs | utward- st in April- | |

damp, and wet sites well. USDA Plant Hardiness Zone 6b to 9a.Hardy in zones 7a-9b.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|---------------------|--|--|--|---|--|--------------------------------|--------------------------------------|---|--|----------------------------------|----------|
| Woody: Evergreen | Juniperus communis | Common Juniper | Mid Spring | Full Sun | 1-15' | | | | • | • | |
| | Juniperus communis Mountains of Africa. factors as geographi tall), but can be a low bark is often an attra moisture and temera | It is the most we clocation and televioleter was readily and the latest televioleters. It is the most we have a clocal televioleters with the latest and the latest was active reddish-broadily act | idespread conifer mperature. In the ding plant (9-12" | r growing in the we e U.S., common jo).Prickly, green, n | orld today. Gro uniper is most fo eedle-like juver | wth hal requent ile leav | oit and fo ly seen a es grow i | rm in part of s a multi-sto n whorls of | depend upo emmed shr three. Exfo | on such ub (5-15' oliating | |
| Woody: Evergreen | Microbiota decussata 'Prides' Celtic Pride® | Russian Arborvitae | Year Round | Sun to Partial Shade | 2' x 4' | | | | ✓ | | |
| | Microbiota are low-g sprays. Foliage is bri where is grows abov to grow in average, i | ght green in the e the treeline. 'F | summer changin _s Prides' is an excep | g to bronze purple otionally tough va | e in fall and win | ter.It is ased col | native to d tolerar | mountains ace and dise | in far easte | ern Russia | |
| Woody: Evergreen | Thuja plicata 'Zebrina' | Western Red Cedar | Year Round | Sun to Partial Shade | 30-50' x 8- 12' | | | | | | ✓ |
| | Thuja plicata, comm family. Zebrina' is a matures as a narrow seed cones (to 1/2" sun, but generally ap | variegated form pyramidal tree t long).Best grown | of western red co o 30-50' tall and in moist, fertile, | edar which producto to 8-12' wide.Fibr well-drained soils | ces feathery greous, aromatic, in full sun to pa | en folia reddish- | ge stripe brown b | d with crea ark. Small, | my yellow. upright, ligl | It typically nt brown | , |
| Woody: Evergreen | Tsuga canadensis 'Coles Prostrate' | Canada Hemlock- | Year Round | Partial Shade | 18" x 48" | | | | • | | ✓ |
| | 'Coles Prostrate' is a cascading branches | • | | | | | | • | | • | |

'Coles Prostrate' is a dwarf evergreen conifer with a slow spreading habit, making it a good candidate for small gardens. The dense, cascading branches create an irregular mounding habit prefect for draping over walls or as a specimen groundcover. The bright light green new spring growth contrasts with older dark green needles. Found by H. R. Cole on Mount Madison, New Hampshire in 1929. Grow in average to moist soil rich in organic matter; does not tolerate standing water. Prefers light shade; avoid strong afternoon sun. Treat for hemlock woolly adelgid as needed.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|---|--|---|-----------------------------------|--|--|---|----------------------------------|----------|
| Woody: Edible | Vaccinium corymbosum | Highbush Blueberry | Summer | Sun to Partial Shade | 8-10' | ✓ | | | | | ✓ |
| | Vaccinium corymbosu and up to 3" long. In f black berry. Vacciniun | all, the leaves cl | nange to a brilliant | red. The flowers | s are white, be | ll-shape | d, 10 mm | | | • | I |
| Woody: Edible | Vaccinium corymbosum 'Elizabeth' | Highbush Blueberry | Mid Summer | Sun to Partial Shade | 4-6' | ✓ | | | | | ✓ |
| | Highbush blueberry ca woods, bogs and low green foliage turns a l marketing the first co production plant in fu birds, so netting or ca | areas. Clusters prilliant red. The mmercial blueb Il sun. Grow wit | of small white, urn cultivar 'Elizabeth erry crop. Best gro th a different varie | n-shaped flowers I' honors Elizabe wn in acidic, org | bloom in sprir th Coleman Wh anically rich, m | ng follow nite who nedium t | ved by blu was inst o wet we | ueberries in rumental ir ell-drained s | July. In fal developin soil. For be | II the dark g and st fruit | |
| Perennial: not Grass/Fern | Acanthus mollis | Bear's Breeches | Mid Summer | Sun to Partial Shade | 3' x 2' | | | | • | | |
| | Acanthis mollis is a bowhite flowers with regarden. Native to the architecture. Bear's Bropen soils. Grows in a | ddish purple bra Mediterranian r eeches is a well | cts. This striking pregion and was the behaved clump for | perennial can be e source of the Co orming perennial | used as a speci orinthian leaf n in average soil | men pla notif use , but car | int, bring ed in anci n spread | ing excitem ent Greek a aggessively | ent and dra and Roman via runner | ama to the art and | |
| Perennial: not Grass/Fern | Achillea millefolium 'Little Moonshine' | Yarrow | Summer | Full Sun | 9" x 9" | | | • | ✓ | ✓ | ✓ |
| | In general, yarrows ar can add pops of color size bright yellow flow lean soil that drains w | while attracting vers and fragran | pollinators.Althout ferny foliage. It l | ugh smaller in sta blooms 2 weeks | ature to 'Moon earlier than 'M | shine', 'I oonshin | Little Mo e.'To do | onshine' sti well, yarrov | ill possess t ws require f | he large full sun and | |
| Perennial: not Grass/Fern | Achillea millefolium 'Pomegranate' | Yarrow | Summer to Fall | Full Sun | 18" x 18" | | | • | ✓ | • | • |
| | 'Pomegranate' is an u growing habit. Yarrov tolerate hot, humid so height. Deadhead aft and self-seeding, and | v is best grown in the second drown in the second drown below period to the second drown in the second dro | in lean, dry to med ought. Consider cu I to encourage mo | lium, well-draine tting back plant re blooms and d | ed to sandy soil stems in late sp ivide clumps as | s in in fu oring be needed | ıll sun. Dı fore flow I.Plants s | rainage musering to rec pread aggre | st be good. duce overal essively by | Plants will I plant | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|---|--|---|--|--|--|---|---|--------|
| Perennial: not Grass/Fern | Achillea millefolium 'Terra Cotta' | Yarrow | Summer | Full Sun | 2-3' x 2' | | | • | • | ✓ | ✓ |
| O/F | Yarrows are among to months. This hybrid to produce an airy effect 4" across. Excellent a or early spring. Easily fade in extended, ho | features salmon- et and are fragra es cut flowers, fro grown in averag | pink flowers that nt when crushed. esh or dried. Rem ge, dry to medium | age to rusty ter Tiny flowers ar love spent flowers a, well-drained s | racotta orange e densely packe ers regularly to oil in full sun. | , then cre ed in large promote Tolerant c | amy yell e, flat-top continue of heat a | ow.Delicate oped, termined blooming and humidity | , fern-like lonal flower of the contraction of the | eaves clusters 2- ided in fall r color may | / |
| Perennial: not Grass/Fern | Actaea (Cimicifuga) pachypoda | White Baneberry | Summer to Fall | Partial Shad to Shade | e 30" x 30" | • | | • | • | | ✓ |
| | White Baneberry is a of small white flower pedicels. Acteas prefer plant are poisonous | rs that float abover moist, rich soi | ve the foliage. In a | autumn they de | velop panicles | of eye-cat | tching wl | nite fruit bo | rne on red | | |
| Perennial: not Grass/Fern | Adiantum pedatum | American Maidenhair Fern | Spring to Fall | Partial Shad | e 18-24" | | | | ✓ | | ✓ |
| | This fern has a delica plant is easily grown. | | | | have a striking | black ster | m. A slov | w spreader f | rom rhizon | nes, this | |
| Perennial: not Grass/Fern | Agastache x 'Black Adder' | Hybrid Hyssop | Summer | Sun to Partia | al 3' x 3' | | | • | ✓ | | |
| | The second fantastic summer to frost on a soils with average to clay soils in the winter | compact, round good drainage. | ded plant. An earl | y pinch keeps it | more compact | t in contai | ners.Gro | w in full sur | and avera | ge to dry | |
| Perennial: not Grass/Fern | Alchemilla erythropoda | Dwarf Lady's Mantle | Spring to Summer | Sun to Partia Shade | .5' x 2' | | | | | ✓ | |
| | This charming dwarf they're done. Chartro refreshing. Just shee tough hell strip. Plar | euse colored flow r them back and | wers will appear ir a new flush of lea | n late spring in t oves will appear | o early summe Plant as a grou | r. Toward | s mid su | mmer, leave | es may nee | d | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|---|---|----------------------------------|--|--|--|---------------------------------|--------|
| Perennial: not Grass/Fern | Alchemilla mollis | Lady's Mantle | Year Round | Sun to Partial Shade | 18" x 24" | | | | ✓ | | |
| | This low growing pe on them and sparkle chartreuse flowers i | like quicksilver, o | delighting children | of all ages. If th | at weren't eno | ugh, the | foliage i | s topped by | clusters of | | 5 |
| Perennial: not Grass/Fern | Allium cernuum | Nodding Onion | Summer | Sun to Partial Shade | 12-18" | ✓ | ✓ | ✓ | ✓ | | • |
| | Allium cernuum feat summer which appe an oniony smell whe generally considered Best in full sun, but a offsets in optimum g | er in loose, noddi en cut or bruised. Id to be of culinary appreciates some | ng clusters atop e Although the bull value today. Easi light afternoon sh | rect, leafless sca bs and leaves of t ily grown in avera | pes rising slight this plant were age, dry to med | tly above once us dium, we | e the foli sed in cod ell-draine | age. All par oking or eat ed soil in ful | rts of this pl en raw, it is I sun to ligh | lant have s not nt shade. | |
| Perennial: not Grass/Fern | Amsonia hubrichtii | Bluestar | Early Summer | Partial Shade | 28" | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | This uncommon spe The show realyl hear excellent low mainte | ts up with the inc | redible fall color a | s the leaves char | ~ | | | | | | |
| Perennial: not Grass/Fern | Anemone (Hepatica) acutiloba | Sharplobe Hepatica | Early Spring | Partial Shade | 6" | | | | | | ✓ |
| | Downy-covered bud above the three-lob jewels. | | | | | | | | | • | |
| Perennial: not Grass/Fern | Anemone canadensis | Windflower | Mid Spring | Sun to Partial Shade | 12-24" x 24- 30" | ✓ | | ✓ | ✓ | | ✓ |
| | This spring-blooming colonies) along river diameter, are borne strong growing plansun conditions. Slight | s next to levees a on erect stems a t that needs room | nd on river flood p bove the foliage a n to move. Prefers | plains, in low, mo and feature five, v s moist soil rich in | oist meadows a vhite, petal-like | nd in me | oist thick and num | ets. Showy erous, yello | solitary floow center s | wers, 2" in tamens.A | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Hbirds | Attract Butterflies | Resistant | Tolerant | Native |
|------------------------------|--|---|---|---|------------------------------------|-----------------------|------------------------|-------------------------|----------------------------|-------------------|--------|
| Perennial: not Grass/Fern | Anemone hupehensis 'September Charm' | Hybrid Anemone | Fall | Sun to Partial Shade | 30" | | ✓ | • | | | |
| | The silvery, saucer-s stems above the foli mounds in time. | | _ | | _ | | | | - | | У |
| Perennial: not Grass/Fern | Anemone x hybrida 'Andrea Atkinson' | Hybrid Anemone | Late Summer | Sun to Partial Shade | 3' x 3' | | | | ✓ | | |
| | Anenome 'Andrea A' through September, clumps reach about thrives in humusy m that are poorly drain | the single to se 2 feet in height oist soil in part s | mi-double flowers and feature coarse | sway well above a | the foliage on gelending bold | graceful texture | sturdy st to the ga | ems. The viarden. This | igorous mo long-lived p | unded erennial | i |
| Perennial: not Grass/Fern | Angelica gigas This short lived pere | Korean Angelica | Mid Summer | Sun to Partial Shade | 3-6' x 2-3' | ns abov | □ e mid-gre | ✓ een. toothe | □ d leaves. Th | nis exotic | |
| | looking plant deserv moist, well-drained, | es a spot in ever | • | | | | • | - | | | |
| Perennial: not Grass/Fern | Antennaria plantaginifolia | Pussy-toes | Late Spring | Full Sun | 12" x 18" | | | ✓ | | ✓ | ✓ |
| | Mat-forming plant w to June but its wooll resemble the pads o well-drained, mediu | y, plantain-like f f a cat's paw, blo | oliage is its best or ooms reach up to 1 | rnamental feature L' high from a bas | e. Commonly ca al rosette of pa | alled "pu addle-sh | ıssy-toes | " for flower | clusters th | at | |
| Perennial: not Grass/Fern | Aquilegia canadensis | Wild Columbine | Spring | Sun to Partial Shade | 24" | | ✓ | • | ✓ | | • |
| | This is an erect, brar spurred petals altern | • . | • | | • | _ | | • | | | |

leaves are attractive in their own right. Easily grown in average well-drained soil in full sun to shade, it will tolerate a wide range of soils, as long as drainage is good. Soil that is too rich encourages weak stems and shorter lifespan. In optimum growing conditions it will self-

seed freely. The small black seeds of Aquilegia canadensis are easy to collect and replant in the location of your choice.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|---|---|---|-----------------------------------|-----------------------------------|--|----------------------------------|------------------------------|----------|
| Perennial: not Grass/Fern | Aquilegia canadensis 'Little Lanterns' | Wild Columbine | Late Spring- Early Summer | Sun to Partial Shade | 10" | ✓ | ✓ | • | ✓ | | ✓ |
| | This is a compact gro A long blooming spec June. Since it's little, | ies, it produces | many brilliant red | flowers with a ye | ellow corolla th | at dangl | | 7 | | • | |
| Perennial: not Grass/Fern | Arisaema triphyllum | Jack-in-the- Pulpit | May-June | Partial Shade | 16-20" | | | | ✓ | | ✓ |
| | One of the most desi purple-green spath (t scarlet in the fall. Pre | he pulpit) enclo | ses a slender spad | lix (jack). After th | ne flower fades | | | | | • | |
| Perennial: not Grass/Fern | Artemisia 'Powis Castle' | Hybrid Sage Brush | Spring to Fall | Full Sun | 36" | | | | ✓ | | |
| | One of the most beau gray lacy foliage seen imaginable. All artem native to the Mediter then only sparingly. | ns to intensify the isias share the s ranean and whi | ne color of nearby ame cultural requ le they don't need | flowers and other irements, which a a luxurious soil, | er foliage, and t are plenty of su | ies toge ınlight a | ther almo | ost every co Irained soils | olor combin s. Artemisia | ation as are | |
| Perennial: not Grass/Fern | Asarum canadense | Wild Ginger | Spring | Partial Shade | 1" | ✓ | | • | • | | ✓ |
| | Kidney-shaped, leath spreads slowly by and to North America.Thi requires high organic | d can be propaga s plant prefers li | ated through its fr ght to deep shade | agrant undergroue and it is often fo | und rhizomes o ound on rocky a | r throug cidic soi | h seeds. Is. It has | This is a wo | odland pla | nt, native | |
| Perennial: not Grass/Fern | Asclepias incarnata 'Soulmate' | Swamp Milkweed | Mid Summer | Full Sun | 4' x 2' | | | • | ✓ | | ✓ |
| | Asclepias incarnata 'S tall. This native plant taproot. Flowers appenamed for the Asklep "swamp milkweed," t | serves as a crud ar in mid-to-late ios, the Greek g | cial food source fo e summer in tight od of medicine. A | r monarch butter clusters on stem- sclepias incarnata | flies. A perfect ends and are for a exudes a toxion | t rain-ga ollowed c milky s | rden plai by attrac ap when | nt, swamp r ctive seed-p cut. Comm | milkweed hoods. The geonly knowr | as a deep enus is n as | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|---|--|---|-----------------------------------|-----------------------------------|--|--|--------------------------------------|--------|
| Perennial: not Grass/Fern | Asclepias tuberosa 'Hello Yellow' | Butterfly Weed | Early Summer | Full Sun | 24" | | ✓ | • | • | ✓ | • |
| | A selected form of or Butterflies are drawn | | ly weed that has s | shown to be a sha | de more yellov | v than tl | ne specie | es. Great fo | r hot, dry si | tuations. | |
| Perennial: not Grass/Fern | Asclepias verticillata | Whorled Milkweed | Summer | Sun to Partial Shade | 12-30" x 12- 24" | | ✓ | • | • | ✓ | ✓ |
| | Asclepias verticillata like, fine textured an occur from mid-sum late season food sou and vigorous. If self- | d whorled in um mer and into aut rce for Monarch | brella like clusters tumn. This late blo butterflies and th | s along the stems comer is among t eir caterpillars.Pl | Foliage offers he last milkwee ants are best ac | a lovely eds to go dapted t | y yellow i o dormai o sunny | fall color.Fra nt. This mak dry sites an | agrant whit es it a very d are droug | e flowers valuable ght toleran | t |
| Perennial: not Grass/Fern | Bigelowia nuttallii | Nuttall's Rayless Goldenrod | Year Round | Sun to Partial Shade | 3-8" x 5" | | | | | | ✓ |
| | Bigelowia nuttallii for with smaller and nar attractive to honeybodry, and exposed are Texas in wet acidic sa | rower leaves on ees - float over s as. A North Am | the stems. From r small tufts of soft g erican native pere | mid-summer thro green, thread-like nnial, it can be fo | ugh autumn, so foliage. This to | oft cluste ough eve | ers of bri ergreen p | ght yellow f Dlant is well | lowers - ve adapted to | ry sunny, | |
| Perennial: not Grass/Fern | Calamintha nepeta ssp. nepeta | Calamint | Fall | Sun | 18" | | | • | ✓ | ✓ | |
| | Soft green leaves, wi the wiry stems. A gre insect pollinators. Do | eat plant for a d | ooryard garden, h | erb garden or the | front of the bo | rder. F | lowers a | re attractive | | | |
| Perennial: not Grass/Fern | Cardamine (Dentaria) diphylla | Broadleaf Toothwort | Mid Spring | Partial Shade | 8-16" | | | • | | | • |
| | Cardamine diphylla is above a 3-leaflet pair shaded meadows, ar | of toothed leav | es. Average heigh | nt is 12".This men | nber of the mu | stard far | mily is co | mmonly for | und in woo | dlands and | |

grows best in partly shaded, slightly acidic, moist soil but cannot tolerate deep shade. It is best multiplied by rootstock division.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---------------------------------|--|--------------------------------------|---------------------|------------------|-------------------|------------------------|-------------------|---------------------|----------|
| Perennial: not Grass/Fern | Ceratostigma plumbaginoides | Leadwort, Plumbago | Fall | Sun to Partial Shade | 10" | | | • | • | | |
| | Spectacular and favor late summer and fall maintenance, deer re | A dependable de | eciduous groundco | | | | _ | | | • | 1 |
| Perennial: not Grass/Fern | Chamaelirium luteum | Fairy-wand | Early Summer | Partial Shade to Shade | 1-4' | | | | | | ✓ |
| | From a basal cluster of white, tightly packed and prefers rich, mois | white flowers. I | Ranging throughou | t the eastern US | , this interestir | ng perer | nnial flow | ers in late s | | | |
| Perennial: not Grass/Fern | Chelone glabra | White Turtlehead | Late Summer | Sun to Partial Shade | 23-35" x 18- 23" | | ✓ | ✓ | | | • |
| | Chelone glabra is a na flowers. Foliage is na with the more comm | rrow with 3-6" s | harpley toothed p | - | - | _ | | | _ | | d |
| Perennial: not Grass/Fern | Chrysanthemum (Dendranthema) indicum 'Sheffield Pink' | Hardy Mum | Fall | Full Sun | 30-36" | | | | | | |
| | Just now gaining in po blooming apricot pink many years.Plant in ri | beauty. Grows | best in full sun. B | looms Sept-Oct. | Compliments | blue or | | | | • | |
| Perennial: not Grass/Fern | Collinsonia canadensis | Richweed | Late Summer | Partial Shade | 2-4' x 3' | | | | | | • |
| | Collinsonia canadensi ovate toothed leaves or like citronella. The humus-based soil and | Small clusters leaves of Collin | of white and yellow sonia can be used | w tubular bloom: to brew a tea an | s are present ir | n mid-la | te summ | er, fragranc | e described | l as lemony | v |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|--|--|-------------------------------------|------------------------|-----------------------|------------------------------|------------------------------|----------------------|--------|
| Perennial: not Grass/Fern | Coreopsis tinctoria | Golden Tickseed | Summer | Full Sun | 18" | ✓ | ✓ | • | ✓ | ✓ | • |
| | Coreopsis tinctoria for gardens. Blooming to eaten by birds. The conditions. | hroughout the s ommon name ti | ummer, it serves ickseed refers to a | as an excellent po appearance of the | ollinator plant a seeds. Easy to | attracting grow in | g bees ar dry to m | nd butterflie nedium moi | s. The seed st, well-drai | ds are ned soil. | |
| Perennial: not Grass/Fern | Coreopsis verticillata 'Red Satin' Permathread™ | Threadleaf Coreopsis | Summer | Full Sun | 18" x 22" | | | • | ✓ | ✓ | ✓ |
| | 'Red Satin' Coreopsis they appear over a lo Compared to other t tight mound habit. Ex Plants will spread by | ong period from hreadleaf types, asily grown in dr | early through late this plant has da | e summer and if c rker green foliage | ut back, the pla and is more cl | ants can ump fori | be encou | uraged to re oducing few | bloom unti er rhizome: | l frost. s. Has a | |
| Perennial: not Grass/Fern | Coreopsis x verticillata 'Creme Brulee' | Threadleaf Coreopsis | Summer | Sun to Partial Shade | 16-20" x 24- 30" | | | • | • | | • |
| | 'Crème Brulee' is as or robust plant. Startin delicately serrated at lightly in late summe | g in early summ the tips. The b | er and continuing right green, lacy f | through fall, doze foliage is also very | ens of butter-y ornamental, g | ellow, da iving the | isy-type plant a | flowers app soft, wispy l | oear, each p ook. Shear | etal | |
| Perennial: not Grass/Fern | Cyclamen hederifolium | Hardy Cyclamen | Fall | Partial Shade | 4-6" | | | | ✓ | ✓ | |
| | This hardy cyclamen petals. Blooms some variably colored, but are followed by the f | what profusely usually gray-gre | in late summer in een with silver and | nto fall, one flowed white marbling. | r per stem. Ext The flower sta | remely a Ilks typic | ttractive | , ivy-shaped | d, mottled I | eaves are | |
| Perennial: not Grass/Fern | Dicentra cucullaria | Dutchman's Breeches | Mid Spring | Partial Shade to Shade | 8-12" | | | | | | • |
| | One of our most deli down, inflated trous plant goes dormant i | ers. The delicate | - | | | | | | • | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|---|---|---|------------------------------|--------------------------------------|---|--|-------------------------------|--------|
| Perennial: not Grass/Fern | Digitalis grandiflora (ambigua) | Yellow Foxglove | Summer | Sun to Partial Shade | 12-30" | | | | ✓ | ✓ | |
| | Yellow Foxglove has September. The sof lance-shaped with fi their real strength is foxglove is easy to g Once established it i | t, lush foliage is one teeth. Foxglow as dramatic and row in almost an | only 12-18" tall bu ves are of easy cul richly colored ver y type of soil exce | it the flower spike Iture and make ex tical accents, a lo | s will grow to cellent cut flow ok that is impo | 3 feet. Twers if possible to | he 5-10' icked who duplica | ' long, deep en the bloo te with anot | green leav ms are half ther genus. | es are open. But Yellow | t |
| Perennial: not Grass/Fern | Digitalis purpurea 'Snow Thimble' | Foxglove | Late Spring | Sun to Partial Shade | 3' x 1' | | | | ✓ | | |
| | Majestic spires of sn selection of foxglove designs. Foxgloves ac creating low clumps perform best in rich, moved when small. | e with no spotting dd a dramatic ver of foliage the firs | g on the interior of tical element to of st year and bloom | of the flower petal cottage gardens on ing the second ye | s creating a cri woodland ed ar. They seed | sp, elegages. The freely a | ant accer ey are bie s long as | nt for white ennials or sh there is bar | or moon ga ort-lived pare ore soil. Foxg | arden erennials loves | e |
| Perennial: not Grass/Fern | Digitalis x mertonensis | Foxglove | Summer | Partial Shade | 3' x 2' | | | | • | | |
| | This evergreen Foxg with coppery sandst perennial which self a preennial. | one. Prefers mo | ist, organically ric | h, acidic soils in p | art shade. Soil | must no | ot be allo | wed to dry | out. A shor | rt-lived | |
| Perennial: not Grass/Fern | Dodecatheon meadia | Common Shooting Star | Spring | Sun to Partial Shade | 6-10" | | | | | | ✓ |
| | Shooting stars are m | nuch-loved wildflo | owers that resem | ble comets with t | he pink back-sv | wept pe | tals flarin | ng behind. 1 | he flowers | are held | |

Shooting stars are much-loved wildflowers that resemble comets with the pink back-swept petals flaring behind. The flowers are held on tall stems, which rise above the basal rosette of thin succulent leaves. This species is a native of our eastern and central woods and meadows, preferring lots of spring moisture. Like Virginia bluebells, they are a spring ephemeral, going dormant in the summer heat. Easy to grow in average soil as long as there is plenty of spring water.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|---|---|---------------------------------|----------------------|---------------------|----------------------------|-----------------------------|---------------------|----------|
| Perennial: not Grass/Fern | Echinacea pallida | Pale Coneflower | Summer to Fall | Full Sun | 3-4' | ✓ | | • | | ✓ | ✓ |
| | Dark green 3-5" leav drooping petals. The stake. Plants prefer | ese are extremel | y different and int | | | | | • | | • | |
| Perennial: not Grass/Fern | Echinacea purpurea | Purple Coneflower | Summer to Fall | Sun | 3-4' | ✓ | | • | ✓ | | • |
| | This has been one of and have short, stiff droop slightly toward | hairs. The cente | ers of the flowers a | are cones of oran | ge-brown, and | are surr | ounded l | by bright pir | | | |
| Perennial: not Grass/Fern | Echinops bannaticus 'Blue Glow' | Globe Thistle | Mid Summer | Sun to Partial Shade | 30" | | | | ✓ | | |
| | Globe Thistle has ver character to the gard | | eaves on stiff sten | ns that are toppe | d off by navy b | lue, glob | e shape | d flowers w | hich impart | a unique | |
| Perennial: not Grass/Fern | Enemion (Isopyrum) biternatum | False Rue- anemone | Early Spring | Partial Shade | 8" x 5" | | | | | | ✓ |
| | False Rue-anemone White, anemone-like spring.Best for wood bloom.False Rue-ane the summer time: m | e flowers (1/2" d lland, wildflower emone dies back | iameter) have 5 pe or native plant ga in mid-summer m | etal-like sepals ar ardens. May be u | d showy yellow sed in shaded | w center areas of | stamens the rock | s. Flowers a garden for | ppear in ea early spring | rly | |
| Perennial: not Grass/Fern | Epimedium grandiflorum 'Orange Queen' | Barrenwort | Spring | Partial Shade to Shade | 20" | | | | • | • | |
| | Flowers in the spring | with a subdued | Orange-copper to | ne. Attractive fo | lage all year lo | ng.Grea | t for spe | ciman wood | lland garde | ns. | |
| Perennial: not Grass/Fern | Epimedium x versicolor 'Sulphureum' | Yellow Barrenwort | May-June | Partial Shade | 12-15" | | | | ✓ | ✓ | |
| | Epimedium is a carpe form and probably the plants perish. | | | • | • | | | • | | _ | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|--|------------------------------------|-------------------|------------------------|------------------------------|---------------------------|---------------------|--------|
| Perennial: not Grass/Fern | Erigeron pulchellus var. pulchellus 'Lynnhaven Carpet' | Robin's Plantain | Late Spring | Partial Shade to Shade | 12-15" | | | ✓ | ✓ | • | ✓ |
| | This outstanding form spring with a profusio deer tolerant in dry sh suited for moderate s | n of very pale la nade a condition | vender daisies on on that many othe | 1 foot tall stalks | a butterfly fa | vorite. | Erigeron | pulchellus i | s very drou | ght and | |
| Perennial: not Grass/Fern | Eriogonum allenii 'Little Rascal' | Shale Barren Buckwheat | Summer | Full Sun | 24" x 16" | | ✓ | ✓ | | ✓ | ✓ |
| | 'Little Rascal' has gray heads. Adored by bee heads. Shale Barren E ease of maintenance, keep 'Little Rascal' ha | es, butterflies ar Buckwheat is a r cold hardiness a | nd hummingbirds, eliable under used | the blooms matu perennial that h | are with bronzy as virtues ever | orange yone ag | hues and | d later deve | lop intrigui ong bloom | ng seed period, | |
| Perennial: not Grass/Fern | Eupatorium coelestinum | Hardy Ageratum | Late Summer | Sun to Partial Shade | 2-3' | • | | ✓ | | | ✓ |
| | The fuzzy blue flowers works well as a filler cadapted to most soil twet sites, such as low conditions. | or groundcover p cypes, but is esp | planting. It's brillia ecially suited to he | nt blue flowers in the same of | make a unique d to highly orga | and lon | g-lasting s. Natura | cut flower.I I stands are | Hardy agera found on r | ntum is noist to | I |
| Perennial: not Grass/Fern | Eupatorium hyssopifolium | Hyssop- leaved thoroughwort | Summer to Fall | Sun to Partial Shade | 2-3' x 1-2' | | | ✓ | | ✓ | ✓ |
| | Eupatorium hyssopifo season. Flat topped cl tiny white flowers are stems can be cut to gr | llium is an under usters of white wonderful as la | fringed flowers ha te summer textur | ve the overall ap e.Once establish | pearence of cl | ouds an | d are ver | y attractive | . The thous | sands of | |
| Perennial: not Grass/Fern | Euphorbia x martinii | Hybrid Spurge | Late Spring- Early Summer | Sun | 18" | | | | ✓ | • | |
| | One of the most striki green flowers with de soil. | | | - | _ | | | | | | d |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---------------------------------------|-----------------------|-------------------------|-------------------|------------------|-------------------|------------------------|-------------------|---------------------|--------|
| Perennial: not Grass/Fern | Euphorbia x martinii 'Ascot Rainbow' | Hybrid Spurge | Spring to Summer | Full Sun | 20" x 20" | | | | ✓ | ✓ | |
| | If you looking for a pl flowers shades of p space, this spurge wi or 'Diablo' nine-bark. | oink, green and p II be at home in | oink. In cooler ter | mperatures, the c | olors will be m | ore inte | nse.Prefe | erring well d | raining soil | and some | |
| Perennial: not Grass/Fern | Eurybia (Aster) divaricata (divaricatus) | White Wood Aster | Early Fall | Partial Shade | 24-28" | | | ✓ | | | ✓ |
| | The white wood aste clumps. Small white plants with bold folia | flowers, borne i | n fall, are so num | erous that they co | over the entire | | _ | | | | |
| Perennial: not Grass/Fern | Eutrochium (Eupatorium) maculatum 'Gateway' | Spotted Joe Pye Weed | Late Summer | Sun to Partial Shade | 50-64" | | | • | | | ✓ |
| | 'Gateway' is an unma serrated and lance-sl Stopford Family Mea | naped. Great n | | • | | | | | | | |
| Perennial: not Grass/Fern | Gentiana andrewsii | Closed Gentian | Late Summer | Sun to Partial Shade | 24" x 18" | | | | | | ✓ |
| | Gorgeous blue to vio actually pollinate Gerconsidered threateners | ntiana andrewsi | i is the bumble be | e. Does best in fu | ll to partial sur | and mo | ist rich s | oil. This na | tive plant is | _ | 0 |
| Perennial: not Grass/Fern | Geranium maculatum | Spotted Geranium | Mid Spring | Sun to Partial Shade | 1-2' | | | ✓ | ✓ | | • |
| | Blooming earlier that clusters of violet-rod | _ | | | _ | | | | merica. Th | e airy | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|--|--|---|---------------------------------|-------------------------------------|--|--|--------------------------------|--------|
| Perennial: not Grass/Fern | Geranium x cantabrigiense 'Karmina' | Hybrid Geranium | Late Spring | Sun to Partial Shade | 12" x 18" | | | ✓ | ✓ | | |
| | Karmina hardy gerani ideal to be used as a gand the carmine red for shade. Tolerates som larger plantings and usummer climates, at warmen summer climates. | ground cover, wo lowers appear for the drought, but p nnecessary. Side | eaving amongst ot rom May to June.E prefers and spread e stems may be rei | her taller perenr asily grown in av s best in moist, h moved at any tin | nials such as So verage, mediun numusy soils wi ne to control sp | lomon s n moistu ith good | eal and h ure, well- drainage | ellebores. drained soi e. Deadhead | Leaves are I in full sun ding is tedio | fragrant to part ous for | |
| Perennial: not Grass/Fern | Geum triflorum | Purple Avens | Mid Summer | Sun to Partial Shade | 15" x 18" | | | | • | ✓ | |
| | Purple avens produce effect that resembles roots, Prairie Smoke c | smoke hovering | g close to the grou | nd, hence its oth | er common na | me, Pra | irie Smok | e. Spreadi | ng slowly f | | |
| Perennial: not Grass/Fern | Gillenia (Porteranthus) stipulata | Indian physic | Late Spring | Sun to Partial Shade | 2-3' | | ✓ | | | | ✓ |
| | Gillenia stipulata has pappear on delicate na Grows in dry or moist | rrow stalks at er | | | | | | | | | |
| Perennial: not Grass/Fern | Heliopsis helianthoides | Ox-eye | Summer | Full Sun | 4' x 6' | • | ✓ | • | | | • |
| | Sunflower Heliopsis is early autumn. A good flower. This plant is d in average, dry to med regularly watered. | use of this perei lesirable primari | nnial is in the back ly because of its lo | of a border or in ong blooming sea | wildflower or asson during the | cutting summe | gardens. r, and its | It is also a ease of cul | long-lastinย tivation.Ea | g cut sily grown | |
| Perennial: not Grass/Fern | Helleborus foetidus | Bear's Foot Hellebore | Spring | Partial Shade to Shade | 18" | | | | ✓ | | |
| | This is a great plant for deeply divided dark grand self-sows easily. | | | | | | | | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|---|--|--|--------------------------------|--------------------------------------|---------------------------------------|-----------------------------|---------------------|--------|
| Perennial: not Grass/Fern | Helleborus x hybridus 'Pine Knot Select' | Hybrid Lenten Rose | Winter to Spring | Partial Shade to Shade | 15" x 24" | | | | • | ✓ | |
| | A colorful strain of he additions to the shade substantial clumps of Flower colors include speckles/markings.He self-sow to form large | e garden. From shiny, leathery, white, pink, apr llebores prefera | winter into spring t jaggedly hand-shap icot, burgundy, pal a rich, loamy, neutr | they bear butter bed evergreen le e green, and pal ral to alkaline so | cup-shaped or eaves. The fres e yellow, some | semi-do h lime-g times w | ouble flow reen new rith conti | wers on stu w leaves ap rasting | rdy stems a pear with tl | ibove he blooms. | |
| Perennial: not Grass/Fern | Hemerocallis 'Autumn Minaret' | Hybrid Daylily | Summer | Sun to Partial Shade | 66" | | | • | | ✓ | |
| | 'Autumn Minaret' fea a clump of arching, lir with an extended bloo adequate sun in mois | ear, blade-like l om period. It wi | eaves. Unusually ta Il also rebloom late | all daylily, with seer.Altho drought | capes rising to tolerant, Dayli | 66". Flo | wers are ver best v | e fragrant.B when plante | looms mids ed in an are | eason-late | ! |
| Perennial: not Grass/Fern | Hemerocallis 'Barnegat Light' | Hybrid Daylily | Summer to Fall | Sun to Partial Shade | 55" | | | | | ✓ | |
| | 'Barnegat Light' Daylil inches, and fragrant.li season extending into well-drained soil. Wh | grows to an im October.Altho | pressive 55 inches drought tolerant, D | and boasts over Daylilies flower b | 25 blooms on est when plant | multiple ed in ar | branche area ree | es. Blooms | occur mid t | to late | |
| Perennial: not Grass/Fern | Hemerocallis 'Brown Exotica' | Hybrid Daylily | Summer | Sun to Partial Shade | 43" | | | | | ✓ | |
| | 'Brown Exotica' flowe inches. The crispate f back).'Brown Exotica' tolerant, daylilies flow location, daylilies will | orm is the most grows to 43 inc ver best when pl | extreme in form, in hes and boasts ove lanted in an area re | ncluding twisting r 25 blooms on | g, hooking, pind multiple branc | ching, qu nes. Blo | uilling, cu | urling and re ur midsease | eflexing (cu on.Altho dr | rling ought | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|--|---|---|-------------------------------------|------------------------------------|---|---|-------------------------------------|----------|
| Perennial: not Grass/Fern | Hemerocallis 'Chipmunk' | Hybrid Daylily | Summer | Sun to Partial Shade | 40" | | | | | ✓ | |
| | 'Chipmunk' daylily flo 'Chipmunk' boasts ov tolerant, daylilies flov location, daylilies will | er 20 blooms on ver best when p | multiple branche lanted in an area i | s. Blooms occur | midseason an | d enjoys | an exter | nded bloom | period.Alth | o drought | |
| Perennial: not Grass/Fern | Hemerocallis 'Chorus Line' | Hybrid Daylily | Early Summer | Sun to Partial Shade | 20" | | | | | ✓ | |
| | 'Chorus Line' flowers at home in the front of Line' blooms early and adequate sun in mois | of your garden b d will rebloom la | ed or planted in a ater in the season. | container. A pop Altho drought to | oular and awar lerant, daylilie | rd-winni s flower | ng variet best wh | y with mass en planted i | es of bloon n an area re | ns. 'Choru | |
| Perennial: not Grass/Fern | Hemerocallis citrina | Citron Daylily | Summer | Sun to Partial Shade | 36-48" x 18- 24" | | | ✓ | | ✓ | |
| | Hemerocallis citrina, s 45" tall above a thick Flowers typically open The fountain-like leav out weeds and form a wide range of well-dr | clump of arching n up near sunset res provide elega a verdant ground | g, blade-like, leave and close the mo ant foliage, color a | es up to 40" long. orning of the follo and texture for th | Flowers are wing day.Prove e garden when | very frag ides colo n the flo | rant. The or and co wers are | is species is entrast to th not in bloo | a nocturna e perennial m. Daylilies | l bloomer. border. s can crow | |
| Perennial: not Grass/Fern | Hemerocallis 'Country Uncle' | Hybrid Daylily | Summer | Sun to Partial Shade | 30" | | | | | ✓ | |
| | Gorgeous fragrant pe Flowering occurs mid well-drained soil. Wh | season-late. Alth | no drought tolerar | nt, daylilies flowe | r best when pl | anted in | an area | | | | |
| Perennial: not Grass/Fern | Hemerocallis 'Decatur Cheerful' | Hybrid Daylily | Summer | Sun to Partial Shade | 30" | | | | | ✓ | |
| | Hemerocallis 'Decatu Flowering occurs mid adequate sun in mois | season and agai | n, later in the seas | son.Altho drough | t tolerant, day | lilies flo | wer best | when plant | ed in an are | | b |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--------------------------------------|--------------------------------|--------------------------------------|--------------------------------------|------------------|-------------------------|--------------------------|-----------------------------|---------------------|--------|
| Perennial: not Grass/Fern | Hemerocallis 'Destined To See' | Hybrid Daylily | Summer | Sun to Partial Shade | 24" | | | | | ✓ | |
| | Fragrant, 'Destined To lavendar eye and lime area receiving adequates. | e green throat. I | Bloom time is ear | ly to mid season. | Altho drought t | olerant, | daylilies | flower bes | t when plar | nted in an | |
| Perennial: not Grass/Fern | Hemerocallis 'Double Passion' | Hybrid Daylily | Summer | Sun to Partial Shade | 25" | | | | | ✓ | |
| | 'Double Passion' offer these double blooms an area receiving ade care. | early in the seas | on and then agai | n later in the seas | on.Altho droug | ght toler | ant, dayl | ilies flower | best when | planted in | |
| Perennial: not Grass/Fern | Hemerocallis 'Easy Ned' | Hybrid Daylily | Early Fall | Sun to Partial Shade | 40" | | | | | ✓ | |
| | Fragrant, 'Easy Ned' time is very late seaso adequate sun in mois | on, late August i | nto September.Al | tho drought toler | ant, daylilies fl | ower be | st when | planted in a | n area rece | | |
| Perennial: not Grass/Fern | Hemerocallis 'Elisa Dallas' | Hybrid Daylily | Summer | Sun to Partial Shade | 25" | | | | | ✓ | |
| | 'Elisa Dallas's 5 inch for rouge red is set off by is early to midseason receiving adequate su | a bold green the and will rebloor | roat. Branching is not the sum | s very good with mer.Altho drough | two to four late nt tolerant, day | erals and | d typical wer best | bud counts when plant | of 25-30.Bl ted in an ar | oom time | |
| Perennial: not Grass/Fern | Hemerocallis 'Fire and Brimstone' | Hybrid Daylily | Summer | Sun to Partial Shade | 26" | | | | | ✓ | |
| | 'Fire and Brimstone's midseason and will re adequate sun in mois | ebloom later in t | he summer.Altho | drought tolerant | , daylilies flowe | er best v | vhen plar | nted in an a | rea receivir | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|---|-----------------------------------|------------------|-------------------|------------------------|-------------------|---------------------|--------|
| Perennial: not Grass/Fern | Hemerocallis 'Gisela's Sunshine' | Hybrid Daylily | Summer | Sun to Partial Shade | 28" | | | | | ✓ | |
| | 'Gisela's Sunshine' ha rebloom later in the drained soil. When p | summer.Altho dr | ought tolerant, c | daylilies flower bes | t when plante | d in an a | rea rece | • | | | |
| Perennial: not Grass/Fern | Hemerocallis 'Itsy Bitsy Spider' | Hybrid Daylily | Summer | Sun to Partial Shade | 35" | | | | | ✓ | |
| | 'Itsy Bitsy Spider' is a petals that are pinch tolerant, daylilies flo- location, daylilies wil | ed and twisted. I wer best when p | t blooms early br anted in an area | inging color to the | garden before | e many o | of the otl | her daylilies | . Altho droเ | ught | |
| Perennial: not Grass/Fern | Hemerocallis 'J. T. Davis' | Hybrid Daylily | Summer | Sun to Partial Shade | 24" | | | | | ✓ | |
| | 'J. T. Davis's 5 inch flo Branching is very goo summer.Altho droug planted in the correc | od with three to f ht tolerant, dayli | our laterals and t lies flower best w | typical bud count of when planted in ar | of 25.Bloom tip area receiving | ne is mi | dseason | and will reb | loom later | in the | |
| Perennial: not Grass/Fern | Hemerocallis 'Life of Riley' | Hybrid Daylily | Summer | Sun to Partial Shade | 29" | | | | | ✓ | |
| | 'Life of Riley' blooms offer 30 buds.Enjoy t planted in an area re with little care. | hese blooms mid | Iseason and then | again later in the | season.Altho | drought | tolerant, | daylilies flo | wer best w | hen | |
| Perennial: not Grass/Fern | Hemerocallis 'Little Heavenly Angel' | Hybrid Daylily | Summer | Sun to Partial Shade | 16" | | | | | ✓ | |
| | 'Little Heavenly Ange midseason and then tolerant, daylilies flo | again. The short | scapes, 16", mal | ke it the perfect si | ze for the fron | t of the l | border o | r in a contai | ner.Altho d | rought | |

location, daylilies will flower for years with little care.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|--|---|----------------------------------|----------------------|-------------------|------------------------|-------------------|---------------------|--------|
| Perennial: not Grass/Fern | Hemerocallis 'Mighty Goliath' | Hybrid Daylily | Summer | Sun to Partial Shade | 28" | | | | | ✓ | |
| | The impressive bloom yellow edge above a flower best when pla will flower for years v | yellow throat flo nted in an area r | wers will brighte | n any garden. Enj | oy these bloor | ns midse | eason.Alt | ho drought | tolerant, d | laylilies | |
| Perennial: not Grass/Fern | Hemerocallis 'Mildred Mitchell' | Hybrid Daylily | Summer | Sun to Partial Shade | 26" | | | | | ✓ | |
| | Fragrant, 'Mildred Mi Multiple branches, us season!Altho drought planted in the correct | sually 4, offer over t tolerant, daylili | er 25 buds.Bloom es flower best wl | n time is early-mid hen planted in an | lseason but yo area receiving | u can en | joy the b | looms agair | n later in th | ie | |
| Perennial: not Grass/Fern | Hemerocallis 'Mormon Spider' | Hybrid Daylily | Summer | Sun to Partial Shade | 28" | | | | | ✓ | |
| | 'Mormon Spider' has with an extended blo well-drained soil. Wh | om period.Altho | drought toleran | t, daylilies flower | best when plar | nted in a | n area re | | | | |
| Perennial: not Grass/Fern | Hemerocallis 'Morning Face' | Hybrid Daylily | Summer | Sun to Partial Shade | 39" | | | | | ✓ | |
| | Such a joy to see, 'Mo chevrons above a yel 'Morning Face' rebloo drained soil. When p | low green throat oms.Altho droug | t. Three branche ht tolerant, dayli | s typically produce lies flower best w | e 19 buds.Enjo hen planted in | y these l an area | blooms n | nidseason a | nd then aga | ain when | |
| Perennial: not Grass/Fern | Hemerocallis 'My Sweet Rose' | Hybrid Daylily | Summer | Sun to Partial Shade | 26" | | | | | ✓ | |
| | Very fragrant 5.5 inch are ruffled.Enjoy thes flower best when pla will flower for years y | se gorgeous bloo nted in an area r | oms midseason ar | nd then again as it | reblooms late | r in the | season.A | Itho drough | it tolerant, | daylilies | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|---|---|---|-----------------------|-----------------------|----------------------------|------------------------------|-------------------------|--------|
| Perennial: not Grass/Fern | Hemerocallis 'Rocket City' | Hybrid Daylily | Summer | Sun to Partial Shade | 36" | | | | | ✓ | |
| | Hemerocallis 'Rocke contrasting burnt-or City'.Altho drought to planted in the corre | range eyezone. B tolerant, daylilies | oth petals and se flower best wher | pals are delicately n planted in an are | recurved.Enjo a receiving add | y the ex | tended k | oloom perio | d of 'Rocke | t | |
| Perennial: not Grass/Fern | Hemerocallis 'Sir Blackstem' | Hybrid Daylily | Summer | Sun to Partial Shade | 24" | | | | | ✓ | |
| | Daylily 'Sir Blackster darker color on the rebloomer. Great for receiving adequate s | outside. One of to | he smaller varieti garden or in a co | es, only 24" tall, it ontainer.Altho dro | has narrow le ught tolerant, | aves and daylilies | d an exte flower b | ended bloon best when p | n period. It lanted in ar | also is a n area | |
| Perennial: not Grass/Fern | A small wonder, Her ruffling. Some of th are lucky 'Streaker' best when planted i flower for years with | e garnet coloring is a reblooming da n an area receivin | extends out onto aylily so we can e | the sepals intens njoy the blooms a | c cream with a ifying the affection affection in the affection in the contraction in the | t of the e seaso | eye. Wo n.Altho d | ow!Bloomin Irought tole | g early-mid rant, daylili | season, we es flower | |
| Perennial: not Grass/Fern | Hemerocallis 'Sunset Celebration' The beauty of sunse yellow to green thro | at.Blooming early | unset Celebration In the season wi | ith an extended b | medium pump oom time, we | are luck | y 'Sunse | t Celebratio | n' is a reblo | oming | j |
| | daylily so we can en receiving adequate | | | _ | | • | | • | | | |
| Perennial: not Grass/Fern | Hemerocallis 'Top Gun' | Hybrid Daylily | Summer | Sun to Partial Shade | 26" | | | | | ✓ | |
| | Hemerocallis 'Top G bonus as the bloom well-drained soil. W | s are fragrant!Alth | no drought tolera | nt, daylilies flowe | r best when pla | anted in | an area | | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|--|---|---|----------------------|--------------------------|------------------------|---------------------------------|--------------------------|--------|
| Perennial: not Grass/Fern | Hemerocallis 'Unidentified Flying Object' | Hybrid Daylily | Summer | Sun to Partial Shade | 26" | | | | | ✓ | |
| | We have identified th lavender with a distin drought tolerant, day correct location, dayli | ctive purple eye lilies flower best | zone and yellow to when planted in a | o green throat.Ea an area receiving | arly midseason | bloome | r with an | extended l | oloom perio | od.Altho | |
| Perennial: not Grass/Fern | Heuchera americana | American Alumroot | Summer | Sun to Partial Shade | 12-24" x 12- 18" | | | | | ✓ | ✓ |
| | Alumroot (aka Coral E leaves are slightly ruft bearing tiny pinkish-g themselves not partic making it very adapta | fled, kidney-sha _l reen flowers risc cularly showy bu | oed and green witle a foot or more al t the effect is nice | n silver between bove the foliage , like a cloud or h | the veins, becoin May. The flo | oming re owers lo | eddish wit ok like th | h cold wea | ther. Slend etually in b | er spikes oud and are | : |
| Perennial: not Grass/Fern | Add drama to a shady late spring to early su humus-rich soil with r along paths and in co | mmer and attra noderate water | ct hummingbirds. Will grow in full s | Looks stunning a | ichera 'Blackou alongside plant es may discolor | s with li | ght green unding h | or variega | ted foliage. | Prefers | |
| Perennial: not Grass/Fern | Heuchera villosa (macrorhiza) 'Autumn Bride' | Hairy Alumroot | Early Fall | Partial Shade to Shade | | | | | | V | • |
| | Large, softly hairy, light rise up above the folion bit of shade in the aft summers than most h | age, adding spla ernoon would b | sh to the fall garde e well received. T | en. Hairy alumro his species has g | ot is native to too | the Appl olerance | achians. I and seem | Performs was to do be | ell in full su tter in hot a | in altho a and humid | |
| Perennial: not Grass/Fern | Heuchera x 'Southern Comfort' | Hybrid Coral Bells | Spring to Fall | Sun to Partial Shade | 14" x 24" | | ✓ | | ✓ | | |
| | An evergreen Heuche bold landscape stater drained soil and wate clumps every 2 to 3 years | nent. Blooms ap r and fertilize re | ppear in late summ gularly throughou | ner. Thrives in h | ot, humid envii | ronment | s where o | thers don' | t.Provide a | rich, well- | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|--|--|---|------------------|-------------------------------------|---|---|-------------------------------------|----------|
| Perennial: not Grass/Fern | Hexastylis (Asarum) arifolia | Little Brown Jug | Spring | Partial Shade to Shade | 6-10" | | | | | | ✓ |
| | The attractive, hear relative, Hexastylis so no more than 4 inch flowers and Heartle isolated clusters, no mannered forest plant. | shuttleworthii, whoes off the ground af refers to the le torming a mat. | nich has dark green I. This plant is know af shape. Arifolia | n leaves and whit w by two commo is the most aeroi | ish green vena n names: Little natic of the gin | tion. The Brown | ie leaves Jug refer he plants | are up to 8 s to the uni are slow-g | inches long usual purpli rowing and | g and held sh brown remain in | • |
| Perennial: not Grass/Fern | Hosta 'Kabitan' | Hybrid Hosta | Mid Summer | Partial Shade to Shade | 12-15" | | | | | | |
| | This is a small, refine are golden yellow w | | • | • | | | | - | • | | e. |
| Perennial: not Grass/Fern | Hosta 'Guacamole' | Hybrid Hosta | Late Summer | Partial Shade to Shade | 38" | | | | | | |
| | This large hosta can rippled edge. The b | • | | • | | | ıal blend | of avocado | and dark g | reen with a | a |
| Perennial: not Grass/Fern | Hypoxis hirsuta | Yellow Stargrass | Spring | Sun to Partial Shade | 6" x 3-6" | | | | | | ✓ |
| | Though somewhat of woodland garden. T seen. Slender, three form loose colonies | his small plant, w ad-like flowering | hich grows from a stems carry 2 to 6 | hard corm, can of star-shaped, bri | easily be confus ght yellow flow | sed with | a grass i | unless its di | stinctive flo | wer is | |
| Perennial: not Grass/Fern | Iris cristata 'Eco Bluebird' | Crested Iris | Spring | Partial Shade | 6-9" | | | | ✓ | | ✓ |
| | A charming native, ' above the 4" foliage resulting in rapid mu | in mid to late sp | ring. Plant in rich, | • | - | | | • | | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|--|--|--|------------------------------------|--------------------------------|---|--|-------------------------------|----------|
| Perennial: not Grass/Fern | Jeffersonia diphylla | Twin Leaf | Spring | Partial Shade | 12-18" | | | | | | ✓ |
| | Jeffersonia diphylla i hence the common honor of President T | name "Twinleaf." | Fruit pods, pear- | | | _ | | | _ | | |
| Perennial: not Grass/Fern | Juncus effusus | Soft Rush | Summer | Full Sun | 14-36" | ✓ | | | | | ✓ |
| | Known as common r clumps. It features a out in all directions. inches of standing w tolerates light shade but once established | tuft of cylindrica May be grown at ater. Good wate . Needs ample m | al, tightly-spiraled, the edge of a por r garden accent on noisture and grows | corkscrew-like g nd or water garde r use in containe s well in standing | reen stems (to en, in boggy are rs.It likes wet so | 1/4" thi as, amo oils, inclu | ck) which ng wet puding sta | h uncoil as t ebbles or ro nding wate | they grow a ocks or in so r, in full sur | and spread everal a but | |
| Perennial: not Grass/Fern | Kirengeshoma palmata | Waxbells | Summer | Partial Shade | 3-4' | | | | | | |
| | Kirengeshoma palma are found in the axila long as possible. | | • | | _ | _ | | | | | 5 |
| Perennial: not Grass/Fern | Kniphofia uvaria 'Flamenco' | Torch Lily | Summer to Fall | Full Sun | 3' x 2-3' | ✓ | | | | ✓ | |
| | In 1999 this brilliant flowers attract swar gardens. It adds a d | ms of hummingb | irds. Tap roots en | sure excellent dr | ought resistand | e. This | herbacio | _ | • | | <u>:</u> |
| Perennial: not Grass/Fern | Krigia biflora | Two-flowered Cynthia | Spring to Summer | Full Sun | 28" | | | ✓ | | | • |
| | Two-flowered Cynth and Canada. Single f continue over the du achene. Upland plan | ower atop forked ration of the sur | d stems that can ronger. Sap has mile | each up to 28" at lky consistency. | maturity. Yell Fruiting body is | ow-oran a single | ge flowe incapus | rs begin blo lated seed t | oming mid | -spring and | t |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|--|--|---|------------------------------------|--------------------------------------|--|---|---------------------------|--------|
| Perennial: not Grass/Fern | Lamium maculatum 'Purple Dragon' | Spotted Deadnettle | Spring | Partial Shade | 6-10" | | | | ✓ | | |
| | Produces the largest and average well-dra | | wers of any Lamiur | m! The foliage ha | s a silver heart | center | with a gr | een margin | . Best in pai | rtial shade | |
| Perennial: not Grass/Fern | Lavandula angustifolia 'Hidcote' | English Lavender | Summer | Full Sun | 12-15" | | | | | | |
| | 'Hidcote' has compac and has been prized garden or as a low ec | ever since for its | aroma, its herbal | uses, and its ove | rall good looks | | | | • | | |
| Perennial: not Grass/Fern | Lavandula x intermedia 'Phenomenal' ™ | Hybrid Lavender | Summer | Full Sun | 2.5' x 4.5' | | | ✓ | ✓ | ✓ | |
| | This lavender (introd heat without dying b does not scare this p | ack, is resistant t | to common root a | nd foliar diseases | , and grows su | perbly i | n mid-At | lantic garde | ns. Heat ar | nd humidity | • |
| Perennial: not Grass/Fern | Liatris microcephala | Dwarf Blazing Star | Summer | Sun to Partial Shade | 18" x 18" | | | ✓ | ✓ | ✓ | • |
| | An exceptional comp like rosy purple flowe unfurling of brilliant of Southern Appalachia | ers in August and color. Excellent | d September. Unic as a cut flower. Li | que to the genus atris microcepha | the flowers ope a can be found | en from I in sand | top to b ly, dry pr | ottom on thating | ne spike in a | slow | |
| Perennial: not Grass/Fern | Liatris spicata | Spike Gayfeather | Summer | Full Sun | 2-4' | • | | ✓ | | | ✓ |
| | Spike Gayfeather is a typically grows 2-4' to of sessile, rounded, f medium, well-draine moist soils than most | all in cultivation, luffy, deep purpl d soils in full sun | but can reach a he flower heads ap . Somewhat toler | eight of 6' in som pearing atop rigional pant of poor soils, | e parts of its nad, erect, leafy for but prefers mo | ative ha lower st pist, fert | bitat. Fea alks in su ile ones | atures term ummer. Ea and genera | inal spikes sily grown i lly performs | (6-12" long n average, | |
| Perennial: not Grass/Fern | Lobelia cardinalis | Cardinal Flower | Summer | Partial Shade | 3-4' | | ✓ | ✓ | | ✓ | ✓ |
| | Tall spikes of rich sca meadows, cardinal fl | | | | mid to late su | mmer. | Native to | our stream | nsides or da | ımp | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Hbirds | Attract Butterflies | Resistant | Tolerant | Native |
|------------------------------|---|--|--|---|------------------------------------|-------------------------|--------------------------|------------------------------|-------------------------------|----------------------|--------|
| Perennial: not Grass/Fern | Lobelia siphilitica | Giant Lobelia | Summer | Partial Shade to Shade | 2-3' | ✓ | | ✓ | ✓ | | • |
| | Giant Blue Lobelia is moist, well drained s share. Low rosettes resistant. Tolerates | soil in the shady g of leaves are the | garden. This is a vi launching pad for | igorous plant, on | ce established | it self so | ws, gene | erously crea | ting new pl | ants to | |
| Perennial: not Grass/Fern | Manfreda virginica | American Aloe | Summer | Sun to Partial Shade | 3-6' x 2-3' | | ✓ | | | ✓ | • |
| | American aloe forms reddish spots. In sur drained soil in full sur perennial border, or | mmer, a 3 to 5 fo in to part shade. | ot stalk arises bea An interesting arch | ring fragrant gree nitectural specime | enish-white flo | wers.Ea plant fo | sily grow | n in average | e, dry to me | edium, wel | l- |
| Perennial: not Grass/Fern | Marshallia grandiflora | Barbara's Buttons | Early Summer | Sun to Partial Shade | 12-24" x 10" | | | • | | | • |
| | In early summer, ting of weeks. The flower plant found along stand glossy, bright green humusy, slightly acid | ers rise on long st reams and in clea leaves. Easily gro | ems up to 18" high Irings from Pennsy | n from basal rose /Ivania to North (| ttes of deep gr Carolina and Te | een, lar nnessee | ice-shape e. Plants t | ed leaves. A form 10" clu | native Am Imps of eve | erican ergreen, | |
| Perennial: not Grass/Fern | Mitchella repens | Partridge Berry | Year Round | Part to Full Shade | 1-2" | | | | | | ✓ |
| | Our native partridge provide a perfect set Prefers moist, shady | tting for the smal | | | | | | | | | |
| Perennial: not Grass/Fern | Monarda fistulosa | Wild Bergamot | Summer | Sun to Partial Shade | 2-5' | | ✓ | • | | ✓ | ✓ |
| | Wild Bergamot is a p 2-5 ft., open-brancho leaves was formerly in dry to medium mo | ed stems. This fra used to treat res | igrant perennial, fi piratory ailments. | requently cultivated. The leaves smell | ted, has aroma minty. Flower | itic leave rs are at | es used to tractive t | o make min to bees and | t tea. Oil fr butterflies. | om the Best growi | |

Deadhead flowers to prolong summer bloom. Tends to self-seed.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|--|---|---|-------------------------------------|-------------------|-----------------------------|----------------------------|---------------------------|----------|
| Perennial: not Grass/Fern | Monarda 'Gardenview Scarlet' | Hybrid Beebalm | Summer | Partial Shade | 36" | | ✓ | | ✓ | | ✓ |
| | Large, deep scarlet regray tea its unique fl | | | | | foliage. | The leav | es of mona | rda are wha | at give earl | |
| Perennial: not Grass/Fern | Napaea dioica | Glade Mallow | Summer | Partial Shade | 4-8' x 2-3' | | | • | | | ✓ |
| | Napaea dioica is a ta lobes per leaf.Glade to mid summer,June attractive to pollinat flowering.Hydrophili | mallow has a sing - early August. T ing insects. Schiz | gle upright centra hese 5 petal flow cocarp, a dry fruit | I stem. Small, fra ers are produced that splits into tv | grant, bractles at stem apices | s, tubula in a der | ar white t | flowers bloc er arrangem | om in panic ent and are | les in early e highly | |
| Perennial: not Grass/Fern | Nepeta x faassenii (racemosa) 'Early Bird' | Hybrid Catmint | Late Spring | Sun to Partial Shade | 12" x 12" | | | • | ✓ | ✓ | |
| | Nepetas are beloved addition to flower be and rarely take a nib a long bloom time ar drought tolerant but | eds or can be use ble. 'Early Bird' is nd can persist up | d as a low mainte low growing with to 6 weeks. Catm | encance groundcon a neat, compact nints prosper in av | ver. Deer do r habit and bloo erage, well-dra | not find to oms earl ained so | the arom | atic foliage most other | of catmint varieties. (| attractive Catmint has | S |
| Perennial: not Grass/Fern | Opuntia humifusa | Hardy Prickly Pear | Early Summer | Full Sun | 3-5" x 24" | | | | • | ✓ | • |
| | This evergreen perer modified leaves, the conditions. | | • | | | | | | • | | |
| Perennial: not Grass/Fern | Pachysandra procumbens | Alleghany Pachysandra | Year Round | Sun to Partial Shade | 6-8" | | | | ✓ | | ✓ |
| | Similar in form to the mottled with lighter A wonderful native g | flecks. Barely no | | | • | | _ | | _ | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Tolerant | Native |
|------------------------------|--|--|--|---|-----------------------------------|-------------------------|-------------------------|--------------------------------|-------------------------------|----------------------|--------|
| Perennial: not Grass/Fern | Packera (Senecio) aurea | Golden Groundsel | Spring | Partial Shade | 6-12" x 8- 24" | | | | ✓ | | ✓ |
| | One of our native woo the semi-evergreen fo Good ground cover be | oliage form an a | ttractive ground c | over for moist sh | ady locations. | Plants s | pread rap | • | | | g |
| Perennial: not Grass/Fern | Paeonia lactiflora 'Shirley Temple' | Hybrid Peony | Early Summer | Full Sun | 26" x 36" | | | • | • | | |
| | A stunning double wh groups in the perenni cut stalks to the grou | al border. They | are desirable for | their ease of cult | | | | - | • | | |
| Perennial: not Grass/Fern | Paeonia lactiflora 'Victoire de la Marne' | Hybrid Peony | Early Summer | Sun to Partial Shade | 32" x 30" | | | • | ✓ | ✓ | |
| | Victoire de la Marne i long lived perennial w Prefers a deep, well-d down in fall. Remove show: beardtongue, c | rith attractive for Irained, fertile, so old foliage in fa | liage all summer. lightly alkaline so Ill to prevent disea | Attractive to but il. Remove dead | tterflies.Bloom flowers as the | is best ir y fade, t | n full sun hen cut k | but will tole back plant a | erate aftern s the foliage | ioon shade e dies | |
| Perennial: not Grass/Fern | Penstemon digitalis | Beard-tongue | Early Summer | Full Sun | 3-5' x 2' | | ✓ | ✓ | ✓ | ✓ | ✓ |
| | Beard-tongue is a molonger beginning in easindy soils; however, variety of pollinators. | arly summer. Ri it will tolerate o | gid stems arise fro clay. Mass in sunn | om basal rosettes | of attractive f | oliage.P | enstemo | n prefers w | ell-drained | loam and | |
| | Penstemon x mexicali 'Red Rocks' | Beard-tongue | Summer | Sun | 18" x 15" | ✓ | ✓ | ✓ | | ✓ | ✓ |
| | This lovely hybrid is not foothills west of the consummer long. Humm performs best in mod | ity. This hybrid ingbirds and bu | has glossy, narrov tterflies love this p | w foliage and tall perennial, not to | spikes of stunr mention being | ning rose g deer re | e-pink and sistant. | d white flov Γhis is a vigo | vers that bloorous growe | oom all er that | |

regular watering.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|--|---|---------------------------------------|----------------------|------------------------|-----------------------------|------------------------------|--------------------------|--------|
| Perennial: not Grass/Fern | Phedimus (Sedum) spurius (spurium) 'Fuldaglut' | Hybrid Stonecrop | Late Summer | Full Sun | 4" x 4-18" | | | ✓ | • | ✓ | |
| | 'Fuldaglut' is a low-gr throughout the grow average, dry to medic soils. Needs good soi | ing season.Rose um moisture, w | ered blooms appea ell-drained soils in | ar August to Sept full sun. Tolerate | ember and are s some light sh | attractivade. Lik | ve to but | terflies.Easi | ily grown in | acidic, | |
| Perennial: not Grass/Fern | Phlomis fruticosa | Jerusalem Sage | Spring to Summer | Sun to Partial Shade | 2-4' x 3-5' | | | | | ✓ | |
| | Phlomis fruticosa is a Spring. Whorls of yel interesting plant to a established and may | low flowers app dd to sunny par | pear in the late sun ts of your garden, | nmer above gray Phlomis perfers r | green sage-like ich, well draine | e leaves, | and stay | / into Augus | st. A uniqu | e and | |
| Perennial: not Grass/Fern | Phlomis tuberosa | Jerusalem Sage | Late Spring | Full Sun | 5' x 3' | | | • | | ✓ | |
| | Tiny, tubular, lavende ornamental seed hea family. Best grown in will tolerate some dry with ornamental gras | ds which remain rich, fertile, mo y soil conditions | n attractive throug edium moisture, w | hout fall into wir ell-drained soils i | ter. Jerusalem n full sun it tol | Sage is a | a tuberoi ght shade | us-rooted p e. Performs | erennial of s well in sar | the mint ndy soil and | b |
| Perennial: not Grass/Fern | Phlox divaricata 'Blue Moon' | Woodland Phlox | Spring | Partial Shade to Shade | 12" x 18" | | ✓ | ✓ | | | • |
| | 'Blue Moon' woodlan producing a tapestry soil.Great companion | of billowy light | blue display. Best | planted in woodl | - | | | | • | | , |
| Perennial: not Grass/Fern | Phlox paniculata 'Jeana' | Summer Phlox | Summer to Fall | Sun to Partial Shade | 2-4' x 2-3' | | ✓ | • | | ✓ | • |
| | 'Jeana' is an unusually from summer into fal weaker stems. Tolera Garden phlox is a stal host of pollinators. B | I.It thrives in or int of drought o ole of the peren | ganic, moist to ave nce established. B nial border. Good | erage soil in full so enefits from occ | un to light shad asional fertiliza | e. Plant tion. De | s in shac adhead t | le will have o prolong b | smaller flo | wers and ason. | a |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|---|---|------------------------------------|-----------------------------------|---|---|--|------------|
| Perennial: not Grass/Fern | Phlox subulata 'Emerald Blue' | Moss Pink | Late Spring | Full Sun | 6" x 18" | | | ✓ | ✓ | ✓ | ✓ |
| | This phlox is a spring bright green, needlewalls or as a carpet or | like foliage, it is | great for rock ga | rdens, borders or | slopes.'Emeral | | _ | | - | | i , |
| Perennial: not Grass/Fern | Phlox subulata 'Emerald Pink' | Moss Pink | Late Spring | Full Sun | 6" x 18" | | | ✓ | ✓ | ✓ | ✓ |
| | This phlox is a spring bright green, needlewalls or as a caarpet | like foliage, it is | great for rock gai | rdens, borders or | slopes.'Emeral | | | | _ | | |
| Perennial: not Grass/Fern | Phlox subulata 'Purple Beauty' | Moss Pink | Late Spring | Full Sun | 4-6" x 18" | | | • | ✓ | ✓ | ✓ |
| | This spreading ground and tolerates drought spring pocket of color | t. A natural for | | | | | • | | | | ļ |
| Perennial: not Grass/Fern | Podophyllum peltatum | Mayapple | Spring | Partial Shade to Shade | 12-18" | | | | • | | • |
| | Mayapple is a rhizom 12-18" tall and featur one leaf will not flow appears on a short, the way to an edible, flest and roots are poisonoted. | es one or two, er. From the c nin stem in earl hy, greenish fro | deeply-divided, parotch (leaf axil) on y spring. Flowers | almately-lobed, u two-leafed plant are quite showy, | mbrella-like, pa s, a single, nodo but usually hido | le green ling, wax den by tl | leaves (ky, 6-9-p ne umbro | to 12" diam etaled, whit ella-like leav | eter). Plant e flower (3 ves. Each fl | ts with only " diameter ower gives | .) |
| Perennial: not Grass/Fern | Primula japonica | Japanese Primrose | Late Spring | Partial Shade to Shade | 1-2' | | | | | | |
| | Japanese Primrose is Their flower color ran | | • | | | | | _ | | | |

With the right conditions, it is one of the easiest primroses to grow and self-sows readily to form beautiful colonies.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|---|--|--|--|--|---|--|--------|
| Perennial: not Grass/Fern | Pycnanthemum muticum | Mountain Mint | Summer | Sun to Partial Shade | 24-36" | | | • | | | ✓ |
| | Pycnanthemum mutic through September. It butterflies love this pl | t is a slow spread | | | | | | | | | У |
| Perennial: not Grass/Fern | Pycnanthemum tenuifolium | Narrowleaf Mountain Mint | Summer | Sun to Partial Shade | 2-3' x 2-3' | | | ✓ | • | | ✓ |
| | This summer flowering period. It is adapted to is a good garden plant Mountain Mints, this s | to a variety of co | nditions and will addense colonies. T | grow in dry to m | oist soils and fu | ll sun to | partial s | hade. It is | easily estab | lished and | |
| Perennial: not Grass/Fern | Rodgersia aesculifolia | Fingerleaf Rogersflower | Summer to Fall | Sun to Partial Shade | 6' | | | | | | |
| | If you want to make a white to pink star-sha | | | | • | | | | • | | |
| Perennial: not Grass/Fern | Rudbeckia maxima | Giant Coneflower | Summer | Full Sun | 7' | • | | • | • | ✓ | ✓ |
| | Huge glaucous, gray le surrounded by droopi featured in the Butter | ng yellow petals | ; very striking in t | he landscape. Th | nis is a unique r | | _ | | | | |
| Perennial: not Grass/Fern | Rudbeckia subtomentosa 'Henry Eilers' | Sweet Coneflower | Mid Summer | Sun to Partial Shade | 3-5' x 2' | • | | ✓ | | | • |
| | Henry Eilers' is a sweethat are rolled instead strong, sometimes-braundeniable potential avigorous, but very mahumidity, but will not Tolerates hot and humadditional bloom. | l of flat, giving the anching stems a as a cut flower w nageable pereni withstand long | ne flower a quilled nd leaves have a r vith its unique app nial that favors av periods of drough | l effect. Dome-si mild sweet aroma earance, sturdy erage to moist so t. Best grown in | haped brown ca. Makes a grestraight stems oils and full sun medium moist | enter di at speci and long to part cure soil | sks. Flow men in th g vase life shade. It s that are | vers bloom ne back of the Rudbeckia t is quite to well-drain | in clusters a he border a subtomen lerant of he ed loams ir | atop is well as tosa is a eat and in full sun. | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Hbirds | Attract Butterflies | Resistant | Tolerant | Native |
|------------------------------|---|--|---|---|--|-------------------------------------|-----------------------------------|--|--|---|----------|
| Perennial: not Grass/Fern | Salvia (Rosmarinus) rosmarinus 'Prostratus' | Trailing Rosemary | Year Round | Full Sun | 2-3' x 4-8' | | | | ✓ | ✓ | |
| | The deep blue green throughout the grow The foliage is extrem a sunny location in w water to thrive. Thou | ing season, trail ely fragrant. Gre ell-draining soil; | ing rosemary proc eat for containers ; amend the soil w | luces an abunda or at the top of ell to improve o | ance of small blu a wall. Good di Irainage. Once | ue flower ainage is establish | s. Local essentia ed, plant | bees find that Ifor Rosem Is require lit | ne flowers in nary.Be sure tle supplen | rresistible. e to plant ir nental | |
| Perennial: not Grass/Fern | Salvia lyrata 'Purple Knockout' | Lyre-leaved Sage | Summer | Sun to Partia | al 18" | | | • | ✓ | ✓ | ✓ |
| | The lyre-leaved sage Compact basal rosett blue flowers. Attract groundcover - a grea | es of shiny burg s the bees and b | gundy leaves turni outterflies. Very ea | ng to deep purp | le in summer ar | nd then t | o red in t | he fall with | spikes of p | ale lilac | |
| Perennial: not Grass/Fern | Salvia nemorosa 'Caradonna' | Violet Sage | May | Sun | 18-30" x 12" | | | • | ✓ | ✓ | |
| | 'Caradonna' is a vigor the garden. It will re- It has a tidy upright h | -bloom if older f | flowers are remov | ed. The finely v | vrinkled foliage | is aroma | tic and lo | oks fresh tl | nroughout 1 | the season. | |
| Perennial: not Grass/Fern | Santolina rosmarinifolia (virens) | Green Santolina | Spring to Fall | Full Sun | 15-18" | | | | ✓ | ✓ | |
| | Green Santolina is an garden. Bright yellow needs well-drained so getting too leggy, wo | v pom-pom like oil in the full sur | flowers adorn the and is quite drou | plant to compl ght tolerant. Pi | ete the scene Jurune the plant b | ine-July.I | t is fairly | short-lived | . Hardy to | Zone 6.lt | |
| Perennial: not Grass/Fern | Sedum dasyphyllum | Stonecrop | Early Summer | Full Sun | 3" x 24" | | | ✓ | | ✓ | |
| | If you like to keep sud sedum is great for co Plant it in soil that dr short sedums, ornam | ntainers, front o | of borders, rock ga and back.Easily pro | irdens, roof gard | dens or anywhe | re that h | as full su | n. Excellent | t as ground | cover. | - |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|--|---|--|------------------------------------|---------------------------------------|--|---|--------------------------------------|--------|
| Perennial: not Grass/Fern | Sedum reflexum 'Blue Spruce' | Stonecrop | Year Round | Sun to Partial Shade | 6" x 2' | | | ✓ | ✓ | ✓ | |
| | A very popular grour clusters of bright yel blue-green foliage w butterflies visit the fluorement, but a little visit tolerant, but a little visit tolerant. | low star flowers hich often becon owers of 'Blue S | in summer. Chan nes tinged with o pruce' in the sum | iging with the sea range or red in wi mer.Blue Spruce s | sons, 'Blue Sprunter. Particula Stonecrop prefe | uce' stor rly attra | necrop ha | as narrow, fock gardens | leshy, needs, bumblebe | lle-like, ees and | |
| Perennial: not Grass/Fern | Sedum ternatum 'Larinem Park' | Stonecrop | Late Spring | Sun to Partial Shade | 4" x 23" | | | | ✓ | • | ✓ |
| | The evergreen creep Park forms a low car spring. A fast grower containers. Easy to p shade and moisture | pet of small, rou , this is best kept propagate; simpl | nded green leave t away from slow y break pieces of | s, spreading to for er alpine plants th | rm a thick patc at it might smo | h. Clust other. A | ers of wh | nite starry fl od choice fo | owers apper | ear in late mixed | |
| Perennial: not Grass/Fern | Seseli gummiferum | Moon Carrot | Mid Summer | Full Sun | 24-36" x 12- 8" | ✓ | | ✓ | | ✓ | |
| | Seseli gummiferum i it features a basal ro year, large 5" umbels Flowers fade to whit soils and is drought t Regardless, plants w | sette of succuler s of pale pink flow e as they age.East olerant. Remova | nt, finely-dissected wers bloom in mi sily grown in aver al of flower stems | d, fern-like, silver- d-summer atop thage, dry to mediusto in the base immedia | gray foliage tha lick gray-green m moisture, w | at rises t stems t ell-drain | to 12-18' hat rise a ed soils i | tall and as above the fond full sun. I | wide. In the pliage to 2-3 Performs w | e second 3' tall. ell in sandy | / |
| Perennial: not Grass/Fern | Sibbaldiopsis (Potentilla) tridentata | Three-leaved Cinquefoil | Spring to Fall | Full Sun | 6" x 15" | | | • | • | | • |
| | Sibbaldiopsis trident | ata, formerly in t | | • | • | • | • | | | | |

Sibbaldiopsis tridentata, formerly in the Genus Potentilla, is a small evergreen flowering plant, with prominent trifoliate leaves. Dense forming mats provide significant ground cover. Leaves turn dark red to bronze in the Fall. White flowers bloom in clusters at the end of branchlets and are highly attractive to bees and other pollinators. Does best in dry habitats, and thrives in poor soils where there is not much competition. It does not compete well, and is best not to be grown in rich soils. Great plant for rock gardens. Classified as a endangered species in Pennsylvania, because of its rarity. Propagated via cuttings. Cuttings may be necessary, should plants become too clustered.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|---|--|---|--|------------------------------------|--------------------------------------|---|---|------------------------------------|--------|
| Perennial: not Grass/Fern | Silphium perfoliatum | Cup Plant | Summer to Fall | Full Sun | 4-8' x 1-3' | ✓ | | ✓ | | | ✓ |
| | Cup plant is a coarse, blooms in summer on cup-forming leaves. will collect rain water sap when broken or c | tough, erect ste Rough, coarsely This species is | ems to 4-8 feet tall -toothed, medium | and is distinguis green leaves en | shed from the ovelop the stem | other Sil forming stems (| phiums bg a cup (h | y its square ence the co e of all silph | stems and ommon nar | pairs of me) that le a gummy | |
| Perennial: not Grass/Fern | Solidago caesia | Blue Stemmed Goldenrod | Late Summer | Partial Shade | 18-36" | ✓ | | ✓ | | | • |
| | Gracefully arching ste turning blue-grey or b shaded garden. Prefe | urgandy-grey. S | Songbirds, insects, | and other wildli | fe are attracted | _ | | | | | |
| Perennial: not Grass/Fern | Solidago sempervirens | Seaside Goldenrod | Fall | Full Sun | | ✓ | | ✓ | ✓ | ✓ | ✓ |
| | The seaside goldenroom fleshy leaves help the landscape. It also per mulch. It is an exceller and does not spread by summer for a more continuous. | plant retain wa forms well in ga at fall nectar sou by rhizomes or b | ter and resist the or rden settings and i rce for bees, hone | Irying effects of a rain gardens a y bees, and butt | salt spray and t nd is deer resis erflies. The dry | the bright tant. The seeds a | nt yellow ne evergr are a food | fall blooms een foliage I source for | light up the can serve a birds. Easy | e as a green to grow | |
| Perennial: not Grass/Fern | Solidago shortii 'Solar Cascade' | Goldenrod | Fall | Sun to Partial Shade | 24-30" x 18- 24" | | | • | | • | • |
| | 'Solar Cascade' is a clupanicles of small bright drought tolerant once who first discovered the drained soils in full sur | nt golden yellow e established.Sol his plant in 1840 | flowers from late idago shortii is on within the Falls o | summer to early the Federal Enda f the Ohio River | rfall (Septembo angered Specie near Louisville | er-Octol s list. It Kentuc | per) that is named ky.Best g | attract butt d after Dr. C rown in mo | erflies and harles Wilk ist, gravelly | bees and is | |
| Perennial: not Grass/Fern | Spigelia marilandica | Indian Pink | Summer & Fall | Sun to Partial Shade | 24" | • | | | | | • |
| | A great plant to bright with yellow tips and c | | odland or perennia | l border! Bloom | s are unusual i | n shape | and colo | r, tubular cl | nerry red b | rushed | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|---|---|---|--|--------------------------------|---------------------------------|------------------------|-------------------|---------------------|----------|
| Perennial: not Grass/Fern | Stachys byzantina 'Silver Carpet' | Lamb's Ear Betony | Year Round | Sun to Partial Shade | 4-6" x 9-18" | | | | ✓ | | |
| | 'Silver Carpet' is a hyber drained soil.Leaves and for the fact that it ran runners. | re evergreen in v | varm climates, but | will depreciate | considerably in | harsh v | vinters. 7 | his cultivar | is perhaps | most note | d |
| Perennial: not Grass/Fern | Stachys minima | Small Betony | Summer | Sun to Partial Shade | 6-8" x 8-12" | | | • | ✓ | | |
| | Stachys minima is ver crinkly leaves. In earl garden, containers, e moisture will keep it | y summer it bea | rs upright stems the r or planting on a re | nat hold chubby ock wall. Nice as | spikes of mage a cut flower in | nta-pur n arrang | ple flowe | ers. A nice a | ddition to t | he rock | |
| Perennial: not Grass/Fern | Stachys monieri 'Hummelo' | Betony | Summer | Full Sun | 18-24" x 18" | • | | • | ✓ | | |
| | 'Hummelo' Betony fo the surface of the gro growing leafy rosette flowers. It has soft fo in moist, well drained | ound. Over a co there arises stu bliage, but the co | nsiderable length or rdy nearly leafless blor is glossy green | of time it spread stems, straight & instead of silver | s into a pleasin & tall, twenty in y white.The flo | g groun nches to wers ar | dcover. two fee e attract | Out of the o | enter of the | e low- ple | С |
| Perennial: not Grass/Fern | Stokesia laevis 'Peachie's Pick' | Stokes Aster | Mid Summer | Full Sun | 18' x 18' | | | ✓ | ✓ | ✓ | ✓ |
| | Stokesia are native And plantwoman who discardition to pollinator flowering. | covered it, bloor | ns longer and a bit | later than other | types.Stokesia | attract | s bees a | nd butterlie | s, making it | a valuable | : |
| Perennial: not Grass/Fern | Stylophorum diphyllum | Wood Poppy | Spring to Fall | Partial Shade to Shade | 12-18" x 12- 18" | | | | ✓ | | ✓ |
| | Stylophorum diphyllu undersides, clear yell intermittently throug seedlings but they are | ow cup-like flow h the summer, t | ers and grey fuzzy hen the leaves turi | seed pods. It ha | s a heavy bouq | uet of fl | lowers in | the spring | but blooms | | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|--|--|---|------------------------------------|------------------------------------|---|---------------------------------|-------------------------------------|--------|
| Perennial: not Grass/Fern | Symphyotrichum (Aster) laevis 'Bluebird' | Smooth Aster | Early Fall | Sun to Partial Shade | 26-30" | ✓ | | • | | • | • |
| | This smooth aster cult rays and yellow cente green foliage (to 4" lo tolerance. Staking is u | rs cover the upping). Attractive i | per parts of this plate to butterflies. Easi | ant in a profuse S ly grown in avera | September-Oct age, dry to med | ober blo lium, we | om. Sm ell-draine | ooth, mostl d soil in full | y toothless | , blue- | |
| Perennial: not Grass/Fern | Symphyotrichum (Aster) novae-angliae | New England Aster | Late Summer | Full Sun | 3-6' x 2-3' | | | • | | | ✓ |
| | New England Aster is leafy plant typically gr centers from late sum gardens or butterfly g helps reduce incidence bushiness and perhap | owing with a roumer to early fal ardens. Easily grown of foliar disease | bust, upright habi I.The flowers are a own in average, n ses. Pinching back | t, featuring a pro attractive to butt nedium, well-dra | fuse bloom of erflies. It is besined soil in full | daisy-lik st used i sun. Pre | e flowers n border efers moi | s with purpl s, native pla st, rich soils | e rays and ant gardens Good air | yellow s, cottage circulation | |
| Perennial: not Grass/Fern | Symphyotrichum (Aster) novae-angliae 'Purple Dome' | New England Aster | Early Fall | Sun | 18-24" | | | ✓ | • | | ✓ |
| | This cultivar stays ver in Greenville, DE. Aste after blooming to avo | ers are very easy | to grow in averag | ge garden soil, wi | • | | | • | | | |
| Perennial: not Grass/Fern | Symphyotrichum (Aster) oblongifolium 'Raydon's Favorite' | Aromatic Aster | Fall | Full Sun | 2-3' | ✓ | ✓ | • | | • | ✓ |
| | This brings welcome k is aromatic. If cut bac Aster oblongifolius is | k in mid June it | will be about 2' bu | ut will be dense a | nd full. It is a f | avorite | | | | _ | |
| Perennial: not Grass/Fern | Symphyotrichum (Aster) tataricus 'Jindai' | Tatarian Aster | Late Fall | Full Sun | 3-5' | | | | | | |
| | Large leaves, basal up flower stalks rise to 4 species often provide | or 5 feet and ea | ich is covered with | | • | | | | | | |

| TypeDesc | Botanicai Name | Name | Interest | Exposure | Size | Birds | Hbirds | Butterflies | Resistant | Tolerant | ivalive |
|------------------------------|---|-------------------------------------|--|-----------------------------------|--------------------|------------|-------------|---------------|--------------|-------------|---------|
| Perennial: not Grass/Fern | Thelypteris palustris | Marsh Fern | Spring to Fall | Sun to Partial Shade | 18" x 18" | | | | ✓ | | ✓ |
| Perennial: not Grass/Fern | Marsh fern features be used in bog planting water. | nds, marshes, ai | nd wet meadows. | Unusually for a fe | rn, it grows ha | ppily in f | full sun if | kept consis | stantly mois | st and can | |
| | Thymus pseudolanuginosus | Woolly Thyme | Summer | Full Sun | 3" x 24" | | | ✓ | ✓ | ✓ | |
| | One of the best Cree occasionally producir flagstones, tolerating and grow. Evergreen | ng soft-pink flov moderate foot | vers. A strong grov | wer, ideal as a dro | ought-tolerant | lawn sul | ostitute o | or for planti | ng betweer | 1 | |
| Perennial: not Grass/Fern | Thymus serpyllum 'Pink Chintz' | Creeping Thyme | Early Summer | Full Sun | 6' | | | • | • | ✓ | |
| Grass/Fern | 'Pink Chintz' is a cree green leaves. Numer both terminal and ax and dislikes moist to | ous stems spre illary spikes (to | ad out to form a fl 1/4" long) in early | at mat (2-3" tall) to mid summer. | with clusters o | f tiny, tu | bular, sa | lmon-pink f | lowers app | earing in | |
| Perennial: not Grass/Fern | Tiarella cordifolia | Foamflower | Late Spring- Early Summer | Partial Shade to Shade | 6-12" | | | ✓ | ✓ | | • |
| | The Foamflower mak shaped leaves in the with its burgundy hue | spring. When I | | _ | | • | | | | • | |
| Perennial: not Grass/Fern | Tiarella cordifolia 'Slick Rock' | Foamflower | Late Spring | Partial Shade | 6-12" x 12- 18" | | | | | | ✓ |
| | Tiarellas are native w Spreading stolons for by local plantsman Jii | m attractive ev | ergreen mats of m | naple-like foliage, | creating a gree | en living | mulch. F | ound near | Slick Rock C | Creek in NC | |

than other varieties, making it an excellent groundcover. The 6" spires of light pink flowers draw many spring pollinators. Prefers moist,

rich organic soils in full to part shade. Does not like to dry out or to sit in saturated winter soils.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|---|--|--|------------------------------------|-------------------------|---------------------------|---------------------------|---------------------------|----------|
| Perennial: not Grass/Fern | Tricyrtis formosana 'Samurai' | Toad Lily | Early Fall | Partial Shade to Shade | 18" x 30" | | | | • | | |
| | Tricyrtis is an easy to shadowy nooks. In f purple appear. Site refer to the spots in drained soil. Avoid p | fall, when thre is plants near walky the lily-like flowe | a minimum of bflo ways or sitting area ers resembling the | wers, fascinating as to appreciate t spotted skin on s | clusters of sm the uncommor some toads.Thi | all orchi tropica rives in p | d-like flo I looking | wers heavil blooms.The | y speckeled e name toa | d with dark d lily may | |
| Perennial: not Grass/Fern | Tricyrtis x 'Sinonome' | Hybrid Toadlily | Late Summer | Partial Shade to Shade | 24" x 30" | | | | | • | |
| | Long esteemed in Ja lustrous, clean looki ruby freckles. One c | ng dark green fol | iage. Emerging fro | om buds the colo | | • | • | | | | |
| Perennial: not Grass/Fern | Trillium cuneatum | Trillium | Mid Spring | Partial Shade to Shade | 12-18" | | | | | | ✓ |
| | Trillium cuneatum is silver-green. Produc above the leaves. Fl cuneatum is native t | ces musk-scented lowers in early M | l, dark maroon flow arch to mid April.E | wers with wedge- stablish rhizome | -shaped petals | and pur | ple-tippe | ed, olive-gre | en septals | are borne | |
| Perennial: not Grass/Fern | Trillium grandiflorum | Showy Trillium | Spring | Partial Shade to Shade | 10-12" | | | | | | ✓ |
| | Broad, green, heart- grandiflorum is the e very gradually if left | easiest trillium to | | | | | _ | | | ls. Spreads | |
| Perennial: not Grass/Fern | Trillium luteum | Toad Trillium | Spring | Partial Shade | 10-12" | | | | | | ✓ |
| | Wide heart-shaped l Native from norther | • | _ | | • | | | | ragranted f | lower. | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|--|--|--|---|---|--|---|---|---|---|--------|
| Perennial: not Grass/Fern | Trillium recurvatum | Praire Trillium | Mid Spring | Partial Shade to Shade | 1' x 1' | | | | | | ✓ |
| | Occuring in woodla maroon-colored flo epithet. The reddis most likely an adap prairie trillium is an gardens, native pla and smaller hostas. | owers are nestled a sh brown flowers p station to deer pred leasily-grown spec nt gardens, and sha | igainst its classica probably attract to dation as this typticies, thriving in m | ally arranged three peetles and flies, we pe of pattern may poist organic, well- | e leaves. The which feed on nelp to camof drained wood | small gre the polle lage the lland soil | en sepal n. The h plant wit s. As a re | s are reflexe andsome sp h the surro esult, it is id | ed - hence i beckled leav unding fore eal for wild | ts specific ves are est floor.The | |
| Perennial: not Grass/Fern | Trillium sessile | Toad Wakerobin | Mid Spring | Partial Shade | 10" | | | | | | ✓ |
| | Quite rounded leav within a color range | • | _ | • | sepaled flow | ers are h | ield verti | cal and may | sometime. | s vary | |
| Perennial: not Grass/Fern | Trillium viridescens | Ozark Trillium | Spring | Partial Shade to Shade | 8-14" x 6- 10" | | | | | | • |
| | This perennial apper trillium. It sends up junction of the leav setting these will no | a long, slender steres. Shortly after b | em topped with tollooming is finish | three large mottle ed the plant dies b | d green leaves back to the gro | s. The re | ddish up | right flower | s spring fro | m the | |
| Perennial: not Grass/Fern | Uvularia grandiflora | Big Merrybells | Mid Spring | Partial Shade | 18-24" | | | | | | ✓ |
| | Arching stems with Northeastern Unite | • | | Flower petals an | d leaves have | an intere | esting slig | ght twist. N | ative to the | <u>ڊ</u> | |
| Perennial: not Grass/Fern | Uvularia perfoliata | Perfoliata Bellwort | Mid Spring | Partial Shade to Shade | 12" x 12" | | | | | | ✓ |
| | Perfoliate Bellwort of the leaves, appe moist, lightly shade redbuds. | aring to pierce the | m. The stems be | ear a single droopi | ng flower, yel | low with | orange b | oumps.Bellw | orts are ha | appiest in | r |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------------------|---|--|---|--|--|-------------------------------------|--------------------------------------|-----------------------------|----------------------------|---------------------|----------|
| Perennial: not Grass/Fern | Verbena bonariensis | Tall Verbena | Summer | Sun to Partial Shade | 2-4' | | ✓ | • | | | |
| | This self-seeding ten by erect, branching s hummigbirds to you | tems with 2" wid | de clusters of 1/4" | wide purple flow | ers from midsu | ımmer t | o fall.Att | racts butte | rflies and | | 1 |
| Perennial: not Grass/Fern | Vernonia noveboracensis | New York Ironweed | Summer | Sun to Partial Shade | 5-8' | | | • | | | ✓ |
| | Vernonia noveborac super strong stems (featured plant in the | no staking neede | ed!) with long, deep | green, linear fo | liage July to Se | | | | | | |
| Perennial: not Grass/Fern | Viola etain | Violet | Spring | Full Sun | 6-8" | | | | | | |
| | Each soft yellow bloc miniature pansies bu violet forms well-bel frequent deadheadir | it continuing to b naved clumps. Pl | loom from time to ant in moist, rich, v | time from sumr vell-drained soil. | ner through fal | I. A har | dworking | g, compact | perennial, ' | 'Etain' | |
| Perennial: not Grass/Fern | Woodwardia areolata | Netted Chainfern | Spring to Fall | Partial Shade to Shade | 18" x 18" | | | | ✓ | | • |
| | Woodwardia areolat candidate for a rain spreads by rhizomes netted leaf veins and medium to wet well- | or bog garden. T , creating a lacy { I the clumps of s | he glossy green fro ground cover. It ca pores that are arra | nds emerge in s n create large co nged in chain-lik | oring and unrol Dories in optime rows parallel | l to 1' - : ium con to the fi | 2' long ar ditions. N rond mid | nd 4" - 8" w Netted Chai | vide. Wood in fern refe | wardia rs to the | |
| Perennial: not Grass/Fern | Zizia aurea | Golden Alexander | Late Spring | Sun to Partial Shade | 18-36" x 18- 24" | | | ✓ | | | ✓ |
| | Golden Alexander is and prairies. Feature plant for the larvae or native plant garde | a Missouri native es flat-topped clu of the Missouri w | isters of tiny yellow oodland swallowta | occurs most often or flowers in late nil butterfly (Papi | spring atop ste lio joanae).Bes | ms grow t masse | ving to 3' d in oper | tall.Golder woodland | n Alexander | s is a food | 5 |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------|--|---|---|---|--|-------------------------------|-------------------------------------|---|--|---------------------------------------|--------|
| Perennial: Grass | Carex appalachica | Appalachian Sedge | Spring to Fall | Partial Shade to Shade | 6" x 12" | • | | | • | • | ✓ |
| | Carex appalachia is no also performs very w plantings. Appalachian seeds are eaten by a those of skipper and late winter. | ell as a moundin n sedge is clump variety of birds a | g, fine textured gro forming and slowl and by turtles and i | oundcover, a sof y, gradually form it is an importan | t edging to a pans of colonies that t larval food so | ath, or a providurce for | is a grace e habitat several | eful addition for wildlife species of c | to contain . In additio aterpillars i | er n, the ncluding | |
| Perennial: Grass | Carex pensylvanica | Pennsylvania Sedge | Spring | Sun to Shade | 6-8" x 6-8" | • | | | ✓ | • | ✓ |
| | Carex pennsylvanica in Foliage is green, red to seasonal cover for small resistant. | o purple. Reddi | sh brown thimble- | like flowers top | the narrow fine | etexture | ed leaves | in spring.It | provides a | n excellent | |
| Perennial: Grass | Carex vulpinoidea | Fox Sedge | Spring | Sun to Partial Shade | 3' x 3' | • | | | ✓ | ✓ | • |
| | This clump forming p ideal growing situation average soils, drough resistant and unpalat with other wet tolera | on may become a t and wet sites. able to deer and | aggressive. Plants p Fox sedge is valual other herbivores. | orosper in sun or ble for wetland r In garden situati | part shade. Nestoration and | loist soi erosior | l is prefe n control | rred but pla drainage di | nts will tole tches. Plan | erate ts are pest | |
| Perennial: Grass | Cyrtominum falcatum 'Rochfordianum' | Japanese Holly Fern | Spring to Fall | Partial Shade to Shade | 24" x 12" | | | | ✓ | | |
| | This Japanese holly for fringed, holly-like pin unique Fern is an excother Ferns, it stands supply. Best grown in are grown in poorly of | nae. Pinnae are ellent potted spe up to coastal br rich, humusy, m | falcate (sickle-shapecimen. It grows in eezes without tatt | ped) as the spec n shaded niches ering. Above all, | ies name sugge in rock gardens , it is among th | ests. From and on the few the | onds arise the nort at surviv | e from erect th side of bu re well with | t, scaly rhize ildings. Th salt air or s | omes.This icker than aline wate | r |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------|---|---|--|--|--|---|---|--|--|--|--------|
| Perennial: Grass | Eragrostis spectabilis | Purple Love Grass | Summer to Fall | Sun to Partial Shade | 2' x 3' | | | | | • | • |
| | Fluffy clouds of bronz fall. Irresistable textu foliage to the ground in open woodland are | re plant for the in early spring b | late summer garde efore new growth | en.Spreads via rh occurs. Use in p | nizomes. Propa perennial borde | gate by ers, mass | division s planting | of clumps e | very few ye | ears. Cut | S |
| Perennial: Grass | Hakonechloa macra | Japanese Forest Grass | Mid Summer | Partial Shade to Shade | 12-24" x 12- 24" | | | | ✓ | | |
| | Hakonechloa macra is woodland areas in cerlanceolate, bright green Leaves have a papery soils in part shade. To winter to early spring accent for woodland shade containers | ntral Japan, incluen leaves (to 10 texture resembolerates close to before the new | uding around Mt. H " long and 3/8" wid ling the leaves of s full shade, particu shoots emerge.Ex | lakone from whi de) form dense, ome types of ba larly in hot sumr cellent spreadin | ch its genus na spreading, caso mboo.Best gro mer climates. I g ornamental g | me is de ading m wn in he Mulch in rass for | erived.Gr nounds to umusy, c winter. shady lo | racefully arc o 12-18" tal onsistently Trim foliage cations. Sha | thing, linear I and to 24" moist, welle to the grounded | de vide. -drained vide in late cover or | |
| Perennial: Grass | Nassella tenuissima | Mexican Feather Grass | Summer | Sun to Partial Shade | 1-2' x 12" | | | | | • | |
| | Mexican feather grass culms 1-2' tal. Its hai matures to a golden c as long as the soil has | rlike foliage mo olor. Use it in ro | ves with the slightenck gardens and as | est breeze. Flow an accent to pla | ers bloom a gr | eenish c | color in s | ummer to la | ate fall and | then | |
| Perennial: Grass | Panicum virgatum 'Northwind' | Switchgrass | Fall to Winter | Full Sun | 4-5' x 2-3' | | | | ✓ | • | ✓ |
| | An unequivocally upri blades are a bit more September with attra prairies and was one | substantial ther | n those of the othe nmes, held incredib | r blues. A golde bly erect atop the | n yellow color i | in the fa | II.This vi | gorous grov | ver is toppe | d in | |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|------------------|--|---|---|---|--|------------------------------------|-------------------------------------|--|---|-------------------------------------|--------|
| Perennial: Grass | Schizachyrium scoparium 'Standing Ovation' | Bluestem Grass | Year Round | Full Sun | 3-4' x 1' | | | | • | • | ✓ |
| | This little bluestem is transition through pur amber tone. It tolerat growth. It will self-see | rple down to blu es a wide range | ie-green at the bas of growing condition | e. Beautiful eve ons including po | en in winter, whoor, dry soils. C | ien its fi ut back | ne, uprig | tht foliage to spring to ma | akes on a reake way for | eddish new | |
| Perennial: Grass | Sesleria autumnalis | Autumn Moor Grass | Fall | Full Sun | 8-12" | | | | | ✓ | |
| | Autumn moor grass is above the foliage clur green foliage (to 3/16 of soils and drought. indigenous to the modern | np in summer to " wide). Easily ¿ Somewhat intol | o 18" tall. Flowers g grown in average, d erant of high summ | give way in autu Iry to medium, v ner heat and hu | mn to silvery-v well-drained so midity. Cut clu | vhite inf il in full mps bac | Torescen sun to pa ck to the | ces. Attract art shade. T ground in la | tive, narrov olerates a v | v, yellow- wide range | |
| Perennial: Grass | Sporobolus heterolepis | Prairie Dropseed | Summer to Winter | Full Sun | 2' x 2' | ✓ | | | | ✓ | • |
| | Prairie Dropseed prod Considered by many t 24 inches apart. The and cilantro. Plains In grown in average, dry soils. Good drought t | to be the most he seedhead has a didians ground the to medium, we | andsome of the professional faint but unmistake e seed to make a to | airie grasses, it i able fragrance, c asty flour, and t | makes a well-do often described he highly nutrit | efined a as rese ious see | nd distin mbling a eds are n | ctive borde combinatio nuch sought | r when plar on of fresh p after by bi | nted 18 to copcorn rds.Easily | |
| Perennial: Fern | Asplenium trichomanes | Maidenhair Spleenwort | Year Round | Partial Shade to Shade | 4-8" x 12" | | | | • | • | ✓ |
| | This small, fragile-lool green and appear like even easy to grow in crich well-drained soil, established. Prefers r | miniature versi dry shade. This but it will grow | ons of our commor easy but slow-grow well in most soil ty | n sword fern. As ving fern perforr pes except thos | splenium trichons well in light, e that become | manes open, c water lo | is very cu dappled, ogged. It | ute and once or deep sha | e it is estab de. It grow | lished it is s fastest ir | 1 |

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-----------------|---|---|---|---|---|----------------------------|-------------------------------------|---|--|-----------------------------------|--------|
| Perennial: Fern | Athyrium filix-femina | Lady Fern | Spring to Fall | Shade | 26-30" | | | | ✓ | | ✓ |
| | Athyrium felix-femina fronds. Plant in shade strong wind, since fro | e in a slightly aci | d, moist fertile so | il. Easy to grow a | and vigorous, it | will for | m dense | clumps rapi | dly.Protect | from | |
| Perennial: Fern | Dryopteris erythrosora 'Brilliance' | Autumn Fern | Fall | Partial Shade to Shade | 18" x 12-24" | | | | ✓ | | |
| | Dryopteris erythrosor orange as they unfurl giving a colorful tapes fern grows well in mo of sites with compact disease problems. | . Fronds age to stry effect of cop sist woodlands a | a lustrous dark groper and green fronds nd shade gardens | een and remain vom spring to late | vell into winter fall.It has an up well-drained a | . New goright, opicidic so | rowth co pen habi ils in full | ontinues thr t and mode to partial sh | ough the se rate density nade and is | eason, y. Autumn intolerant | |
| Perennial: Fern | Dryopteris goldieana (goldiana) | Goldie's Fern | Spring to Fall | Shade | 3-4' | | | | ✓ | | • |
| | This is the largest of common to form a 6-foot clum fronds. The fronds taprefers a bright shady | p. It is easy to d per near the tip | istinguish from ot .Use in a woodlan | her ferns not only d garden, along p | y by its size but oonds, streams | also by or bogs | the back , or mass | ward-archi | ng, oblong- | triangular | |
| Perennial: Fern | Matteuccia struthiopteris | Ostrich Fern | Spring to Fall | Partial Shade to Shade | 2-4' | | | | ✓ | | ✓ |
| | In the spring, emerging our moist woodlands can cover large areas. | or stream edge | _ | _ | | | | | | | |
| Perennial: Fern | Onoclea sensibilis | Sensitive Fern | Spring to Summer | Partial Shade to Shade | 1' - 3' | • | | | | • | • |
| | Sensitive fern has me stalk.The fronds die q species is reported to riverbanks, swamps a | uickly with the f | irst autumn frosts o livestock and rar | s, which is why th rely, if ever, is tro | e plant has gai ubled by brow | ned its c sing dee | ommon r.It is fou | name of the and in wet w | e sensitive f voods, alon | fern. This g streams, | |

soil that is loamy, silty, or sandy.

| TypeDesc | Botanical Name | Common Name | Season of Interest | Exposure | Size | Attract Birds | Attract Hbirds | Attract Butterflies | Deer Resistant | Drought Tolerant | Native |
|-----------------|---|--|--|----------------------------------|-----------------------------------|--------------------|----------------------|-----------------------------|-------------------------|--------------------|----------|
| Perennial: Fern | Osmunda cinnamomea | Cinnamon Fern | Spring to Fall | Partial Shade to Shade | 2-5' | | | | • | | ✓ |
| | Cinnamon fern derive resembling cinnamon handsome additions | sticks. These a | are followed by lai | rger, coarse-testui | - | | | | | | |
| Perennial: Fern | Osmunda claytoniana | Interrupted Fern | Spring to Fall | Partial Shade to Shade | 2-3' x 2-3' | | | | ✓ | | ✓ |
| | This is a native fern win a spreading-vase for spore-bearing pinnae the source for Osmur phlox, foam flowers, | orm to 2-3' tall, (leaflets) which ada fiber used in | but with constant n typically fall off i n the potting of or | moisture can rean mid summer, th | ch 5' in height us giving rise | t. Broad to the co | fronds ar mmon na | e "interrupt ame. The rh | ed" in the inizomes (ro | middle by ots) are | |
| Perennial: Fern | Osmunda regalis | Royal Fern | Spring to Fall | Shade | 3' | | | | ✓ | | • |
| | Bright brown plumes and a lot of moisture | _ | ne ground in sprin | g. Leafy, lance-sh | aped fronds a | re attrac | tive all se | eason long. | Prefers an | acid soil | |
| Perennial: Fern | Polystichum acrostichoides | Christmas Fern | Year Round | Partial Shade to Shade | 18-24" | | | | ✓ | | ✓ |
| | Native throughout th | a North Amaria | an woodlands. Ch | ristmas form doriv | os its namo fr | om its ov | orgroon | foliogo The | now frond | comorgo | |

Native throughout the North American woodlands, Christmas fern derives its name from its evergreen foliage. The new fronds emerge in spring covered with silvery hairs, then become a glossy green. Happy in average, well-drained soil. Withstands considerable abuse once established.