

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Appalachian Red'	Eastern Redbud	Mid Spring	Sun to Partial Shade	25' x 25'		✓		✓		✓
	Cercis canadensis 'Ap Clusters of fuschia-p the fall. The Eastern to keep this tree hea	ink to red bloom Red bud does w	ns abound in April,	followed by dark	blue-green he	art-shap	ed foliage	that turns	s yellow/pa	le green in	
Woody: Shrub	Aesculus parviflora	Bottlebrush Buckeye	Summer to Fall	Sun to Partial Shade	8-10' x 8-15'	✓	✓	✓	✓		✓
	Bottlebruch buckeye leaves have their lea arranged in cylindric summer for 2 to 3 w perfers acid soil, but	flets arranged li al clusters that a eeks. In the fall	ke fingers radiating are 8-12"s long and	from a person's 2-4" wide. This	hand and meanative buckey	sure 8-1 e blooms	0" across. in our are	Small wh	ite flowers July Fourth	are each	
Woody: Shrub	Ceanothus americanus	New Jersey Tea	Spring	Full Sun	2-3'	✓	✓	•		✓	•
	New Jersey Tea is a s likes sandy soils in o	small upright de							daptable pla	ant that	
Woody: Shrub	Cornus sericea (stolonifera) 'Kelseyi'	Redosier Dogwood	Year Round	Full Sun	3' x3'	✓	✓	✓			✓
	Kelsey is a dwarf Cor (cymes) appear in lat with a low, compact on steep slopes. Bar	te spring and are form and lush g	e followed in late so reen foliage that p	ummer by white erfectly foils less	berries (drupe attractive bas	s) which es of larg	are attrac ger shrubs	tive to bir Excellen	ds. A dwarf t for erosio	dogwood	;
Woody: Shrub	Viburnum dentatum 'Synnestvedt' Chicago Lustre®	Arrowwood Viburnum	Summer	Sun to Partial Shade	8' x 8'	•	✓				✓
	An outstanding Vibu mid to late June, foll	owed by an orna	amental cluster of	blue-black fruit ir	autumn. Re	ddish pu	rple or gol	d fall colo	r and with a	slightly	

later bloom than the species. Summer fruit attracts songbirds. An extremely durable and adaptable choice for hedging, screening and mass plantings. All V. dentatums need another cultivar for pollination to make copius fruit. Prefers acidic, moist soils. Adaptable to seashore conditions.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Allium cernuum	Nodding Onion	Summer	Sun to Partial Shade	12-18"	✓	✓	•	✓		•
	Allium cernuum featu summer which appea an oniony smell when generally considered Best in full sun, but a offsets in optimum gr	r in loose, nodd n cut or bruised. to be of culinary ppreciates some	ing clusters atop e Although the bulk y value today. Easi e light afternoon sh	rect, leafless sca os and leaves of t ly grown in aver	pes rising sligh this plant were age, dry to me	ntly above e once us edium, we	e the folia ed in cook ell-drained	ge. All par king or eat I soil in ful	ts of this plen raw, it is I sun to ligh	ant have not it shade.	
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓	✓	•	✓	•
	This uncommon spec The show realyl heats excellent low mainte	s up with the inc	redible fall color a	s the leaves char	-						
Perennial: not Grass/Fern	Anemone hupehensis 'September Charm'	Hybrid Anemone	Fall	Sun to Partial Shade	30"		✓	✓			
	The silvery, saucer-sh stems above the folia mounds in time.		_		_				-		y
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"		✓	•	✓		•
	This is an erect, brand spurred petals alternated leaves are attractive as long as drainage is seed freely. The small	ating with sprea in their own righ good. Soil that	ding, colored sepa nt.Easily grown in a is too rich encoura	ls and numerous verage well-drai ges weak stems	yellow stame ned soil in full and shorter lif	ns hangir sun to sh espan. In	ng below t nade, it wi optimum	he petals. Il tolerate growing o	The compo a wide rang conditions is	ound ge of soils,	
Perennial: not Grass/Fern	Aquilegia canadensis 'Little Lanterns'	Wild Columbine	Late Spring- Early Summer	Sun to Partial Shade	10"	✓	✓	✓	✓		✓
	This is a compact gro A long blooming spec June. Since it's little.	ies, it produces	many brilliant red	flowers with a ye	ellow corolla t	hat dangl			_	•	

TypeDesc	Botanicai Name	Name	Season of Interest	Exposure	Size	Birds	Hbirds	Butterfly	Resistant	Tolerant	ivalive		
Perennial: not Grass/Fern	Asclepias tuberosa 'Hello Yellow'	Butterfly Weed	Early Summer	Full Sun	24"		✓	•	✓	✓	✓		
	A selected form of ou Butterflies are drawn		ly weed that has s	shown to be a sha	de more yello	w than th	ne species	. Great fo	r hot, dry si	tuations.			
Perennial: not Grass/Fern	Asclepias verticillata	Whorled Milkweed	Summer	Sun to Partial Shade	12-30" x 12- 24"		✓	✓	✓	✓	✓		
	Asclepias verticillata like, fine textured and occur from mid-summate season food soul and vigorous. If self-	d whorled in um mer and into aut rce for Monarch	brella like clusters tumn. This late blo butterflies and th	s along the stems oomer is among t eir caterpillars.Pl	Foliage offer he last milkwe ants are best a	s a lovely eds to go idapted t	yellow fa o dormant o sunny d	Ill color.Fr t. This mak ry sites an	agrant whit kes it a very nd are droug	e flowers valuable ght toleran	t		
Perennial: not Grass/Fern	Chelone glabra	White Turtlehead	Late Summer	Sun to Partial Shade	23-35" x 18- 23"		✓	✓			✓		
	Chelone glabra is a national flowers. Foliage is national with the more comm	arrow with 3-6"	sharpley toothed	•	-	_			_		d		
Perennial: not Grass/Fern	Coreopsis tinctoria	Golden Tickseed	Summer	Full Sun	18"	✓	✓	✓	✓	✓	✓		
	Coreopsis tinctoria features cheerful 1" yellow daisy-like flowers with deep red centers, bringing prairie charm to informal naturalistic gardens. Blooming throughout the summer, it serves as an excellent pollinator plant attracting bees and butterflies. The seeds are eaten by birds. The common name tickseed refers to appearance of the seeds. Easy to grow in dry to medium moist, well-drained soil. Native to the Great Plains, it is perfect for dry, low fertility sites. Prefers full sun but will tolerate light shade. Can self-sow in optimum conditions.												
Perennial: not Grass/Fern	Eriogonum allenii 'Little Rascal'	Shale Barren Buckwheat	Summer	Full Sun	24" x 16"		•	✓		•	•		
	'Little Rascal' has gra heads. Adored by be		•										

Little Rascal' has gray-green leaves compose a tidy, dense low growing rosette beneath the multitude of beautiful bright golden flower heads. Adored by bees, butterflies and hummingbirds, the blooms mature with bronzy orange hues and later develop intriguing seed heads. Shale Barren Buckwheat is a reliable under used perennial that has virtues everyone agrees on and wants: long bloom period, ease of maintenance, cold hardiness and exceptional drought tolerance. Sun, good air circulation and dry, sharply drained lean soil will keep 'Little Rascal' happy.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native			
Perennial: not Grass/Fern	Gillenia (Porteranthus) stipulata	Indian physic	Late Spring	Sun to Partial Shade	2-3'		✓				•			
	Gillenia stipulata has palmately lobed, deeply veined and serrate leaves, red stems. Many 5-petaled star-shaped 1" white flowers appear on delicate narrow stalks at ends of branches. Will naturalize nicely along woodland edges and has wonderful fall leaf color. Grows in dry or moist soils.													
Perennial: not Grass/Fern	Heliopsis helianthoides	Ox-eye	Summer	Full Sun	4' x 6'	•	✓	•			✓			
	Sunflower Heliopsis is a clump-forming perennial that bears striking, sunflower-like yellow blooms on long stalks from midsummer to early autumn. A good use of this perennial is in the back of a border or in wildflower or cutting gardens. It is also a long-lasting cut flower. This plant is desirable primarily because of its long blooming season during the summer, and its ease of cultivation. Easily grown in average, dry to medium, well-drained soil. Tolerates wide range of soils, including poor ones. Tolerates drought, but does better if regularly watered.													
Perennial: not Grass/Fern	Heuchera 'Blackout'	Hybrid Coral Bells	Spring to Fall	Partial Shade to Shade	12" x 24"		•	✓						
	Add drama to a shady spot with the glossy, near-black leaves of this Heuchera 'Blackout'. Airy panicles of small white flowers appear in late spring to early summer and attract hummingbirds. Looks stunning alongside plants with light green or variegated foliage. Prefers humus-rich soil with moderate water. Will grow in full sun but the leaves may discolor. The mounding habit makes it suitable as edging along paths and in containers. Also works well in rock gardens, woodland areas, and as a ground cover.													
Perennial: not Grass/Fern	Heuchera x 'Southern Comfort'	Hybrid Coral Bells	Spring to Fall	Sun to Partial Shade	14" x 24"		✓		✓					
	An evergreen Heuchera! Huge cinnamon-peach leaves mature to burnished copper to amber and form a broad, lush clump, making a bold landscape statement. Blooms appear in late summer. Thrives in hot, humid environments where others don't. Provide a rich, well-drained soil and water and fertilize regularly throughout the growing season. For a neat appearance, remove old flower stalks. Divide clumps every 2 to 3 years in early spring.													
Perennial: not Grass/Fern	Lobelia cardinalis	Cardinal Flower	Summer	Partial Shade	3-4'		✓	✓		✓	•			
	Tall spikes of rich sca meadows, cardinal flo		~		mid to late s	ummer. I	Native to	our stream	nsides or da	imp				

TypeDesc	Botanical Name	Name	Interest	Exposure	Size	Birds	Hbirds	Butterfly	Resistant	Tolerant	ivalive
Perennial: not Grass/Fern	Manfreda virginica	American Aloe	Summer	Sun to Partial Shade	3-6' x 2-3'		✓			✓	✓
	American aloe forms reddish spots. In sur drained soil in full su perennial border, or	nmer, a 3 to 5 fo n to part shade. <i>A</i>	ot stalk arises bea An interesting arcl	aring fragrant gree hitectural specime	enish-white fl en, it is a good	owers.Eas	sily grown	in averag	e, dry to me	edium, wel	I-
Perennial: not Grass/Fern	Monarda fistulosa	Wild Bergamot	Summer	Sun to Partial Shade	2-5'		✓	✓		✓	✓
	Wild Bergamot is a p 2-5 ft., open-branche leaves was formerly in dry to medium mo Deadhead flowers to	ed stems. This fra used to treat res visture, well-drain	ngrant perennial, f piratory ailments ned soils. Tolerat	frequently cultiva . The leaves smell es somewhat poo	ted, has arom minty. Flow	natic leave ers are at	es used to tractive to	make min	t tea. Oil fr butterflies.	om the Best growi	
Perennial: not Grass/Fern	Monarda 'Gardenview Scarlet'	Hybrid Beebalm	Summer	Partial Shade	36"		✓		•		•
	Large, deep scarlet re gray tea its unique fla					foliage.	The leave	s of mona	rda are wha	ıt give earl	
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		✓	✓	•	✓	✓
	Beard-tongue is a mo- longer beginning in e sandy soils; however variety of pollinators	arly summer. Ri , it will tolerate o	gid stems arise fro clay. Mass in sunn	om basal rosettes	of attractive	foliage.Pe	enstemon	prefers w	ell-drained	loam and	
Perennial: not Grass/Fern	Penstemon x mexicali 'Red Rocks'	Beard-tongue	Summer	Sun	18" x 15"	•	✓	✓		✓	✓
	This lovely hybrid is r foothills west of the summer long. Humn performs best in mod	city. This hybrid ningbirds and bu	has glossy, narro tterflies love this	w foliage and tall perennial, not to	spikes of stur mention bein	nning rose g deer res	- -pink and sistant. Th	white flownis is a vigo	vers that bloorous growe	oom all er that	

regular watering.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Phlox divaricata 'Blue Moon'	Woodland Phlox	Spring	Partial Shade to Shade	12" x 18"		•	•			•
	'Blue Moon' woodlan producing a tapestry soil.Great companion	of billowy light l	blue display. Best	planted in woodl	_			•	•		1
Perennial: not Grass/Fern	Phlox paniculata 'Jeana'	Summer Phlox	Summer to Fall	Sun to Partial Shade	2-4' x 2-3'		✓	✓		✓	✓
	'Jeana' is an unusually from summer into fal weaker stems. Tolera Garden phlox is a stap host of pollinators. B	l.It thrives in org nt of drought o ble of the peren	ganic, moist to ave nce established. B nial border. Good	erage soil in full su enefits from occa	un to light sha asional fertiliz	ide. Plant ation. De	ts in shade adhead to	will have prolong b	smaller flow	wers and ason.	э
Perennial: not Grass/Fern	Symphyotrichum (Aster) oblongifolium 'Raydon's Favorite'	Aromatic Aster	Fall	Full Sun	2-3'	✓	•	✓		✓	✓
	This brings welcome is aromatic. If cut bac Aster oblongifolius is	k in mid June it	will be about 2' b	ut will be dense a	nd full. It is a	favorite				_	
Perennial: not Grass/Fern	Verbena bonariensis	Tall Verbena	Summer	Sun to Partial Shade	2-4'		✓	✓			
	This self-seeding tend	er perennial wi	ll reach about 3' in	our area. The la	nce-shaped le	eaves are	borne at t	he base o	f the plant a	and topped	b

This self-seeding tender perennial will reach about 3' in our area. The lance-shaped leaves are borne at the base of the plant and topped by erect, branching stems with 2" wide clusters of 1/4" wide purple flowers from midsummer to fall. Attracts butterflies and hummigbirds to your garden. Use in beds, borders and containers. Best in full sun with average, well-drained soil that is evenly moist.