

Tyler Plant Sale - Plant Descriptions - Attracts Butterflies

2024

1/2/2024

Page 1 of 28

TypeDesc	Botanical Name	Name	Season of Interest	Exposure	Size	Birds		Attract Butterflies	Resistant	Tolerant	Native
Woody: Vine	Lonicera sempervirens 'Major Wheeler'	Trumpet Honeysuckle	Summer to Fall	Sun to Partial Shade	3-8' x 1-10'	✓		✓	✓		•
	This native honeysuc demonstrated that the spring through the er landscape. Needs a lit edges of woodlands,	nis is the most pond of summer are the support in t	ofuse bloomer of d highly disease re e garden, or let it	its species and wesistant foliage, 'I scramble over a	ith its mass dis Major Wheele nearby large sh	splay of tr r' is a low nrub. Fo	thin tubu v care, h und in si	ılar, red-orar igh color add unny clearing	nge flowers dition to the gs and along	e g the	
Woody: Tree- Ornamental	Amelanchier arborea	Common Serviceberry	Early Spring	Sun to Partial Shade	20' x 15'	✓		✓			•
	Amelanchier arborea leaves emerge. Fruishrub or pruned to o make jelly or jam, he shade. May be susce	ts form quickly a ne trunk to form nce another con	nd ripen into smal a small tree. In th nmon name is June	I dark purple ber ne autumn the fo eberry.Adaptable	ries that are quiliage turns ora	uickly ea inge-red	ten by b .The ear	irds. It can l y summer b	be grown a erries can b	s a large be used to	
Woody: Tree- Ornamental	Cercis canadensis 'Appalachia'	Eastern Redbud	Early Spring	Shade to Partial Shade	15'-25' x 20- 35'	•		•	•		•
	This small native tree purple opening to alr border or in grouping lack of water or too water or	nost red. Flowe gs. Try it with 'A	rs are effective for lba' or 'Forest Pans	two to three we sy' eastern redbu	eks. It can be u	used in v daptable	vooded,	naturalized s	settings, in	the shrub	
Woody: Tree- Ornamental	Cercis canadensis 'Flame Thrower'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	15' x 15'	•	✓	✓			•
	Redbuds are loved for Thrower' are heart shas they age. The color pollinators. Redbuds production. Redbuds	naped. The your or mix persists fr make good cut	ng foliage emerges om spring through flowers and the blo	a rich burgandy fall. The early bl ooms are edible	red, gradually ooms of redbu and can be use	turn bea ıds attra	utiful sh ct returr	ades of orar	nge, yellow gbirds as w	and green ell as early	/

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Merlot'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	10-12' x 12'	•	✓	✓		✓	•
	Early small bright pink 2 - 3 weeks. The smal stress.Reaching only 1 habit. The early spring conditions. Performs	l heart-shaped lo 0 to 12 feet tall, g flowers are enj	eaves of 'Merlot' a 'Merlot' is a perfe joyed by humming	re wine red and ect candidate for birds.It is import	hold their cold smaller garde ant to noted t	or through ns. It fea that 'Mei	the se stures ar lot' is m	ason with no n upright, de ore tolerant	summer h	neat haped	
Woody: Tree- Ornamental	Cornus florida	Flowering Dogwood	Early Spring	Sun to Partial Shade	15-30' x 15- 30'	✓		✓			✓
	Cornus florida, commo somewhat flat-topped surrounded by four sh white flower. Oval, da loved by birds.Grow ir part shade. Benefits f	habit. It argual owy, white, pet ark green leaves average, mediu	oly may be the mo al-like bracts which turn attractive sha um moisture, well-	st beautiful of the hopen flat, giving ades of red in falled drained soil in fu	e native Ame g the appeara l. Bright red fi Ill sun to part	rican flow nce of a ruits are shade bu	vering tr single, la bitter ar	rees.Each floorge, 3-4" dia and inedible to	wer cluster imeter, 4-p o humans b	is etaled, ut are	
Woody: Tree- Ornamental	Prunus maritima	Beach Plum	Spring to Summer	Sun to Partial Shade	5' x 5'	•		✓			✓
	Prunus maritima is a s leaves with highly dist fruits develop over su wildlife.Grows well in humans, pets, or lives	inguishing lentic mmer and ripen high drainage sc	els that form on b early fall. These fr	ark.Dense cluste uits, while tart, a	rs of white flo are edible and	wers beg a great f	gin bloor ood sou	ming in late s rce for birds	pring. Sma and other	ll pitted-	
Woody: Tree- Ornamental	Stewartia malacodendron (virginica)	Silky Camellia	Spring to Fall	Shade	10-18' x 15- 25'			✓			✓
	The Silky Camellia is a centers of purple stam undersides of the dark well-drained soils, and The flowers attract be best to locate it in its f	nens and blue ar green leaves ar the shelter of v es and butterflic	others. The bark is and the young redding twoodlands. The places to collect pollen	smooth cinnamo ish-brown twigs. ant thrives in the	on color and e The fruit is a morning sun	xfoliates small ov but need	in strips al capsu ds deep :	s. Silky hairs le.It prefers r shade during	are found or ich loamy, most of the	on the moist, e day.	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	X Gordlinia grandiflora	Mountain Gordlinia	Year Round	Full Sun	30' x 15'			✓			✓
	An absolute must-have (now believed extinct shaped evergreen treappeal. It is more columiversity, Mountain USDA Hardiness Zone	in the wild) wit e with large, ser d-hardy, longer- Gordlinia is cert	h those of Gordoni ni-cupped 3-4" whi lived, and disease-	a lasianthus, the ite blooms, rich resistant than it	beloved Loblo orange and re parents.Intro	olly Bay.l d fall foli oduced b	Mountaii age, vigo y Dr. Tor	n Gordlinia is prous growth n Ranney of	a small, be , and irresi North Caro	eautifully stible Ilina State	
Woody: Tree- Canopy/ Shade	Diospyros virginiana	Persimmon	Fall	Sun to Partial Shade	+30' x +20'	•		✓			✓
	Common persimmon lands of the Mississip strength. Persimmor food. The glossy leat taproot.	pi River Valley. is much better	The wood is close a known for its fruits	grained and som , however. The	etimes used for y are enjoyed	or specia by peopl	l product e as well	ts requiring l as many spe	nardness ar ecies of wild	nd dlife for	
Woody: Tree- Canopy/ Shade	Tilia americana	American Linden	Spring	Sun to Partial Shade	50-80' x 35'	✓		✓			✓
	American linden is a reflowers in late spring, Ontario and the north bees often visit in succeptived gourmet food manner as maple syru	small nutlets w neastern and no h abundant nun item. Flowers h	ith attached leafy wrthcentral U.S., includers that hummin	vings and large ouding dry uplanged and be heard reading to the heard reading sections.	dark green lea d areas as wel nany feet fron	ves. It is I as mois n the tre	native to t, low wo e. Honey	o a variety of oods. When made from	habitats ir tree is in fu these flow	n southern ull bloom, ers is a	
Woody: Shrub	Clethra alnifolia 'Sixteen Candles'	Summerswee t Clethra	Summer	Sun to Partial Shade	3-3.5'			✓	✓		✓
	This cultivar was sele its parent plant. It ho July. The spent inflor part shade and consist	llds its flowers u escents add inte	pright like candles rest through winte	on a cake which r.Easily grown in	inspired its na n average, me	ame. The	ey are wh	nite coming i	n late June	and early	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Cornus amomum	Silky Dogwood	Late Spring	Sun to Partial Shade	6'-12' x 6'- 12'	✓		✓	✓		✓
	A great shrub for wild important food source be a great addition to wet soil, creating this steams/ponds or for	e for many son your yard for t kets which are	gbirds. Reddish-br hose soggy areas t great for wildlife h	own stems add v hat are difficult t	vinter interest. o find good pla	. Does pa antings f	articularl or. Its bi	y well in moi anches have	st areas, so a tendenc	it would	
Woody: Shrub	Cornus sericea (stolonifera) 'Arctic Fire'	Redosier Dogwood	Year Round	Sun to Partial Shade	4-5' x 4-5'	✓		✓	✓		✓
	Arctic Fire® dogwood 3-5' feet rather than color appears on one breakthrough for sma America.Synonymous	the 8-10' of con and two year o aller gardens or	ventional red-twig ld stems; older ste residential landsca	dogwood. Brigh ms will turn cork apes. Tolerates a	t red stems in y and brown. I	winter a	dd color er size m	to the lands akes this var	cape. The iety a great	best red t	:t
Woody: Shrub	Cornus sericea (stolonifera) 'Baileyi'	Redosier Dogwood	Winter	Sun to Partial Shade	6-9' x 6-9'	✓		✓			✓
	Cornus sericea 'Bailey and fruit are milky wh against dark evergree should be cut to the g	nite. The plant's	s most interesting th sericea 'Flaviran	feature is its rich nea' or sericea 'Ca	dark-red to blardinal'. Prefe	ood-red rs rich, n	stem col	or in winter.	The color	is great	
Woody: Shrub	Corylus americana	American Filbert	Spring to Fall	Sun to Partial Shade	8' x 6'	✓		✓		•	•
	Leaves of American F fall. Flowers are intri turn brown when the wide range of conditi	guing catkins (li nuts are ripe. N	ke birch). Female Nuts are 1/2 inch ir	flowers develop in size. When a fe	nto a small clu w are planted,	ster of r count o	uts encl	osed by two	protective	bracts tha	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Hydrangea arborescens 'Haas' Halo'	Smooth Hydrangea	Summer to Fall	Sun to Partial Shade	3-5' x 3-5'			✓		✓	✓
	Deep, blueish-green, beautiful native select walking past with it's smooth hydrangea th and humidity. It is be would prefer morning	tion stands tall truly incredible at will not wilt o autiful planted	and never flops, ev blooms and stout on the first dry day as a specimen and	ven with it's mass and sturdy statur of summer. It ca lovely en masse	ive blooms. It e. It is a favor an handle mas along a woodl	t's an up rite of be ssive dro land edg	right, yet ees and b ughts an	t bushy plant outterflies!'H d a long, hot	that will st aas' Halo' is summer fu	top anyone s one ull of heat	2
Woody: Shrub	Lindera benzoin	Spicebush	Spring to Fall	Sun to Partial Shade	6-12' x 6-12'	✓		✓	✓	✓	✓
	A deciduous shrub na up the spring landsca male pollinator in ord emit a fragrance simil this shrub. Lindera is c clay soils.	pe in April. Sma er to set fruit, h ar to "Old Spice	all red fruits, on the nowever.Fall color " when bruised. T	e female plant, ar is a good clear ye he larva (caterpil	e especially en llow, especial lar) of the spic	njoyed b ly when cebush s	y birds ir grown in wallowta	n the Fall. Fe full sun. Ste nil butterfly f	male plant ems, fruit a eeds on the	s need a nd leaves e leaves of	
Woody: Shrub	Photinia (Aronia) arbutifolia (pyrifolia) 'Brilliantissima'	Red Chokeberry	Spring to Fall	Sun to Partial Shade	6-8' x 3-5'	✓		✓	✓		✓
	Red Chokeberry is an Small white cluster of deep green leaves tur Aronias prefer soils w	flowers in the s	spring followed by n the fall. This cult	1/4" fruit which tivar has been sele	turn bright red ected for supe	d in the ferior blos	all and p soms, fo	ersist thru N liage, fall col	ovember.	Lustrous	
Woody: Shrub	Prunus americana	American Plum	Spring to Fall	Sun to Partial Shade	10-20' x 15- 25'			✓			✓
	Prunus americana is a leaves that are 3-4" lo July-August and can b grown in average, dry thickets provide good plant for several spec	ong, turn yellow e used to make to medium, we cover for song	to red in autumn. jellies and jam. St ell-drained soils. Re birds and small ma	White showy flo ems, leaves, and emove suckers to	wers appear l seeds contair prevent unwa	before the cyanide anted sp	ne leaves e, TOXIC read or t	in Spring.Th to humans a o train into a	e plum frui nd animals I small tree	it ripens in !It is easily . Its	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Rhus copallina 'Lanham's Purple'	Flameleaf Sumac	Spring to Fall	Full Sun	10' x 10'			✓	•	•	•
	'Lanham's Purple' Su has matured to burg dry sites, and coloniz resistant. It attracts	undy-green, and zes banks, hillside	the fall color is a es and rocky areas	striking combinati s well with its suck	on of purple, ering habit.It	red, orar is native	nge and y	ellow. It is v	ery toleran	t of poor	
Woody: Shrub	Rosa carolina	Rose	Summer & Winter	Sun to Partial Shade	3-6'	V		✓		•	✓
	Rosa carolina is a na streams. It has a love moisture and keep t disease resistance of	ely pink flower in he roots cool. Pr	the summer and	red fruits that per	sist through t	he winte	r.Mulch	can be appli	ed to help i	retain	
Woody: Shrub	Viburnum nudum 'Winterthur'	Possomhaw Viburnum	Spring to Fall	Sun to Partial Shade	5-6' x 5-6'	✓		✓	✓		•
	This handsome flow spectacular vibrant r form, beginning whit pollination for good shaded sites and sur	red-purple in fall. te changing to pi fruiting. Possom	In May-June, cre nk and finally brill haw grows natura	amy white flower iant blue. Its habi	s are 2-4" acro t is more com	oss. As t pact and	he leave: refined	s turn in auto than the spe	umn fruit c cies. It nee	lusters eds cross-	
Woody: Shrub	Viburnum prunifolium	Blackhaw Viburnum	Spring to Fall	Sun to Partial Shade	15-30'	✓		✓		•	✓
	Blackhaw is usually g small, single trunk tr native plant has whi which often persist i turn attractive shade	ee. As a shrub, i te flowers in flat- nto winter and a	t typically grows 1 topped cymes ap re quite attractive	.2-15' tall with a spearing in spring. e to birds and wild	oread of 6-12' Flowers give life. Ovate, fir	, but as a way in au ely tootl	tree ma utumn to ned, glos	ny reach a he blue-black, sy dark gree	ight of 30'. berry-like on leaves (to	This drupes o 4" long)	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Edible	Sambucus canadensis 'Bob Gordon'	American Elder	Summer	Full Sun	7-8'	✓		✓			✓
	Elderberries are large profusion of dark pur droop down, often be The fruit is high in and best fruit production.	ple berries in Jo Plow the foliago Lioxidents. Elde	uly. The berries of be, which decreases or berries tolerate a	'Bob Gordon' are bird predation.Th wide variety of w	larger and sweet 1/4" edible yet to dry soils	eeter that berries of but pref	an other wan be use ers rich, r	rarieties. Thed for pie, ja noist soil. F	ne berries o m, wine, o	of fruit or syrup.	
Woody: Edible	Vaccinium corymbosum 'Jersey'	Highbush Blueberry	Spring to Fall	Sun to Partial Shade	6-12' x 8-12'	✓		•			•
	This late-producing consurvive late spring from branches form a dense Flowers are pale pink	ests and bad wi se thicket, inter	nters. Blueberry bu	ushes can be used ith other plants i	d effectively as n the border.	orname Leaves a	entals. Th	eir multi-ste	emmed, sp	reading	
Perennial: not Grass/Fern	Achillea filipendulina 'Coronation Gold'	Fernleaf Yarrow	Summer	Full Sun	36" x 24"			✓	•	•	
	This selection has exc of bloom. Wonderful divide in spring or fall	as cut flowers	, in fresh or dried a	rrangements.Dea	adhead spent k	olossoms	s. Plant in	full sun in v	well draine	d soil,	
Perennial: not Grass/Fern	Achillea millefolium 'Oertel's Rose'	Yarrow	Summer	Full Sun	12-36"			✓	•	•	•
	Valuable drought resi the plants that spread color when dried. Ess heat and drought. He feet when in bloom.	d like groundco sential plant fo	ver. Early summer r drought resistant	blooms in poten color. Suited to	t magenta pin borders, rock g	k are boi gardens,	ne on stif	ff 2 foot stallens and co	ks. Flower ntainers. T	rs retain olerant of	
Perennial: not Grass/Fern	Achillea millefolium 'Pomegranate'	Yarrow	Summer to Fall	Full Sun	18" x 18"			✓	•	•	•
	'Pomegranate' is an u growing habit. Yarro tolerate hot, humid s height. Deadhead aft	w is best growr ummers and di	n in lean, dry to med cought. Consider cu	dium, well-draine utting back plant	ed to sandy soi stems in late s	ls in in fo pring be	ull sun. Dr fore flow	ainage mus ering to red	t be good. uce overall	Plants will plant	

and self-seeding, and can naturalize into substantial colonies if left unchecked. Great in a container for blooms all summer!

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Achillea millefolium 'Terra Cotta'	Yarrow	Summer	Full Sun	2-3' x 2'			•	✓	•	✓
	Yarrows are among t months. This hybrid f produce an airy effect 4" across. Excellent a or early spring. Easily fade in extended, hor	eatures salmon t and are fragra s cut flowers, fr grown in avera	-pink flowers that nt when crushed. esh or dried. Rem ge, dry to medium	age to rusty terra Tiny flowers are love spent flower a, well-drained so	ecotta orange, densely packe s regularly to il in full sun. T	then cre d in large promote olerant o	amy yell e, flat-top continue of heat a	ow.Delicate, oped, termined blooming. nd humidity,	fern-like le lal flower c Easily divide but flower	eaves lusters 2- ded in fall color may	1
Perennial: not Grass/Fern	Actaea (Cimicifuga) pachypoda	White Baneberry	Summer to Fall	Partial Shade to Shade	30" x 30"	✓		✓	✓		✓
	White Baneberry is a of small white flower pedicels. Acteas prefe plant are poisonous i	s that float abover moist, rich soi	ve the foliage. In a	autumn they deve	elop panicles o	of eye-cat	ching wl	hite fruit bor	ne on red		
Perennial: not Grass/Fern	Agastache 'Blue Fortune'	Hybrid Hyssop	Summer	Full Sun	23-32"		✓	•	✓		
	This hybrid selection flowers. This is a gre					flower sp	oikes are	covered wit	h small tub	ular	
Perennial: not Grass/Fern	Allium lusitanicum (angulosum) 'Summer Beauty'	Ornamental Onion	Late Summer	Full Sun	16" x 16"			✓	✓	✓	
	Showy lavender-pink	nom-noms sit a	hove shiny green	stranlike foliage o	on 'Summer Bo	eauty'. S	terile flo	wers make t	his species	a non-	

Showy lavender-pink pom-poms sit above shiny green straplike foliage on 'Summer Beauty'. Sterile flowers make this species a non-invasive variety, although bulbs will slowly increase. Beautiful in mass plantings in perennial beds or rock gardens. A favorite of butterflies and pollinating insects. Flower clusters retain interest into winter. Tolerates a wide range of soils. Add organic matter or sand to clay soils to improve drainage.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Allium 'Millenium'	Ornamental Onion	Mid Summer	Sun to Partial Shade	6-18" x 6- 18"			✓	•	✓	
	Each 'Millenium' bul green leaves to 6-12 each scape topped be oniony smell and tas easily grown in aver afternoon shade in l	" tall in spring. Upy a showy 2" bal ste when cut or bal age, dry to medic	Inbranched naked If of rose purple flo pruised, this hybrid um moisture, well-	scapes rise aboverets. Flowers type is considered to drained soils in fu	e the foliage c lically bloom J be an orname Ill sun to part	lump to uly-Augu ntal and shade. I	as much ust. Altho is not us Best in fu	as 18-20" tal ough all parts ed for culina Il sun, but ap	I by mid-su s of this pla ry purpose	ummer, int have an s.Allium is	ı
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓	✓	✓	•	✓
	This uncommon spe The show realyl hea excellent low maint	ts up with the ind	credible fall color a	s the leaves chan	•						
Perennial: not Grass/Fern	Anemone x hybrida 'Whirlwind'	Hybrid Anemone	Fall	Sun to Partial Shade	4' x 4'			✓	✓	✓	
	Anemone x hybrida green leaves. It is a early spring bulbs ar rich, loose well drain	long lived clumpi nd summer's wan	ng perennial that s iing blossoms, or ir	preads by rhizom	es to four fee	t or mor	e. Use in	the woodlar	nd garden t	o follow	
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"		✓	•	•		•

This is an erect, branching perennial, up to 2' tall, well-known for its showy flowers. A nodding, red and yellow flower with upward spurred petals alternating with spreading, colored sepals and numerous yellow stamens hanging below the petals. The compound leaves are attractive in their own right. Easily grown in average well-drained soil in full sun to shade, it will tolerate a wide range of soils, as long as drainage is good. Soil that is too rich encourages weak stems and shorter lifespan. In optimum growing conditions it will self-seed freely. The small black seeds of Aquilegia canadensis are easy to collect and replant in the location of your choice.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Aquilegia canadensis 'Corbett'	Wild Columbine	Spring	Partial Shade	18 inches tall	✓	✓	•	•		✓
	This cultivar is a sele somewhat more cor as other columbines is good. Soil that is t	npact and tends .Easily grown in	to flower more he average well-drair	eavily than the sponed soil in full sun	ecies. Like its to shade, it w	parent, t	his plant	is not as sus	sceptible to	leaf mine	
Perennial: not Grass/Fern	Aruncus dioicus	Goat's Beard	Early Summer	Sun to Partial Shade	4-6' x 4-5'			•			✓
	Aruncus dioicus is ar it achieves shrublike where it becomes m leaves topped off by look-alikes and delig	proportions, gro fore impressive v	owing 5–6' tall and vith age.A comma creamy white. It	d almost as wide. Inding specimen for Is display is like an	It is useful in or for the back of astilbe on ste	the back the bord	of the boller, this s	order and in species featu	woodland gres green o	gardens, compound	
Perennial: not Grass/Fern	Asarum canadense	Wild Ginger	Spring	Partial Shade	1"	✓		✓	✓		✓
	Kidney-shaped, leath spreads slowly by ar to North America.Th requires high organi	nd can be propag nis plant prefers l	ated through its for ight to deep shade	ragrant undergrou e and it is often fo	und rhizomes und on rocky	or throug acidic so	gh seeds ils. It ha	This is a wo	odland plai	nt, native	
Perennial: not Grass/Fern	Asclepias incarnata	Swamp Milkweed	Early Summer	Sun to Partial Shade	3-4'	✓		•	✓		✓
	Deep pink flowers cl		•								

Deep pink flowers clustered at the top of a tall, branching stem, bearing numerous narrow, lanceolate leaves draw butterflies in June and July. Later, large pods form which will break open to reveal seeds that will float away in the wind. Milkweeds are an important food source for the monarch caterpillar. Blooming from late spring to early fall, nectar-rich Milkweed attracts many insects, which in turn attract insectivorous birds. Swamp milkweed, true to its name, prefers consistently moist soil, but performs admirably in average, well-drained gardens as well. Full sun is best and some shade is tolerated.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Asclepias tuberosa	Butterfly Weed	Summer	Full Sun	18-24"		✓	•	✓		✓
	Butterfly weed is a to features clusters of be Flowers give way to for dispersal by the v leaves are a food sou	oright orange to yorominent, spind wind. Seed pods	yellow-orange flo dle-shaped seed p are valued in drie	wers atop upright oods (3-6" long) w ed flower arrange	to reclining, l	nairy ster n when ri	ns with r pe releas	narrow, lance sing numero	e-shaped le us silky-tail	aves. ed seeds	
Perennial: not Grass/Fern	Baptisia australis	False Blue Indigo	Summer	Sun to Partial Shade	3-4' x 3-4'			✓			✓
	Baptisia is a magnific blue pea like flowers flowering. Leaves ar mainenence plant re	rise on 3' spikes e gray-green sma	. These last for uall and rounded.	p to four weeks. The seed pods are	Showy 2" seed e ornamental	d pods of	black or	dark brown	develop af	ter	
Perennial: not Grass/Fern	Baptisia 'Ivory Towers'	False Indigo	Late Spring	Sun to Partial Shade	48" x 24"			✓	✓	•	✓
	The tall stems of Bap beautiful pure white upright and vase-sha trial. Easily grown in a once established. For 3 years to establish.	flowers that last ped with blue-gr average, dry to m	for 3 weeks. The reen trifoliage fol nedium soil in full	e large, blocky fru iage.'Ivory Towers I sun or partial sha	t pods that fo ' received ver de. Plants de	llow pers y high ra velop a la	sist throu tings in t arge tapr	igh the winte he Mt. Cuba oot and are	er. The plan Center's Ba best left ur	nt habit is aptisia ndisturbed	
Perennial: not Grass/Fern	Baptisia sphaerocarpa	False Yellow Indigo	Spring	Sun	2-3' x 3'			•		✓	✓
	False Yellow Indigo is		dispensable long-	lived plants like p	eonies and Ga	ıs Plant (I	Dictamnı	us). It has da	rk blue-gre	en clover	

False Yellow Indigo is one of those indispensable long-lived plants like peonies and Gas Plant (Dictamnus). It has dark blue-green clover like leaves and pure yellow pea-like flowers on 12-15" spires. Later it develops curious spherical tan seed pods which extend the season of interest. A mature plant is an impressive sight. It is one of our tolerant natives but prefers rich well-drained soil, place it carefully as it is best left undisturbed.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Calamintha nepeta ssp. nepeta	Calamint	Fall	Sun	18"			✓	•	•	
	Soft green leaves, with the wiry stems. A green insect pollinators. Does	at plant for a do	oryard garden, he	rb garden or the	front of the b	order. F	lowers a	re attractive			
Perennial: not Grass/Fern	Cassia marilandica	Maryland Senna	Mid Summer	Full Sun	4-6' x 2-4'		✓	✓			•
	Cassia marilandica is rof cup-like yellow bloch thickets, wet meadow heads.	oms in dense clu	usters in mid to lat	e summer. The i	native habitats	for this	shrubby	perennial ar	e open roc	ky woods,	
Perennial: not Grass/Fern	Chelone glabra	White Turtlehead	Late Summer	Sun to Partial Shade	23-35" x 18- 23"		✓	✓			✓
	Chelone glabra is a na flowers. Foliage is na with the more commo	row with 3-6" s	harpley toothed p	-	_	_		-			i
Perennial: not Grass/Fern	Chelone Iyonii 'Hot Lips'	Pink Turtlehead	Late Summer	Sun to Partial Shade	24-28"			✓			•
	Glossy, dark green, ov raceme. Native to the	•	s clothe stems tha	t are topped wit	h rose-pink ho	oded flo	wers arr	anged in a ti	ghtly cluste	ered	
Perennial: not Grass/Fern	Coreopsis tripteris 'Gold Standard'	Tall Tickseed	Summer to Fall	Full Sun	6' x 6'			✓			✓
	Selected by a local pu tickseed is shorter and weeks in total. Gold S	d sturdier than t	he straight species	s and therefore le	•		•				

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Coreopsis x verticillata 'Creme Brulee'	Threadleaf Coreopsis	Summer	Sun to Partial Shade	16-20" x 24- 30"			✓	✓		✓
	'Crème Brulee' is as d robust plant. Starting delicately serrated at lightly in late summe	g in early summe the tips. The br	er and continuing t right green, lacy fo	hrough fall, doze liage is also very	ns of butter-y ornamental, g	ellow, da iving the	aisy-type plant a	flowers app soft, wispy lo	ear, each p ook. Shear	etal	
Perennial: not Grass/Fern	Dalea purpurea 'Stephanie'	Purple Prairie Clover	Summer	Full Sun	12-18"			✓		•	
	Great plant in mass! in any soil but is not a because it takes nitro	aggressive. Cut l	oack in late winter	or early spring b	efore new gro	wth.This	plant ca	n naturally f			
Perennial: not Grass/Fern	Dicentra eximia	Dwarf Bleeding Heart	Summer	Partial Shade to Shade	10-18"		✓	✓			✓
	The fernlike foliage g throughout summer, garden or a wildflowe with well drained soil not go dormant and o	with the heavier er garden. Plants I that is rich in or	st bloom in early so stolerate a range of ganic matter. Dice	ummer. Gracefu of exposures fron entra eximia will	I specimen plant full sun to shot tolerate w	ant suital ade, but vet soils i	ole for th are hap n winter	e shaded bo piest in a pai or dry soils	rder, a woo tially shade	odland ed site	
Perennial: not Grass/Fern	Digitalis purpurea f. albiflora	White Foxglove	Early Summer	Sun to Partial Shade	3-5'		✓	✓	✓		
	This beautiful foxglov tubular, creamy white while the upright flow the end of the seasor moisture, well-draine	e flowers with sp ver spikes bring n, this plant may	peckled throats. The vertical accent. He self-sow, creating	he basal rosettes ummingbirds an	of large oval d butterflies a	pointed l re drawn	eaves of to the f	fer bold text lowers. If flo	ure in the gower spikes	garden are left at	t
Perennial: not Grass/Fern	Echinacea purpurea	Purple Coneflower	Summer to Fall	Sun	3-4'	✓		✓	•		✓
	This has been one of and have short, stiff he droop slightly toward	nairs. The cente	rs of the flowers a	re cones of orang	ge-brown, and	are surr	ounded	by bright pin			

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Echinacea tennesseensis 'Rocky Top'	Tennessee Coneflower	Spring to Fall	Full Sun	2-3'	V		•		✓	•
	Echinacea 'Rocky Top flowers with black co butterflies to the bloc	nes bloom from	June till frost. The	e flowers last wel	I cut or dried,	and bird	ls are attr	acted to the	seeds and		
Perennial: not Grass/Fern	Erigeron pulchellus var. pulchellus 'Lynnhaven Carpet'	Robin's Plantain	Late Spring	Partial Shade to Shade	12-15"			•	✓	✓	•
	This outstanding form spring with a profusion deer tolerant in dry slauited for moderate s	on of very pale la	evender daisies on on that many othe	1 foot tall stalks.	a butterfly f	avorite.	Erigeron	pulchellus is	very drou	ght and	
Perennial: not Grass/Fern	Eupatorium coelestinum	Hardy Ageratum	Late Summer	Sun to Partial Shade	2-3'	✓		✓			✓
	The fuzzy blue flower works well as a filler of adapted to most soil wet sites, such as low conditions.	or groundcover _l types, but is esp	olanting. It's brillia ecially suited to he	ant blue flowers r eavy textured and	make a unique d to highly org	and lon anic soil	g-lasting s. Natura	cut flower.H I stands are	lardy agera found on m	tum is noist to	
Perennial: not Grass/Fern	Eupatorium dubium 'Little Joe'	Dwarf Joe Pye Weed	Summer to Fall	Sun to Partial Shade	4' x 4'	✓		✓			✓
	Eupatorium dubium ' garden or even a con drained acidic soil sui	tainer. Bright m									
Perennial: not Grass/Fern	Eurybia (Aster) divaricata (divaricatus) 'Eastern Star'	White Wood Aster	Early Fall	Partial Shade to Shade	12"			•		✓	•
	Wood asters are one The selection 'Easterr shorter than the spec	Star' was obse	rved and collected	from coastal Rho	ode Island. It i	s has go	od green	foliage all si	ummer, gro		

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Eutrochium (Eupatorium) maculatum 'Gateway'	Spotted Joe Pye Weed	Late Summer	Sun to Partial Shade	50-64"			✓			✓
	'Gateway' is an unma serrated and lance-sh Stopford Family Mea	naped. Great ne		•							
Perennial: not Grass/Fern	Filipendula purpurea 'Elegans'	Meadowswee t	Early Summer	Sun to Partial Shade	24" x 36"		✓	•			
	This meadowsweet h with similar, smaller l in the back of beds ar does well as a waters	eaves on the flo nd borders or as	wer stems. Excep	tionally beautiful	. This Filipend	lula is fai	rly comp	act compare	d to the sp	ecies. Use	
Perennial: not Grass/Fern	Gaillardia aristata 'Arizona Red Shades'	Blanket Flower	Summer	Full Sun	12" x 12"			✓	✓	✓	✓
	'Arizona Red Shades' compact habit of this cone and keep comin variety as an outstand	Blanket Flower, g all summer. O	it is perfect for gr nce established, t	owing in pots.The	e gorgeous flon best with on	wers hav	ve brick r onal dee	ed petals and p watering.V	d a darker Ve recomn	burgundy	
Perennial: not Grass/Fern	Gaillardia x grandiflora 'Arizona Sun'	Blanket Flower	Summer	Full Sun	12" x 24"			✓			✓
	This Gaillardia has she performer. Plants bl results. Deadhead oc	oom heavily the	first year and sho	uld be divided ev	ery third year	.Plant in	well-drai	ned infertile	soils for b	est	
Perennial: not Grass/Fern	Geranium maculatum	Spotted Geranium	Mid Spring	Sun to Partial Shade	1-2'			✓	✓		✓
	Blooming earlier thar	n most geranium	s, this woodland n	lative can be foul	_ nd throughout	eastern	and cent	tral North Ar	nerica. The	e airy	

clusters of violet-rodse flowers are borne above high foliage. It is adaptable to many sun and soil conditions.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Geranium maculatum 'Huggy Bear'	Spotted Geranium	Late Spring	Sun to Partial Shade	12-24"			✓	✓	•	✓
	'Huggy Bear' is a new beautifully with its ur species is a common as well as several spe drought tolerant. Sp	nique chocolate woodland native cies of butterflie	red foliage. It is pet throughout the Res.Prefers partial s	art of the local pl East Coast. It is v hade, but will gro	antsman Davi ery attactive t	id Culp's I to pollina	Brandywi tors, incl	ine Cottage (uding solitar	Collection. y beeds, bu	The umblebees	
Perennial: not Grass/Fern	Geranium x cantabrigiense 'Karmina'	Hybrid Geranium	Late Spring	Sun to Partial Shade	12" x 18"			✓	•		
Perennial: not	ideal to be used as a and the carmine red shade. Tolerates som larger plantings and usummer climates, at Helianthus divaricatus	flowers appear f ne drought, but p unnecessary. Sid	rom May to June. prefers and spread e stems may be re	Easily grown in ands Is best in moist, I Is moved at any tir	verage, medic numusy soils v ne to control	um moist with good	ure, well- I drainag	-drained soil e. Deadhead	in full sun ing is tedic	to part ous for	✓
Grass/Fern		Sunflower					_				
	The large, yellow dais plants, 3 to 5 feet, creexpand over time. Na butterfly adults and lasoils. Drought tolera	eate a dramatic tive to eastern a arvae, and birds	presence in shady nd central North <i>i</i> . Woodland Sunflo	gardens or along America and cons	woodland ed idered a high	dges. The value wi	e plant sp Idlife plai	reads via rhi nt, supportin	zomes and g native be	l and will ees,	ī
Perennial: not Grass/Fern	Krigia biflora	Two-flowered Cynthia	Spring to Summer	Full Sun	28"			✓			✓
	Two-flowered Cynthi	a is a herbaceou	s perennial Aster,	_			•	_			d

Two-flowered Cynthia is a herbaceous perennial Aster, resembling a dandelion. Plant naturally occurs throughout the lower 48 states and Canada. Single flower atop forked stems that can reach up to 28" at maturity. Yellow-orange flowers begin blooming mid-spring and continue over the duration of the summer. Sap has milky consistency. Fruiting body is a single incapuslated seed that resembles an achene. Upland plant species that requires sandy soil. Does not do well in moisture saturated environments.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract A	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Lavandula x intermedia 'Phenomenal' ™	Hybrid Lavender	Summer	Full Sun	2.5' x 4.5'			•	•	•	
	This lavender (introdu heat without dying ba does not scare this pla	ck, is resistant t	o common root an	nd foliar diseases	s, and grows su	perbly in	n mid-Atla	ntic garder	is. Heat an	d humidity	
Perennial: not Grass/Fern	Leucanthemum x superbum 'Snowcap'	Shasta Daisy	Summer	Full Sun	15-18" x 12"			•		✓	
	'Snowcap' is a compact up to harsh weather a addition to cut flower essential, wet soil in the soil in the second compact is a compact to the second compact to	nd it's large, wh arrangements,	nite showy flowers, Leucanthemum 'Sı	, with yellow cer nowcap' does w	nters, will bloo ell in sunny, dr	m profus y sectior	sely from . ns of the g	July until Se	eptember. A	A great	
Perennial: not Grass/Fern	Liatris microcephala	Dwarf Blazing Star	Summer	Sun to Partial Shade	18" x 18"			•	✓	✓	✓
	An exceptional compa like rosy purple flower unfurling of brilliant co Southern Appalachian	rs in August and plor. Excellent a	September. Uniques a cut flower. Lia	ue to the genus atris microcepha	the flowers op la can be foun	en from d in sand	top to bo y, dry pra	ttom on the iries and op	e spike in a	slow	
Perennial: not Grass/Fern	Liatris pycnostachaya Liatris pycnostachya	Prairie Blazing Star	Late Summer	Full Sun	36-48"'	✓	✓	•	•	•	✓
	Liatris pycnostachaya Blooms from August t it is a popular pollinat seeds are attract to so humidity. It does not	hrough Septem for plant, it attra ongbirds. Prairie	ber.It is perhaps th acts bees, butterfli Blazing Star thrive	ne tallest Liatris i es, and hummin	n cultivation.N gbirds and is a	lative to larval ho	the centra ost plant f	al and south or several n	neastern of noths. The	the USA, small	
Perennial: not Grass/Fern	Liatris spicata	Spike Gayfeather	Summer	Full Sun	2-4'	✓		•			•
	Spike Gayfeather is a typically grows 2-4' ta of sessile, rounded, flumedium, well-drained moist soils than most	ll in cultivation, uffy, deep purpl soils in full sun	but can reach a he e flower heads app . Somewhat tolera	eight of 6' in som pearing atop rigion ant of poor soils,	e parts of its r d, erect, leafy but prefers m	native ha flower st oist, fert	bitat. Fea alks in sui ile ones a	tures termi mmer. Eas nd generall	nal spikes (i ily grown ir y performs	6-12" long) n average,)

TypeDesc	Botanicai Name	Name	Interest	Exposure	Size	Birds		Butterflies	Resistant	Tolerant	Native
Perennial: not Grass/Fern	Lilium superbum	Turk's Cap lily	Mid Summer	Sun to Partial Shade	4-6'			✓			✓
	Lilium superbum Tur and thickets, and roa commonest over mo best in consistently r	adsides. Blooms ost of its range. It	are orange, spotte is easily grown ir	ed maroon.Turk's n average, mediur	cap lily is the n wet to wet,	largest L well-dra	ilium eas	t of the Rock in full sun t	ky Mountai	ins and the	
Perennial: not Grass/Fern	Limonium gmellinie 'STE10' Dazzle Rocks	Siberian Statice	Summer	Full Sun	12-24"			•		•	
	'Dazzle Rocks' has be flowers are held on v sites. The papery flo sun and well drained	wiry stems above wers of statice a	5 foot basal rose re a favorite of flo	ttes of green folia oral designers and	ge. This drou can be used	ght and h	eat tole	ant plant is	perfect for	hot, dry	I
Perennial: not Grass/Fern	Lobelia cardinalis	Cardinal Flower	Summer	Partial Shade	3-4'		•	•		•	✓
	Tall spikes of rich sca meadows, cardinal f		_		mid to late s	ummer.	Native to	our stream	sides or da	mp	
Perennial: not Grass/Fern	Lobelia siphilitica	Giant Lobelia	Summer	Partial Shade to Shade	2-3'	•		✓	✓		✓
	Giant Blue Lobelia is moist, well drained s share. Low rosettes resistant. Tolerates	oil in the shady g of leaves are the	arden. This is a v launching pad fo	igorous plant, one	e established	l it self so	ws, gene	erously creat	ing new pla	ants to	1
Perennial: not Grass/Fern	Monarda bradburiana	Eastern Beebalm	Spring to Summer	Sun to Partial Shade	2' x 3'		✓	✓		•	✓
	Eastern beebalm is a earliest beebalm to				-						

Eastern beebalm is a deciduous clump-former that doesn't take over the garden like many beebalms. It is mildew resistant and is the earliest beebalm to flower. Flowers are light pink and great for cutting. A member of the mint family, this native beebalm is very attractive to pollinators and occurs naturally in open and dry, rocky woods from Alabama to Texas, north to lowa. In the garden, plant in sunny to partially sunny area.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Monarda fistulosa	Wild	Summer	Sun to Partial	2-5'		✓	✓		✓	✓
Perennial: not Grass/Fern	Wild Bergamot is a po 2-5 ft., open-branched leaves was formerly u in dry to medium moi Deadhead flowers to Monarda 'Judith's Fancy Fuschia'	d stems. This fra sed to treat res sture, well-drain prolong summe Beebalm	grant perennial, fr piratory ailments. ned soils. Tolerate r bloom. Tends to Mid Summer	requently cultivated the leaves smell is somewhat pootself-seed. Sun to Partial Shade	ted, has aroma minty. Flowe r soils and son 3-4'	atic leave rs are at ne droug	es used t tractive t ght. Plan	o make mint to bees and be ts need good	tea. Oil froutterflies.ld air circula	om the Best growr tion.	
	purplish red flowers to ranked among the top powdery mildew resis once established. Spr	hat resemble plant o performers in litance.Best grow	ayful jester's hats. Mt. Cuba Center's vn in rich, moist, w	Blooms over an plant trials for its	extended per s abundant flo	od of 3 t	to 4 wee ay, sturd	ks. 'Judith's F y upright ste	ancy Fusch ms, and ex	nia' was cellent	
Perennial: not Grass/Fern	Napaea dioica	Glade Mallow	Summer	Partial Shade	4-8' x 2-3'			✓			✓
	Napaea dioica is a tall lobes per leaf.Glade n to mid summer,June - attractive to pollinatir flowering.Hydrophilic	nallow has a sing early August. T ng insects. Schiz	gle upright central hese 5 petal flowe ocarp, a dry fruit t	stem. Small, fra rs are produced hat splits into tw	grant, bractles at stem apices	s, tubula in a der	ar white nse cluste	flowers bloo er arrangeme	m in panicl ent and are	es in early highly	
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Cat's Meow'	Hybrid Catmint	Spring to Summer	Sun to Partial Shade	20' x 18'		✓	✓	✓	✓	
	In the House Court Marine I	C	and the second second second	and the second second				.	- 1. •		

It is the 'Cat's Meow', for this catmint produces abundant purple blue spike blooms from late spring into summer. This perennial does not flop like most catmints. It only gets wider and broader as the season progresses. Fragrant when bruised.Responds well to shearing which will also promote rebloom. Plants are sterile and will not self seed.Companion plants: ornamental onions, peonies and daylilies

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Early Bird'	Hybrid Catmint	Late Spring	Sun to Partial Shade	12" x 12"			✓	✓	✓	
	Nepetas are beloved for addition to flower became and rarely take a nibbe a long bloom time and drought tolerant but s	ds or can be use le. 'Early Bird' is d can persist up	d as a low mainter low growing with to 6 weeks. Catmi	ncance groundco a neat, compact nts prosper in av	ver. Deer do i habit and blo erage, well-dr	not find toms earling tained so	he aroma	atic foliage on ost other v	of catmint a arieties. C	attractive atmint has	·
Perennial: not Grass/Fern	Paeonia lactiflora 'Coral Charm'	Hybrid Peony	Late Spring	Sun to Partial Shade	30"			✓	✓		
	The large, semi-doubl gradually fade to pale foliage. 'Coral Charm' I in full sun in rich mediwell to transplanting.	ivory. This early has been award	blooming variety ed a Gold Medal fr	is lightly fragran rom the America	t. The plants I n Peony Socie	have stro ty. Cut fl	ng stems lowers ha	and attactions and attactions are also attacts.	ve, deep gr ase life.Perf	een orms best	
Perennial: not Grass/Fern	Paeonia lactiflora 'Sarah Bernhardt'	Hybrid Peony	Early Summer	Full Sun	36"			✓	✓		
	'Sarah Barndhardt' ha lived and should be si	•	_	_	-		_			are long	
Perennial: not Grass/Fern	Paeonia lactiflora 'Shirley Temple'	Hybrid Peony	Early Summer	Full Sun	26" x 36"			✓	✓		
	A stunning double wh groups in the perennic cut stalks to the groun	al border. They	are desirable for t	heir ease of cult							
Perennial: not Grass/Fern	Parthenium integrifolium	Wild Quinine	Summer	Full Sun	24-48"			✓	•	•	✓
	Parthenium integrifoli name refers to its form gardens. It spreads vi full sun, it is also drou	mer use in tea to a rhizomes and	reduce fever. Att may not be suitab	racting an array le for small garde	of pollinators, ens. Easy to g	Wild Qu	inine is pa	articularly w	ell suited t	o wildlife	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		✓	✓	•	•	✓
	Beard-tongue is a moleonic longer beginning in establishment in sandy soils; however variety of pollinators	arly summer. Ri , it will tolerate o	gid stems arise fro lay. Mass in sunny	om basal rosettes	of attractive	foliage.P	enstemo rdens or	n prefers we naturalized a	II-drained I	loam and acts a	
Perennial: not Grass/Fern	Penstemon digitalis 'Blackbeard'	Beard-tongue	Late Spring	Full Sun	24-36"		✓	✓		✓	✓
	The dramatic dark purple flowers are followed other pollinators. Per drainage.	by attractive bu	rgundy seed pods	that provide ext	ended seasor	nal interes	st.A favo	rite of humm	ingbirds as	well as	
Perennial: not Grass/Fern	Penstemon digitalis 'Mystica'	Beard-tongue	Year Round	Full Sun	28-32"'	✓	✓	✓			✓
	The Penstemon 'Mys planted in full sun to spring then produces elegant than other P don't miss out on this	light shade in a v s numerous bron enstemon in its f	vell drained area. ze stems over a lo	'Mystic' is an all ong period in earl	year bloome y summer. W	r that star ith a plar	rts with b nt height	oronze rosett of 28-32", 'N	tes of foliag ⁄lystic' is m	ge in early ore	
Perennial: not Grass/Fern	Phedimus (Sedum) spurius 'Fuldaglut'	Hybrid Stonecrop	Late Summer	Full Sun	4" x 4-18"			✓	✓	✓	
	'Fuldaglut' is a low-g throughout the grow average, dry to medi soils. Needs good so	ring season.Rose um moisture, we	red blooms appeaell-drained soils in	ar August to Sept full sun. Tolerate	ember and ares some light s	re attracti shade. Lil	ve to but	tterflies.Easil	y grown in	acidic,	
Perennial: not Grass/Fern	Phlox divaricata 'Blue Moon'	Woodland Phlox	Spring	Partial Shade to Shade	12" x 18"		✓	✓			✓
	IDL - Marris II-			I (I							

'Blue Moon' woodland phlox is a low maintenance, early flowering, native ground cover. Flowers appear in May atop tall stems producing a tapestry of billowy light blue display. Best planted in woodland setting where there is ample spring moisture in rich humusy soil. Great companion for bleeding heart, trillium and heuchera.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native				
Perennial: not Grass/Fern	Phlox paniculata 'Jeana'	Summer Phlox	Summer to Fall	Sun to Partial Shade	2-4' x 2-3'		✓	✓		✓	✓				
	'Jeana' is an unusually from summer into fal weaker stems. Tolera Garden phlox is a stap host of pollinators. B	l.It thrives in or nt of drought on the of the peren	rganic, moist to ave once established. B nnial border. Good	erage soil in full stenefits from occ	un to light sha asional fertiliz	de. Plan ation. De	ts in sha eadhead	de will have s to prolong bl	smaller flow ooming sea	wers and ason.	a				
Perennial: not Grass/Fern	Phlox subulata 'Emerald Blue'	Moss Pink	Late Spring	Full Sun	6" x 18"			•	•	•	•				
	This phlox is a spring pright green, needle-leading walls or as a carpet of	ike foliage, it is	great for rock gard	dens, borders or	slopes.'Emera	•	-		-		l,				
Perennial: not Grass/Fern	Phlox subulata 'Emerald Pink'	Moss Pink	Late Spring	Full Sun	6" x 18"			•	✓	✓	✓				
	bright green, needle-l	This phlox is a spring perennial that stands out in any garden with low mats of showy, blazing pink flowers. An evergreen with small, bright green, needle-like foliage, it is great for rock gardens, borders or slopes. Emerald Pink' creates a dramatic affect cascading over walls or as a caarpet of color. Soil should be fertile and good drainage is a must.													
Perennial: not Grass/Fern	Phlox subulata 'Purple Beauty'	Moss Pink	Late Spring	Full Sun	4-6" x 18"			•	•	•	✓				
	This spreading ground and tolerates drought spring pocket of color	t. A natural for					•				I				
Perennial: not Grass/Fern	Phlox subulata 'Snowflake'	Moss Pink	Mid Spring	Full Sun	6" x 24"			•	✓	•	•				
	Your neighbor is sure perennial for the sunt the hell strip or front	ny spot. The id	eal soil is quick dra	ining especially d	luring the win	ter time.	Plant mo	oss phlox on	_						

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Pycnanthemum muticum	Mountain Mint	Summer	Sun to Partial Shade	24-36"			•			•
	Pycnanthemum mutic through September. It butterflies love this pl	t is a slow spread									ý
Perennial: not Grass/Fern	Pycnanthemum tenuifolium	Narrowleaf Mountain Mint	Summer	Sun to Partial Shade	2-3' x 2-3'			✓	•		✓
Perennial: not Grass/Fern	This summer flowerin period. It is adapted to is a good garden plant Mountain Mints, this series. Pycnanthemum virginianum	to a variety of co	nditions and will dense colonies. T	grow in dry to m	oist soils and f	ull sun to	partial	shade. It is e	easily estab	lished and	
	Tiny, white, mint-like only a few at a time, a leafy plant is covered pollen source for man drained soil in full sun	rise from leaf a with a whitish b y pollinators inc	kils at the stem tip loom and is very f luding bees, wasp	os. The straight, u fragrant; when cr os, flies, small but	pright stems g ushed they ha terflies and be	gives it a ove a stro eetles. Ea	good loo ong mint	oking structu y odor. Excel	re. The foli lent nectar	iage of this and	;
Perennial: not Grass/Fern	Ratibida columnifera 'Red Midget'	Prairie Coneflower	Summer to Fall	Sun to Partial Shade	36" x 36"	✓		•	✓	•	•
	For a showy native pla unique flowers dance in the red/yellow ratio conditions. A must for	above mounds of in the flowers.	of fine green folia A native prairie p	ge from June unt plant, this dwarf v	il frost. This p variety of the s	lant is gr	own fro	m seed, so th	nere will be	variation	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Ratibida pinnata	Gray-headed Coneflower	Summer	Full Sun	3-6'	•		✓	✓	✓	•
	Ratibida pinnata is a traised central disk of throughout the midw other birds. Yellow coursum. Prefers clay or sum.	the flower starts est.A good polli oneflower make	s out grey-green ar nator plant, it attra s an excellent, long	nd turns deep cho acts many native g-lasting cut flow	ocolate-brown bees and butt er. Grow in av	as it ma erflies a erage, n	atures. It nd the se nedium r	t is native to eed is eaten be moisture, we	prairies an by goldfinc	d savannas h and	5
Perennial: not Grass/Fern	Rudbeckia maxima	Giant Coneflower	Summer	Full Sun	7'	✓		✓	✓	•	•
	Huge glaucous, gray l surrounded by droop featured in the Butte	ing yellow petals	s; very striking in th	he landscape. Th	-		_				
Perennial: not Grass/Fern	Rudbeckia subtomentosa 'Henry Eilers'	Sweet Coneflower	Mid Summer	Sun to Partial Shade	3-5' x 2'	•		✓			•
	Henry Eilers' is a sweethat are rolled instead strong, sometimes-brundeniable potential vigorous, but very manual humidity, but will not Tolerates hot and humadditional bloom.	d of flat, giving the anching stems a as a cut flower was a cut flower f	he flower a quilled nd leaves have a n vith its unique app nial that favors ave periods of drought	l effect. Dome-sh mild sweet aroma bearance, sturdy s erage to moist so t. Best grown in	aped brown of the second of th	enter di eat speci and long to part ture soil	sks. Flow men in the g vase life shade. I s that ar	vers bloom in the back of the e.Rudbeckia t is quite tole well-draine	n clusters are border a subtoment of he erant of he ed loams in	atop s well as tosa is a at and full sun.	
Perennial: not Grass/Fern	Salvia lyrata 'Purple Knockout'	Lyre-leaved Sage	Summer	Sun to Partial Shade	18"			✓	✓	✓	•
	The lyre-leaved sage Compact basal rosett blue flowers. Attract groundcover - a great	es of shiny burgi s the bees and b	undy leaves turning utterflies. Very eas	g to deep purple	in summer an	d then t	o red in t	he fall with s	spikes of pa	ale lilac	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native	
Perennial: not Grass/Fern	Salvia pachyphylla	Rose Sage	Summer	Full Sun	24-36"		✓	•	•	•	✓	
	Salvia pachyphylla fea summer. It is an ever and a variety of bees. landscapes. Requires	green shrub pro Native to the n	ducing slightly cup nountains and hig	pped silvery grey h desert of Califo	y, aromatic foli ornia, Nevada,	age.It is a	attractive	e to butterfli	es, hummir			
Perennial: not Grass/Fern	Sanguisorba officinalis	Great Burnet	Late Spring	Full Sun	24-36"		•	✓	✓		✓	
	The dark purple, oblong catkin-like flowers of Sanguisorba officinalis are held on wiry stems above clumps of leaves that are divided into three leaflets. Often used as a culinary herb, both the young leaves and flowers, appearing in late spring, taste similar to cucumber and are excellent in salads and soups. Easily grown in average, medium, well-drained soil in full sun. Self-seeds freely. Prompt removal of spent flowers will prevent unwanted seedlings.											
Perennial: not Grass/Fern	Sedum reflexum 'Blue Spruce'	Stonecrop	Year Round	Sun to Partia Shade	6" x 2'			✓	✓	✓		
	A very popular groundcover, 'Blue Spruce' sedum is great for rock gardens and ledges with its creeping blue foliage, highlighted by clusters of bright yellow star flowers in summer. Changing with the seasons, 'Blue Spruce' stonecrop has narrow, fleshy, needle-like, blue-green foliage which often becomes tinged with orange or red in winter. Particularly attractive in rock gardens, bumblebees and butterflies visit the flowers of 'Blue Spruce' in the summer. Blue Spruce stonecrop prefers full sun and well drained soil. It is drought tolerant, but a little watering may be necessary during extend heat periods.											
Perennial: not Grass/Fern	Sedum 'Vera Jameson'	Hybrid Stonecrop	Fall	Full Sun	12"x 10"			•	•	•		
	Unique among sedums, 'Vera Jamison' has bronzy gray leaves with stems that trail gracefully. Pink flowers adorn these beautiful, low growing plants and are absolutely covered with insects in fall. Easy and attractive. Hardy zones 3-9.Use as an attractive, full sun ground cover near the front of the border. Best planted in groupings and combines well with other perennials such as coreopsis. Excellent drought tolerance makes this plant very useful in rock walls and roof gardens. Grow in full sun with excellent drainage. Easy to divide and propagate. Little care is needed once established.											

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Seseli gummiferum	Moon Carrot	Mid Summer	Full Sun	24-36" x 12- 8"	✓		✓		•	
	Seseli gummiferum is it features a basal ros year, large 5" umbels Flowers fade to white soils and is drought t Regardless, plants wi	sette of succuler of pale pink flow e as they age.East olerant. Remova	t, finely-dissected wers bloom in mid sily grown in avera al of flower stems	, fern-like, silver- -summer atop th ge, dry to mediu to the base imme	gray foliage th ick gray-green m moisture, w	at rises t stems t ell-drain	to 12-18' hat rise a ed soils i	tall and as whove the following full sun. P	wide. In the liage to 2-3 erforms we	e second ' tall. ell in sandy	<i>'</i>
Perennial: not Grass/Fern	Sibbaldiopsis (Potentilla) tridentata	Three-leaved Cinquefoil	Spring to Fall	Full Sun	6" x 15"			✓	✓		•
	Sibbaldiopsis tridenta forming mats provide branchlets and are hi much competition. I endangered species i too clustered.	e significant groughly attractive to t does not comp	ind cover. Leaves bees and other pete well, and is be	turn dark red to ollinators. Does st not to be grow	bronze in the I best in dry hak n in rich soils.	all. Whi oitats, ar Great p	te flower d thrives lant for r	s bloom in c in poor soils ock gardens	lusters at t s where the .Classified	he end of ere is not as a	
Perennial: not Grass/Fern	Solidago caesia	Blue Stemmed Goldenrod	Late Summer	Partial Shade	18-36"	•		✓			✓
	Gracefully arching sto turning blue-grey or shaded garden. Pref	ourgandy-grey.	Songbirds, insects,	and other wildli	fe are attracte	_		_			1
Perennial: not Grass/Fern	Solidago shortii 'Solar Cascade'	Goldenrod	Fall	Sun to Partial Shade	24-30" x 18- 24"			✓		✓	✓
	'Solar Cascade' is a cl panicles of small brig drought tolerant onc who first discovered drained soils in full su	ht golden yellow e established.So this plant in 184	r flowers from late lidago shortii is on O within the Falls o	summer to early the Federal Enda of the Ohio River	rfall (Septemb angered Specionear Louisville	er-Octoles list. It	ber) that is name ky.Best g	attract butte d after Dr. Cl grown in moi	erflies and harles Wilk ist, gravelly	bees and i ins Short	5

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Stachys monieri 'Hummelo'	Betony	Summer	Full Sun	18-24" x 18"	✓		•	•		
	'Hummelo' Betony for the surface of the grading leafy rosette flowers. It has soft for in moist, well draine	ound. Over a co e there arises stu oliage, but the c	onsiderable length urdy nearly leafles olor is glossy gree	n of time it spread as stems, straight an instead of silve	ds into a pleasin & tall, twenty i ry white.The flo	ng groun nches to owers ar	dcover. two fee e attract	Out of the co	enter of the ed with pur	e low- ple	:
Perennial: not Grass/Fern	Stokesia laevis 'Peachie's Pick'	Stokes Aster	Mid Summer	Full Sun	18' x 18'			✓	•	✓	✓
	Stokesia are native Aplantwoman who disaddition to pollinato flowering.	scovered it, bloo	ms longer and a b	oit later than othe	er types.Stokesi	a attrac	ts bees a	nd butterlies	, making it	a valuable	
Perennial: not Grass/Fern	Symphyotrichum (Aster) cordifolium	Blue Wood Aster	Fall	Partial Shade to Shade	3' x 3'			•	✓		✓
	Clouds of blue flowe Astilbes, which look or shade. Flowers b	pretty rough by	September. Foun	d in woods and o	dry meadows.P	refers a	partially :	shaded site,	but will tol	erate sun	
Perennial: not Grass/Fern	Symphyotrichum (Aster) ericoides 'Snow Flurry'	Heath Aster	Early Fall	Sun to Partia Shade	4-6" x 18"			✓		✓	✓
	'Snow Flurry' is a promat. Small, single as butterflies. Distincti Tolerates some light a dense, weed-smot over rocks. Good fo	sters with white ve leaves are 1" shade. Good dr hering carpet of	rays and yellow co long, narrow, rigio ought tolerance. U bright green stem	enters cover the find and linear. Easi Use 'Snow Flurry' as and tiny leaves	foliage in a prof ly grown in ave as a robust gro s. It is great in r	use fall rage, dry undcove ock gard	bloom. To medier throughers whe	The flowers a ium, well-dra hout your flo re it can spra	ire attraction ained soil in ower beds	ve to n full sun. to provide	
Perennial: not Grass/Fern	Symphyotrichum (Aster) novae-angliae 'Purple Dome'	New England Aster	Early Fall	Sun	18-24"			✓	✓		✓
	This cultivar stays ve	ry compact crea	ting a mass of ser	ni -double dark p	urple blooms.	This sele	ection wa	s named by	the Mt. Cu	ba Center	

This cultivar stays very compact creating a mass of semi-double dark purple blooms. This selection was named by the Mt. Cuba Center in Greenville, DE. Asters are very easy to grow in average garden soil, with even moisture. Plant several for a striking effect, cut back after blooming to avoid variable seedlings. Divide every few years.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds		Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Thalictrum rochebrunianum	Meadowrue	Summer	Sun to Partial Shade	6-8'	✓		✓			
	This may be the hard shaped blue-green le with large flower hea get established. This	eaflets. The clumads of purple and	nps expand skywar d yellow. Plant in s	d starting in spring on or partial sha	ng and are soo de and a moist	n toppe	d, for mo	nths beginni	ng in early	summer,	
Perennial: not Grass/Fern	Tiarella cordifolia	Foamflower	Late Spring- Early Summer	Partial Shade to Shade	6-12"			✓	✓		✓
	The Foamflower mal shaped leaves in the with its burgundy hu	spring. When p		-		•				•	
Perennial: not Grass/Fern	Verbena bonariensis	Tall Verbena	Summer	Sun to Partial Shade	2-4'		✓	✓			
	This self-seeding ten by erect, branching s hummigbirds to you	tems with 2" wid	de clusters of 1/4"	wide purple flow	ers from mids	ummer	to fall.At	tracts butter	flies and		k
Perennial: not Grass/Fern	Verbena hastata	American blue vervain	Summer to Fall	Full Sun	4' x 2'			•			✓
	This tall clump-formi purplish-blue flowers making it useful for t bottomlands, stream	s. The flowers o _l the back of the b	oen gradually from order or in natural	n bottom to top o lized meadows. I	over a long per Native plant th	iod from at comn	July-Sep	tember. It h	as an uprig	ht habit	
Perennial: not Grass/Fern	Vernonia angustifolia 'Plum Peachy'	Narrow-leaf Ironweed	Late Summer	Full Sun	48"	✓	✓	✓	✓	•	✓
	This southeast native leaves are tinted wit lodging. It attracts b moist.	h purple and con	tribute fine textur	e to the flower g	arden.'Plum P	eachy' w	as select	ed for its str	ong stems	that resist	