

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Flame Thrower'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	15' x 15'	✓	•	✓			✓
	Redbuds are loved for Thrower' are heart so as they age. The colopollinators. Redbuds production. Redbuds	haped. The your or mix persists fr s make good cut	ng foliage emerges om spring through flowers and the bl	s a rich burgandy n fall. The early bl looms are edible	red, gradually ooms of redbu and can be use	turn bea uds attra	utiful shad ct returnir	des of ora	nge, yellow ngbirds as w	and greer Vell as early	У
Woody: Tree- Ornamental	Cercis canadensis 'Merlot'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	10-12' x 12'	✓	•	✓		✓	✓
	Early small bright pir 2 - 3 weeks. The small stress.Reaching only habit. The early spring conditions. Perform	all heart-shaped 10 to 12 feet tal ng flowers are en	leaves of 'Merlot' I, 'Merlot' is a perf njoyed by hummin	are wine red and ect candidate for gbirds.It is impor	hold their colors smaller garde tant to noted	or througens. It feathat 'Me	gh the sea atures an rlot' is mo	son with n upright, de	o summer l ense, vase-s	heat shaped	
Woody: Shrub	Aesculus pavia	Red Buckeye	Spring	Sun to Partial Shade	10-20'		•				
	Red buckeye is a decerect, 4-10" long parare attractive in sprince capsules encase 1-3 attractive to ruby-the conditions. Foliage a	nicles of red to on ng and early sum shiny seeds calle roated humming	range-red, narrow mer, but usually b d buckeyes that ri birds. Prefers mo	-tubular flowers a begin to decline b pen in the fall. Se ist, fertile soils. F	appear in sprir y August.Smoo eds are poisor foliage tends to	ng. Palma oth, light nous and	ately comp brown, gl are avoid	pound, shi obular (1- ed by mos	ny, dark gre 2" diamete t wildlife. F	een leaves r) seed lowers are	
Woody: Shrub	Viburnum dentatum 'Synnestvedt' Chicago Lustre®	Arrowwood Viburnum	Summer	Sun to Partial Shade	8' x 8'	•	•				•
	An outstanding Vibuting Mid to late June, followed later bloom than the mass plantings. All Viseashore conditions.	owed by an orna species. Summ d. dentatums nee	mental cluster of ler fruit attracts so	blue-black fruit ir ngbirds. An extre	autumn. Red emely durable	ddish pur and adap	ple or gol table cho	d fall color ice for hed	r and with a	slightly ening and	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Agastache 'Blue Fortune'	Hybrid Hyssop	Summer	Full Sun	23-32"		✓	✓	•		
	This hybrid selection flowers. This is a gro				-	e flower sp	oikes are c	overed wi	th small tub	oular	
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓	✓	✓	✓	✓
	This uncommon spe The show realyl hea excellent low maint	ts up with the in	credible fall color	as the leaves char	~						
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"		•	✓	✓		✓
	This is an erect, bran spurred petals altern leaves are attractive as long as drainage i seed freely. The sma	nating with spre in their own rig s good. Soil that	ading, colored sep tht.Easily grown in t is too rich encour	als and numerous average well-drai ages weak stems nsis are easy to co	yellow stame ned soil in ful and shorter li llect and rep	ens hangir Il sun to sh ifespan. In lant in the	ng below t nade, it wi optimum location	the petals. Il tolerate growing of	The composite a wide range conditions it oice.	ound ge of soils, t will self-	
Perennial: not Grass/Fern	Aquilegia canadensis 'Corbett'	Wild Columbine	Spring	Partial Shade	18 inches tall	✓	✓	✓	✓		✓
	This cultivar is a sele somewhat more cor as other columbines is good. Soil that is t	mpact and tends Easily grown in	to flower more he average well-drain	eavily than the spened soil in full sun	ecies. Like its to shade, it v	parent, tl	his plant is	not as su	sceptible to	leaf mine	
Perennial: not Grass/Fern	Asclepias tuberosa	Butterfly Weed	Summer	Full Sun	18-24"		•	✓	✓		✓
	Butterfly weed is a t features clusters of Flowers give way to for dispersal by the	bright orange to prominent, spin	yellow-orange flo ndle-shaped seed p	wers atop upright oods (3-6" long) w	to reclining, nich split ope	hairy sten n when ri	ns with na pe releasii	rrow, land	e-shaped le ous silky-tail	eaves. led seeds	

leaves are a food source for monarch butterfly larvae (caterpillars).

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Cassia marilandica	Maryland Senna	Mid Summer	Full Sun	4-6' x 2-4'		✓	✓			✓
	Cassia marilandica is r of cup-like yellow bloo thickets, wet meadow heads.	oms in dense clu	isters in mid to late	e summer. The	native habitat	s for this	shrubby p	erennial a	re open ro	cky woods,	
Perennial: not Grass/Fern	Chelone glabra	White Turtlehead	Late Summer	Sun to Partial Shade	23-35" x 18- 23"		✓	✓			✓
	Chelone glabra is a na flowers. Foliage is na with the more commo	rrow with 3-6" s	harpley toothed p	-	_	_			_		d
Perennial: not Grass/Fern	Dicentra eximia	Dwarf Bleeding Heart	Summer	Partial Shade to Shade	10-18"		✓	✓			✓
	The fernlike foliage gr throughout summer, garden or a wildflowe with well drained soil not go dormant and d	with the heavies r garden. Plants that is rich in or	st bloom in early so tolerate a range o ganic matter. Dice	ummer. Gracefu f exposures fror entra eximia will	Il specimen pla n full sun to sh not tolerate v	ant suitak nade, but vet soils i	ole for the are happi n winter o	shaded bo est in a pa or dry soils	order, a wo ortially shad	odland ed site	
Perennial: not Grass/Fern	Digitalis purpurea f. albiflora	White Foxglove	Early Summer	Sun to Partial Shade	3-5'		✓	✓	✓		
	This beautiful foxglove tubular, creamy white while the upright flow the end of the season moisture, well-draine	e flowers with sp ver spikes bring a , this plant may	eckled throats. The vertical accent.H self-sow, creating	ne basal rosettes ummingbirds an	of large oval d butterflies a	pointed la re drawn	eaves offe to the flo	er bold tex wers. If fl	ture in the sower spikes	garden s are left at	:
Perennial: not Grass/Fern	Filipendula purpurea 'Elegans'	Meadowswee t	Early Summer	Sun to Partial Shade	24" x 36"		✓	✓			
	This meadowsweet had with similar, smaller leads in the back of beds and does well as a waters	eaves on the flood d borders or as	wer stems. Except	ionally beautifu	l. This Filipend	dula is fai	rly compa	ct compar	ed to the sp	oecies. Use	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Gillenia (Porteranthus) stipulata	Indian physic	Late Spring	Sun to Partial Shade	2-3'		✓				•
	Gillenia stipulata has appear on delicate n Grows in dry or mois	arrow stalks at e									
Perennial: not Grass/Fern	Liatris pycnostachaya Liatris pycnostachya	Prairie Blazing Star	Late Summer	Full Sun	36-48"'	✓	✓	✓	✓	✓	✓
	Liatris pycnostachaya Blooms from August it is a popular pollina seeds are attract to s humidity. It does no	through Septem ator plant, it attr congbirds. Prairie	ber.It is perhaps t acts bees, butterfl Blazing Star thriv	he tallest Liatris i lies, and hummin	n cultivation gbirds and i	n.Native to t is a larval ho	the centra st plant fo	ll and sout or several	theastern of moths. The	f the USA, e small	
Perennial: not Grass/Fern	Lobelia cardinalis	Cardinal Flower	Summer	Partial Shade	3-4'		✓	✓		•	✓
	Tall spikes of rich sca meadows, cardinal fl		_		mid to late	e summer. N	lative to o	our stream	nsides or da	mp	
Perennial: not Grass/Fern	Monarda bradburiana	Eastern Beebalm	Spring to Summer	Sun to Partial Shade	2' x 3'		✓	✓		•	✓
	Eastern beebalm is a earliest beebalm to f attractive to pollinate sunny to partially sur	lower. Flowers a	are light pink and ${\mathfrak g}$	great for cutting.	A member o	of the mint f	amily, this	s native be	eebalm is ve	ery	١
Perennial: not Grass/Fern	Monarda fistulosa	Wild Bergamot	Summer	Sun to Partial Shade	2-5'		•	✓		✓	•
	Wild Bergamot is a p	opular and show	vy perennial. Clust	ters of lavender, i	oink or whit	te flowers, lo	ooking like	e ragged p	ompoms, b	loom atop	

Wild Bergamot is a popular and showy perennial. Clusters of lavender, pink or white flowers, looking like ragged pompoms, bloom atop 2-5 ft., open-branched stems. This fragrant perennial, frequently cultivated, has aromatic leaves used to make mint tea. Oil from the leaves was formerly used to treat respiratory ailments. The leaves smell minty. Flowers are attractive to bees and butterflies. Best grown in dry to medium moisture, well-drained soils. Tolerates somewhat poor soils and some drought. Plants need good air circulation. Deadhead flowers to prolong summer bloom. Tends to self-seed.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Monarda 'Gardenview Scarlet'	Hybrid Beebalm	Summer	Partial Shade	36"		✓		•		✓
	'Gardenview Scarlet' f 3' tall. Leaves light gr of monarda are what massed.Most hybrids sun to part shade.	een, mildew res give earl gray te	istent, and aromat a its unique flavor	ic foliage. Tooth . Attractive to h	ned, aromatic ummingbirds,	leaves ca butterflie	n be used es and bee	for tea an es, particu	d in salads. larly when	The leaves	
Perennial: not Grass/Fern	Monarda 'Judith's Fancy Fuschia'	Beebalm	Mid Summer	Sun to Partial Shade	3-4'		✓	✓	•	✓	✓
	Beebalm is a popular purplish red flowers t ranked among the top powdery mildew resistance established. Spr	hat resemble plant operformers in l distance.Best grow	ayful jester's hats. Mt. Cuba Center's n in rich, moist, w	Blooms over an plant trials for it	extended per s abundant flo	iod of 3 to	o 4 weeks y, sturdy	. 'Judith's upright ste	Fancy Fuscl ems, and ex	nia' was cellent	
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Cat's Meow'	Hybrid Catmint	Spring to Summer	Sun to Partial Shade	20' x 18'		✓	✓	✓	✓	
	It is the 'Cat's Meow', not flop like most cati which will also promo	mints. It only ge	ts wider and broad	der as the seaso	n progresses.	Fragrant	when bru	ised.Respo	onds well to	shearing	
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		•	✓	✓	•	✓
	Beard-tongue is a mo- longer beginning in ea sandy soils; however, variety of pollinators.	arly summer. Rig it will tolerate c	gid stems arise froi lay. Mass in sunny	m basal rosettes	of attractive f	oliage.Pe	nstemon	prefers w	ell-drained	loam and	
Perennial: not Grass/Fern	Penstemon digitalis 'Blackbeard'	Beard-tongue	Late Spring	Full Sun	24-36"		✓	✓		•	✓
	The dramatic dark pur Flowers are followed other pollinators.Pens drainage.	by attractive bu	rgundy seed pods t	that provide ext	ended seasona	al interest	t.A favorit	e of humn	ningbirds as	s well as	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Penstemon digitalis 'Mystica'	Beard-tongue	Year Round	Full Sun	28-32"'	✓	✓	✓			✓
	The Penstemon 'Myst planted in full sun to spring then produces elegant than other Pe don't miss out on this	ight shade in a v numerous bron nstemon in its f	vell drained area. ze stems over a lor	'Mystic' is an all ng period in early	year bloomer y summer. Wi	that star	ts with bro	onze roset f 28-32", '	ttes of folia Mystic' is m	ge in early nore	
Perennial: not Grass/Fern	Phlox divaricata 'Blue Moon'	Woodland Phlox	Spring	Partial Shade to Shade	12" x 18"		✓	✓			✓
	'Blue Moon' woodlan producing a tapestry soil.Great companion	of billowy light b	olue display. Best p	olanted in woodl	_				•		
Perennial: not Grass/Fern	Phlox paniculata 'Jeana'	Summer Phlox	Summer to Fall	Sun to Partial Shade	2-4' x 2-3'		✓	✓		•	✓
'Jeana' is an unusually mildew-resistant Phlox with sweetly fragrant lavender-pink flowers clusters. It blooms for an extended period from summer into fall. It thrives in organic, moist to average soil in full sun to light shade. Plants in shade will have smaller flowers and weaker stems. Tolerant of drought once established. Benefits from occasional fertilization. Deadhead to prolong blooming season. Garden phlox is a staple of the perennial border. Good for cut flowers. Regardless of flower color, it is attractive to hummingbirds and a host of pollinators. Black walnut tolerant.											
Perennial: not Grass/Fern	Physostegia virginiana	Obedient Plant	Summer	Sun to Partial Shade	2-4'		✓		•		✓
	Physostegia virginiana snapdragon-like, pink stems. Flowers bloor plant for adding late-s staking.Easily grown i summer temperature	to pale lilac flow n bottom to top season flowers t n average, mois	vers in upright terr on each spike, wit o a garden. Fertile t, acidic, well-drair	minal spikes bloc th each flower be e soils produce ro ned soils in full su	om throughou eing subtende obust growth a in. Stems tend	t summer d by a sm and wide d to flop i	r (late Juno all leaf-lik spreading n rich soil	e-Septembers of the second sec	per) atop so is considere plant may r	luare ed a good equire	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native	
Perennial: not Grass/Fern	Salvia pachyphylla	Rose Sage	Summer	Full Sun	24-36"		✓	✓	✓	✓	✓	
	Salvia pachyphylla fe summer. It is an eve and a variety of bees landscapes. Require	rgreen shrub pro	oducing slightly cu mountains and hig	pped silvery grey h desert of Califo	, aromatic foli rnia, Nevada,	age.It is a	nttractive i	to butterfl a great pl	ies, hummi ant for dry			
Perennial: not Grass/Fern	Sanguisorba officinalis	Great Burnet	Late Spring	Full Sun	24-36"		✓	✓	✓		✓	
	The dark purple, oblo three leaflets. Often are excellent in salad spent flowers will pro	used as a culina Is and soups. Ea	ry herb, both the y sily grown in avera	oung leaves and	flowers, appe	aring in la	ate spring,	taste sim	ilar to cucui	mber and		
Perennial: not Grass/Fern	Verbena bonariensis	Tall Verbena	Summer	Sun to Partial Shade	2-4'		✓	✓				
	This self-seeding tender perennial will reach about 3' in our area. The lance-shaped leaves are borne at the base of the plant and topped by erect, branching stems with 2" wide clusters of 1/4" wide purple flowers from midsummer to fall.Attracts butterflies and hummigbirds to your garden. Use in beds, borders and containers. Best in full sun with average, well-drained soil that is evenly moist.											
Perennial: not Grass/Fern	Vernonia angustifolia 'Plum Peachy'	Narrow-leaf Ironweed	Late Summer	Full Sun	48"	✓	✓	✓	✓	✓	•	
	This southeast native leaves are tinted with lodging. It attracts be moist.	h purple and cor	ntribute fine textu	re to the flower g	arden.'Plum P	eachy' w	as selecte	d for its st	rong stems	that resist		