TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Vine	Campsis radicans	Trumpet Vine	Summer	Sun to Partial Shade	30' x 5'		✓				✓
	Trumpet vine is a hun through August. Flow and can provide quic Prune aggressively in	wers are followed k cover for walls,	d by 3-5" seedpo , fences and arbo	ds.This large, vigo ors or can climb lar	rous vine nee	eds a stron	g support	and lots o	of room. It s	self-clingin	
Woody: Vine	Campsis x tagliabuana 'Kudian' Indian Summer™	Trumpet Vine	Summer	Sun to Partial Shade	6-9'		✓				
	rootlets. 'Indian Sum of soils. Best planted blooms on new grow provide a sturdy stru sites. Needs lots of ro	in lean to averag th, so early sprin cture. Also may pom. Excellent fo	ge soils with regund be pruning will no be grown along t br hummingbird g	llar moisture in ful ot affect the flower the ground to cam gardens.	l sun to part : ring. Provides ouflage rock	shade. Pla s quick cov piles or ol	nts need ( er for fen d tree stu	good sun f ces, arbor mps. Goo	or best flow s, trellises, od vine for h	vering. It or walls - ot, dry	
Woody: Vine	Clematis 'Huldine' The graceful pearly w 'Huldine' is a vigorou Society, this is a spec pollinators. Can be u plants. Prune back in	s grower and one tacular plant for ised as a cut flow	e of the best repe vertical interest ver. Thrives in me	eat blooming clem in the summer and oist, well-drained a	atis. Winner d fall garden. soils in full su	of the Awa Attracts H In. Keep tl	ard of Me numming ne roots c	rit from th pirds, butt ool and sh	ne Royal Ho erflies, and	rticulturea other	I
Woody: Vine	Lonicera sempervirens	Trumpet Honeysuckle	Spring to Summer	Sun to Partial Shade	10-15'	✓	✓	✓			✓
	The flashy red flower arbor or trellis in full from Spring through birds. Plant is a larva dry sands. Although	sun for the best Summer and are I host to Spring A	floral display. Ol set against a bac Azure butterflies	der stems have pa ckdrop of dark gre and Snowberry cle	ipery exfoliat en leaves. Bi earwing moth	ing bark.T right red fr ns.Trumpe	he delicat uits are a t honeysu	e but strik ttractive t ckle tolera	king blooms o a wide va ates most so	appear riety of pils except	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Vine	Lonicera sempervirens 'Magnifica'	Trumpet Honeysuckle	Spring to Fall	Sun to Partial Shade	15-25'	✓	✓	✓		✓	
	Lonicera 'Magnifica' is unite at the ends of st flowers and other birc vines.	ems. Flowers a	re trumpet shaped	with scarlet on	the outside ar	nd yellow	on the in	side. Hum	nmingbirds	love the	
Woody: Tree- Ornamental	Cercis canadensis 'Alley Cat'	Eastern Redbud	Spring to Summer	Sun to Partial Shade	20-30' x 25- 35'		<ul><li>✓</li></ul>				
	Prized for its variegate are held in clusters co- leaves become speckl woodlands.The early f pollinators. Easily gro moisture.	vering the bare ed and splashed lowers of our e	branches. The head with white. This satern redbud are	art-shaped leaves mall tree can be a favorite of hun	s emerge a co used as a spe gry spring mig	pper pink cimen or grating hu	c and soft flowering ummingbi	green. As tree for t rds as wel	they matur he garden c l as a variet	re the or y of	
Woody: Tree- Ornamental	Cercis canadensis 'Flame Thrower'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	15' x 15'	✓	✓	✓			✓
	Redbuds are loved for Thrower' are heart sha as they age. The color pollinators. Redbuds production. Redbud p	aped. The youn r mix persists fro make good cut	g foliage emerges om spring through flowers and the blo	a rich burgandy fall. The early blo coms are edible a	red, gradually ooms of redbu and can be use	turn bea Ids attrac	utiful sha ct returnin	des of orang hummir	nge, yellow ngbirds as w	and greer vell as early	y
Woody: Tree- Ornamental	Cercis canadensis 'JN21' Sparkling Wine™	Easterm Redbud	Spring to Fall	Sun to Partial Shade	12' x 10'		✓		✓		✓
	In mid-May the bare b followed by deep red- breezy summer days. upright, narrow habit, full sun to partial shad	to-purple leave In autumn the making it a per	s that transition to foliage glows with fect plant for smal	bronzy green at oranges, green, a l garden settings	maturity with maturity with and purple. 'S	velvety parkling	purple un Wine' is a	dersides p compact	providing co variety with	ntrast on an	n

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Merlot'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	10-12' x 12'	✓	✓			✓	✓
	Early small bright pin 2 - 3 weeks. The sma stress.Reaching only 2 habit. The early sprin conditions. Performs	ll heart-shaped l 10 to 12 feet tall g flowers are en	eaves of 'Merlot' a , 'Merlot' is a perf joyed by humming	are wine red and ect candidate for gbirds.It is impor	hold their col smaller garde tant to noted	or throug ens. It fe that 'Me	gh the sea atures an rlot' is mo	son with r upright, d	no summer ense, vase-s	heat shaped	
Woody: Shrub	Aesculus parviflora	Bottlebrush Buckeye	Summer to Fall	Sun to Partial Shade	8-10' x 8-15'	✓	✓				
	Bottlebruch buckeye leaves have their leaf arranged in cylindrica summer for 2 to 3 we perfers acid soil, but i	lets arranged lik I clusters that ar eks. In the fall t	e fingers radiating e 8-12"s long and	from a person's 2-4" wide. This r	hand and meanative buckeye	isure 8-1 e blooms	0" across. in our are	Small wh ea around	ite flowers July Fourth	are each	
Woody: Shrub	Aesculus pavia	Red Buckeye	Spring	Sun to Partial Shade	10-20'		✓				
	Red buckeye is a deci erect, 4-10" long pan are attractive in sprin capsules encase 1-3 s attractive to ruby-thr conditions. Foliage a	icles of red to or g and early sum hiny seeds called oated humming	ange-red, narrow- mer, but usually b d buckeyes that rip birds. Prefers moi	tubular flowers a egin to decline by pen in the fall. Se st, fertile soils. F	appear in sprin y August.Smoo eds are poison oliage tends t	ng. Palma oth, light nous and	ately com brown, gl are avoid	pound, shi obular (1- ed by mos	iny, dark gre 2" diameter st wildlife. F	een leaves r) seed lowers are	
Woody: Shrub	Rhododendron 'Louisa Duemling'	Hybrid Azalea	Mid Summer	Partial Shade	10' x 6'		✓				✓
	Rhododendron 'Louis southeastern native a was named at Winter flowers attract humm	izaleas; Rhodode thur Museum ai	endron serrulatum nd Gardens for Lou	ı (swamp azalea) uisa Duemling, w	and Rhodode ho is said to h	ndron pr ave dona	unifolium ited the o	(plum lea riginal plar	f azalea). Tl	he plant	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Syringa vulgaris 'Gismonda'	Common Lilac	Mid Spring	Full Sun	12' x 8'		✓	✓			
	The blooms of Syringa variety 'Gismonda' are flowers attract humm garden. Thrives in full	e a delicate light ingbirds and bu	t lavender. This rai tterflies, as well as	re cultivar is one other pollinator	of the historions. Plant wher	c Lemoine e the frag	hybrids rance car	and was b	red in 1939.	Lilac	
Woody: Shrub	Viburnum dentatum 'Synnestvedt' Chicago Lustre®	Arrowwood Viburnum	Summer	Sun to Partial Shade	8' x 8'	✓	✓				✓
	An outstanding Viburr mid to late June, follo later bloom than the s mass plantings. All V. seashore conditions.	wed by an orna species. Summe	mental cluster of b er fruit attracts son	olue-black fruit in ngbirds. An extre	autumn. Re mely durable	ddish puri and adap	ole or gol table cho	d fall color ice for heo	r and with a dging, scree	slightly ning and	
Perennial: not Grass/Fern	Agastache 'Blue Fortune'	Hybrid Hyssop	Summer	Full Sun	23-32"		✓	✓			
	This hybrid selection of flowers. This is a grea		•			flower spi	kes are c	overed wi	th small tub	oular	
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓	✓	✓	✓	
	This uncommon speci The show realyl heats excellent low mainten	up with the inc	redible fall color as	s the leaves chan	-						
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"			✓			
	This is an erect, branc spurred petals alterna leaves are attractive in as long as drainage is seed freely. The small	iting with sprea n their own righ good. Soil that i	ding, colored sepal it.Easily grown in a s too rich encoura	ls and numerous verage well-drair ges weak stems a	yellow stame ned soil in full and shorter lif	ns hangin sun to sh espan. In	g below t ade, it wi optimum	he petals. Il tolerate growing c	The compo a wide rang conditions it	ound se of soils,	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Aquilegia canadensis 'Corbett'	Wild Columbine	Spring	Partial Shade	18 inches tall	✓					✓
	This cultivar is a select somewhat more com as other columbines. is good. Soil that is to	pact and tends Easily grown in	to flower more he average well-drair	eavily than the spe ned soil in full sun	ecies. Like its to shade, it w	parent, th	nis plant is	s not as su	sceptible to	leaf miner	
Perennial: not Grass/Fern	Aquilegia canadensis 'Little Lanterns'	Wild Columbine	Late Spring- Early Summer	Sun to Partial Shade	10"	✓	✓	✓	✓		✓
	This is a compact gro A long blooming spec June. Since it's little,	cies, it produces	many brilliant rec	flowers with a ye	ellow corolla t	hat dangl			-	•	
Perennial: not Grass/Fern	Asclepias incarnata 'Ice Ballet'	Swamp Milkweed	Summer	Full Sun	38-42"		✓				✓
	This white flowered s followed by the distin is a great butterfly pl	nctive milkweed									:
Perennial: not Grass/Fern	Chelone glabra	White Turtlehead	Late Summer	Sun to Partial Shade	23-35" x 18- 23"						✓
	Chelone glabra is a na flowers. Foliage is na with the more comm	errow with 3-6"	sharpley toothed		-	-			-		t
Perennial: not Grass/Fern	Digitalis purpurea f. albiflora	White Foxglove	Early Summer	Sun to Partial Shade	3-5'		✓	✓	✓		
	This beautiful foxglov tubular, creamy whit while the upright flov the end of the season moisture, well-draine	e flowers with s wer spikes bring n, this plant may	peckled throats. a vertical accent. y self-sow, creating	The basal rosettes Hummingbirds an	of large oval d butterflies a	pointed l re drawn	eaves offe to the flo	er bold tex wers. If fl	ture in the lower spikes	garden s are left at	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Filipendula purpurea 'Elegans'	Meadowsweet	Early Summer	Sun to Partial Shade	24" x 36"		✓				
	This meadowsweet h with similar, smaller in the back of beds a does well as a waters	leaves on the flow nd borders or as a	ver stems. Excep	tionally beautiful	. This Filipenc	lula is fai	rly compa	ct compar	ed to the sp	pecies. Use	1
Perennial: not Grass/Fern	Gillenia (Porteranthus) stipulata	Indian physic	Late Spring	Sun to Partial Shade	2-3'		✓				
	Gillenia stipulata has on delicate narrow st or moist soils.										
Perennial: not Grass/Fern	Heuchera americana 'Green Spice'	Coral Bells	Year Round	Partial Shade to Shade	8-10" x 16"		✓	✓			✓
	Heuchera americana gray edges. Their be appear in summer re humusy well-drained trees because they a	auty extends into aching 24-28".Cro I soils. Is drought	fall when they tu eates a bold color tolerant once est	urn warm pumpki r contrast in conta tablished and will	n-orange and ainers and per thrive in dry s	red shad ennial bo shade.He	es. Delica orders. Pe	ate sprays erforms be	of tiny whit st in part sh	e flowers nade in	t
Perennial: not Grass/Fern	Heuchera 'Magma'	Coral Bells			18-24" x 24- 30"					✓	✓
	Heuchera 'Magma' w leaves. Pink flowers Hosta or ferns in the under Black Walnut t	bloom in spring a garden, border o	nd summer. A ve r containers. Ma	ery vigorous Coral gma stays fiery ho	Bells perfect ot pinkish-red	for mixe from spr	d borders. ing until f	Stunning rost! Heuc	when plante	ed next to	
Perennial: not Grass/Fern	Liatris pycnostachaya Liatris pycnostachya	Prairie Blazing Star	Late Summer	Full Sun	36-48"'	✓					✓
	Liatris pycnostachaya Blooms from August it is a popular pollina seeds are attract to s humidity. It does no	through Septemb ator plant, it attra congbirds. Prairie	per.It is perhaps t cts bees, butterfl Blazing Star thriv	he tallest Liatris in lies, and humming	n cultivation.N gbirds and is a	lative to larval ho	the centra ost plant fo	al and sout	theastern of moths. The	f the USA, e small	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Lobelia cardinalis	Cardinal Flower	Summer	Partial Shade	3-4'			✓			
	Tall spikes of rich scar meadows, cardinal flo		-		mid to late su	ımmer. I	Native to	our strean	nsides or da	Imp	
Perennial: not Grass/Fern	Monarda bradburiana	Eastern Beebalm	Spring to Summer	Sun to Partial Shade	2' x 3'		✓				✓
	Eastern beebalm is a earliest beebalm to fl attractive to pollinato sunny to partially sun	ower. Flowers ors and occurs r	are light pink and g	reat for cutting.A	A member of t	he mint f	amily, thi	s native b	eebalm is ve	ery	ı
Perennial: not Grass/Fern	Monarda fistulosa	Wild Bergamot	Summer	Sun to Partial Shade	2-5'		✓	✓			✓
	Wild Bergamot is a po 2-5 ft., open-brancher leaves was formerly u in dry to medium mo Deadhead flowers to	d stems. This fr used to treat rea isture, well-dra	agrant perennial, fr spiratory ailments. ined soils. Tolerate	equently cultivat The leaves smell s somewhat poo	ted, has aroma minty. Flowe	atic leave rs are att	s used to ractive to	make min bees and	t tea. Oil fr butterflies.	om the Best growr	
Perennial: not Grass/Fern	Monarda 'Gardenview Scarlet'	Hybrid Beebalm	Summer	Partial Shade	36"		✓				✓
	'Gardenview Scarlet' 3' tall. Leaves light gr of monarda are what massed.Most hybrids sun to part shade.	reen, mildew re give earl gray t	sistent, and aromated aromated aromated around a site of the second structure	tic foliage. Tooth . Attractive to h	ned, aromatic ummingbirds,	leaves ca butterfli	n be used es and be	for tea ar es, particu	nd in salads. Iarly when	. The leave	
Perennial: not Grass/Fern	Monarda 'Judith's Fancy Fuschia'	Beebalm	Mid Summer	Sun to Partial Shade	3-4'		✓	✓			✓
	Beebalm is a popular purplish red flowers t ranked among the top powdery mildew resis once established. Spr	hat resemble p p performers in stance.Best gro	layful jester's hats. Mt. Cuba Center's wn in rich, moist, w	Blooms over an plant trials for its	extended peri s abundant flo	iod of 3 t ral displa	o 4 weeks iy, sturdy	s. 'Judith's upright st	Fancy Fuscl ems, and ex	hia' was cellent	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Cat's Meow'	Hybrid Catmint	Spring to Summer	Sun to Partial Shade	20' x 18'		✓	✓	✓	✓	
	It is the 'Cat's Meow', not flop like most catr which will also promo	nints. It only ge	ets wider and broa	der as the seasor	n progresses.	Fragrant	when bru	ised.Respo	onds well to	shearing	
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		✓	✓	✓	✓	✓
	Beard-tongue is a mos longer beginning in ea sandy soils; however, variety of pollinators.	rly summer. Rigit will tolerate c	gid stems arise fro lay. Mass in sunny	om basal rosettes	of attractive f	foliage.Pe	nstemon	prefers w	ell-drained	loam and	
Perennial: not Grass/Fern	Penstemon digitalis 'Blackbeard'	Beard-tongue	Late Spring	Full Sun	24-36"		✓	✓		✓	✓
	The dramatic dark pur Flowers are followed other pollinators.Pens drainage.	by attractive bu	rgundy seed pods	that provide exte	ended seasona	al interest	t.A favorit	e of humr	ningbirds as	s well as	
Perennial: not Grass/Fern	Penstemon digitalis 'Mystica'	Beard-tongue	Year Round	Full Sun	28-32"'	✓	✓	✓			
	The Penstemon 'Myst planted in full sun to l spring then produces elegant than other Pe don't miss out on this	ight shade in a v numerous bron nstemon in its f	well drained area. ze stems over a lo	'Mystic' is an all ng period in early	year bloomer / summer.  Wi	that star th a plan	ts with br t height o	onze roset f 28-32", '	ttes of folia Mystic' is m	ge in early Iore	
Perennial: not Grass/Fern	Phlox divaricata 'Blue Moon'	Woodland Phlox	Spring	Partial Shade to Shade	12" x 18"		✓	✓			✓
	'Blue Moon' woodland producing a tapestry of	of billowy light b	olue display. Best	planted in woodl	-						,

soil.Great companion for bleeding heart, trillium and heuchera.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Phlox paniculata 'Jeana'	Summer Phlox	Summer to Fall	Sun to Partial Shade	2-4' x 2-3'		✓	✓			✓
	'Jeana' is an unusually from summer into fal weaker stems. Tolera Garden phlox is a stap host of pollinators. B	l.It thrives in org nt of drought of ble of the peren	ganic, moist to aven nce established. B nial border. Good	erage soil in full su Benefits from occa	un to light sha asional fertiliz	de. Plant ation. De	s in shade adhead to	e will have prolong k	smaller flo blooming se	wers and ason.	3
Perennial: not Grass/Fern	Physostegia virginiana	Obedient Plant	Summer	Sun to Partial Shade	2-4'		✓		✓		✓
	Physostegia virginiana snapdragon-like, pink stems. Flowers bloor plant for adding late- staking.Easily grown i summer temperature	to pale lilac flow n bottom to top season flowers t n average, mois	wers in upright ter on each spike, wi to a garden. Fertil t, acidic, well-drai	rminal spikes bloc ith each flower be le soils produce ro ned soils in full su	om throughou eing subtende obust growth in. Stems ten	t summe d by a sm and wide d to flop	r (late Jun all leaf-lik spreading in rich soil	e-Septeml e bract.It g, and the	ber) atop so is considere plant may r	quare ed a good equire	
Perennial: not Grass/Fern	Salvia pachyphylla	Rose Sage	Summer	Full Sun	24-36"		✓	✓		✓	
	Salvia pachyphylla fea summer. It is an ever and a variety of bees. landscapes. Requires	green shrub pro Native to the r	oducing slightly cu nountains and hig	pped silvery grey, h desert of Califo	aromatic foli rnia, Nevada,	age.It is a	ttractive	to butterfl	lies, hummi		
Perennial: not Grass/Fern	Sanguisorba officinalis	Great Burnet	Late Spring	Full Sun	24-36"		✓	✓			✓
	The dark purple, oblo three leaflets. Often u are excellent in salads spent flowers will pre	used as a culinar s and soups. Ea	ry herb, both the y sily grown in avera	oung leaves and <sup>•</sup>	flowers, appe	aring in la	ite spring,	taste sim	ilar to cucu	mber and	
Perennial: not Grass/Fern	Verbena bonariensis	Tall Verbena	Summer	Sun to Partial Shade	2-4'		✓	✓			
	This self-seeding tenc by erect, branching st hummigbirds to your	ems with 2" wi	de clusters of 1/4"	n our area. The la ' wide purple flow	ers from mid	summer t	o fall.Attr	acts butte	erflies and		ł

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterfly	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Vernonia angustifolia 'Plum Peachy'	Narrow-leaf Ironweed	Late Summer	Full Sun	48"	✓	✓			✓	✓
	This southeast nativ leaves are tinted wi	th purple and co	ntribute fine textu	ire to the flowe	r garden.'Plu	ım Peachy' w	as selecte	d for its st	rong stems	that resist	

lodging. It attracts beneficial insects, pollinators, butterflies, and hummingbirds. Performs best in full sun in soils that are consistently moist.