

Tyler Plant Sale - Plant Descriptions - Deer Resistant

2024

4/28/2024

Page 1 of 38

TypeDesc	Botanicai Name	Name	Interest	Exposure	Size	Birds	Hbirds	Butterflies	Resistan	Tolerant	Native
Woody: Vine	Campsis radicans	Trumpet Vine	Summer	Sun to Partial Shade	30' x 5'		✓		•	✓	✓
	Trumpet vine is a hur through August. Flow and can provide quic Prune aggressively in	vers are followed k cover for walls,	by 3-5" seedpods fences and arbors	s.This large, vigo s or can climb lar	ous vine need	ds a stroi	ng suppo	rt and lots o	f room. It s	self-clingin	
Woody: Vine	Clematis 'Huldine'	Clematis	Summer	Full Sun	10-12'		✓	✓	•		
	The graceful pearly w 'Huldine' is a vigorou Society, this is a spec pollinators. Can be u plants. Prune back in	s grower and one tacular plant for sed as a cut flow	e of the best repea vertical interest in er. Thrives in moi	t blooming clem the summer and st, well-drained	atis. Winner o d fall garden. soils in full sur	of the Aw Attracts n. Keep t	ard of M humming the roots	erit from th gbirds, butte cool and sh	e Royal Hoo erflies, and	rticulturea other	l
Woody: Vine	Clematis virginiana	Virgin's Bower	Summer to Fall	Sun to Partial Shade	12-15' x 3-6'	•		•	•	✓	✓
	Clematis virginiana is all the baggage, dogn profusion in high sum This one will root wh average soils, and car	na and fuss of the nmer, just when y ere it makes goo	e mass-market Cle your garden needs d soil contact, but	matis. Small wh a shot of love. can be kept in p	ite 4-petaled ferfect for clired ace with a litt	flowers a mbing sta tle old-fa	are sweet ructures,	tly fragrant a arbors, chai	ınd in mass n-link fence	ive es, etc.	
Woody: Vine	Lonicera sempervirens 'Major Wheeler'	Trumpet Honeysuckle	Summer to Fall	Sun to Partial Shade	3-8' x 1-10'	✓		•	•		✓
	This native honeysuc demonstrated that the spring through the er landscape. Needs a lit edges of woodlands,	nis is the most pr nd of summer and tle support in the	ofuse bloomer of i d highly disease re e garden, or let it s	ts species and w sistant foliage, 'l scramble over a I	ith its mass di Major Wheele nearby large s	splay of r' is a low hrub. Fo	thin tubu w care, h ound in su	ılar, red-oraı igh color adı ınny clearin	nge flowers dition to the gs and alon	e g the	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Alley Cat'	Eastern Redbud	Spring to Summer	Sun to Partial Shade	20-30' x 25- 35'		✓		•		✓
	Prized for its variegate are held in clusters co- leaves become speckl- woodlands. The early f pollinators. Easily gro moisture.	vering the bare ed and splashed lowers of our e	branches. The heal with white. This sastern redbud are	art-shaped leave mall tree can be a favorite of hun	s emerge a co used as a spe gry spring mig	pper pin cimen or grating h	k and sof flowerin ummingb	t green. As g g tree for th pirds as well	they matur e garden o as a variety	e the r , of	
Woody: Tree- Ornamental	Cercis canadensis 'JN21' Sparkling Wine™	Easterm Redbud	Spring to Fall	Sun to Partial Shade	12' x 10'		✓		✓		✓
	In mid-May the bare be followed by deep red-breezy summer days. upright, narrow habit, full sun to partial shad	to-purple leave In autumn the i making it a per	s that transition to foliage glows with fect plant for smal	bronzy green at oranges, green, I garden settings	maturity with and purple. 'S	n velvety parkling	purple un Wine' is a ge, medi	ndersides pr a compact v um moisture	roviding cor ariety with e, well-drai	ntrast on an	
Woody: Shrub	Aesculus parviflora	Bottlebrush Buckeye	Summer to Fall	Sun to Partial Shade	8-10' x 8-15'	✓	✓	✓	✓		✓
	Bottlebruch buckeye gleaves have their leafl arranged in cylindrical summer for 2 to 3 we perfers acid soil, but is	ets arranged like clusters that ar eks. In the fall t	e fingers radiating e 8-12"s long and	from a person's 2-4" wide. This i	hand and mea native buckeye	sure 8-1 e blooms	0" across in our a	s. Small whi rea around J	te flowers a uly Fourth	are each	
Woody: Shrub	Aesculus parviflora var. serotina	Bottlebrush Buckeye	Summer to Fall	Sun to Partial Shade	8-12' x 8-15'			✓	✓		
	Bottlebruch buckeye g leaves have their leafl arranged in cylindrical 3 weeks and attract be perfers acid soil, but is	ets arranged like clusters that ar utterflies. In the	e finger radiating f e 18-30" long x 2-3	rom a person's h B" wide. This buc	and and meas keye blooms i	sure 8-10 in our are	o" across. ea in mid	Small white to late July	e flowers an	re ner for 2 to	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody: Shrub	Aralia spinosa	Devil's Walking Stick	Late Summer	Sun to Partial Shade	15-20'	✓		✓	•	•	•
	Aralia spinosa is a nat reaching about 35' tal summer it is topped be commonly found in w stems and leaves. It is blossoms and songbir occasionall wet condi	I. It is crowned by large clusters coodland margin highly deer resids and wildlife r	by umbrella-like ca of frothy white flow s, fields, or along s stant and can be welish the fruit. A ver	anopies of large wers which are f treams. It is oft aluable as part o	compound foli followed by fle en called devil of a perimeter	iage, giv shy blac 's walkir barrier.	ing it a st k fruit.Na ng stick d Pollinato	riking tropic ative to the e ue to the sha ors and butte	al effect. In eastern U. S arp spines o erflies nect	n late S., it is on both the ar on the	
Woody: Shrub	Calycanthus floridus 'Athens'	Common Sweetshrub	Spring to Fall	Sun to Partial Shade	4-8' x 4-8'				•		✓
	Calycanthus floridus ' Flowers are born on c can be enjoyed. Swee when dry but can surv	urrent growth, setshrub is easy t	so do desired pruni o grow in average s	ing after floweri soil, is easy to ca	ng. Be sure to	incorpo	rate this	carefree pla	nt where fi	ragrance	
Woody: Shrub	Clethra alnifolia 'Sixteen Candles'	Summerswee t Clethra	Summer	Sun to Partial Shade	3-3.5'			✓	•		•
	This cultivar was selectits parent plant. It ho July. The spent infloropart shade and consist	lds its flowers u escents add inte	pright like candles rest through winte	on a cake which er.Easily grown in	inspired its na n average, med	me. The	ey are wl	nite coming i	in late June	and early	
Woody: Shrub	Cornus amomum	Silky Dogwood	Late Spring	Sun to Partial Shade	6'-12' x 6'- 12'	✓		•	•		✓
	A great shrub for wild important food source be a great addition to wet soil, creating thic steams/ponds or for e	e for many song your yard for th kets which are g	birds. Reddish-bro nose soggy areas th	own stems add w nat are difficult t	vinter interest. o find good pla	Does pantings f	articularl ^ı or. Its br	y well in moi anches have	ist areas, so e a tendenc	it would	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody: Shrub	Cornus sericea (stolonifera) 'Arctic Fire'	Redosier Dogwood	Year Round	Sun to Partial Shade	4-5' x 4-5'	✓		✓	✓		✓
	Arctic Fire® dogwood 3-5' feet rather than color appears on one breakthrough for sma America.Synonymous	the 8-10' of conv and two year of aller gardens or	ventional red-twig ld stems; older ste residential landsca	dogwood. Brigh ems will turn cork apes. Tolerates a	t red stems in y and brown.	winter a	idd color er size ma	to the lands akes this var	cape. The iety a great	best red t	it
Woody: Shrub	Diervilla rivularis 'SMNDRSF' Kodiak® Black	Bush Honeysuckle	Spring to Fall	Sun to Partial Shade	36-48"	✓		✓	✓		•
	Diervilla just got a lot its dark burgundy-bla summer. This is a du ones. Trim in spring a	ck foliage. The crable native that	color is especially t thrives in sun or	intense in spring shade, and is a ve	and autumn.	The brig	ht yellow	flowers add	l contrast ir	n early	
Woody: Shrub	Fothergilla major 'Mount Airy'	Dwarf Fothergilla	Spring to Fall	Sun to Partial Shade	5-6'				✓		✓
	Fothergilla 'Mount Ai flower spikes in early with a range of red, y borders, foundation p a high organic conten	spring are effect rellow and orang plantings, or ma	tive for three to foge. It has a vigorou	our weeks. Dark us upright habit a	blue-green fol nd tends to su	iage em icker, cre	erges afte eating col	er flowering. Ionies. Use t	Fall color this native	is superb plant in	n
Woody: Shrub	Hamamelis vernalis 'Kohankie Red'	Vernal Witchhazel	Winter	Sun to Partial Shade	7-9' x 8-10'				•		✓
	Hamamelis vernalis 'I flower consists of 4 ri the foliage. Superior moisture, well-draine	ibbon-like, curly winter-flowering	, strap-shaped pet g shrub for the lan	als with dull purp dscape in border	ole calyces.Flows, and woodla	wers in a	xillary cluns.Easily	usters prior t grown in av	to the emer	rgence of	h

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody: Shrub	Hamamelis vernalis 'Purple Ribbons'	Vernal Witchhazel	Early Spring	Sun to Partial Shade	10' x 10'				•		•
	'Purple Ribbons' is a reto yellow-orange in the ribbon-like petals are seed capsules. Prune grown in average, me organically rich soils.	ne fall. Fragrant held over an ex after flowering i	, lavender-purple f tended period of ti in the spring to con	lowers are freely me. As the leav trol shape and s	produced in versity produced in versity the size if desired.	very earle flowers Pleasing	y spring. fade, fo	These beau llowed by in orange leaf	itiful bloom conspicuou color in fall.	s of wavy s woody Easily	
Woody: Shrub	llex verticillata 'Winter Red'	Winterberry Holly	Fall to Winter	Sun to Partial Shade	9' x 8'	✓			•		•
	The winterberry holly an otherwise drab wi bountiful quantities. they return from thei Gentleman'). Prefers	nter landscape. Berries reliably r winter "vacatio	A rounded, multi-spersist through wir on". The blooms co	itemmed shrub. nter, well into sp ome late, so it re	The selection ring. Fruit is o	'Winter ften con	Red' bea	rs intense r y hungry Ce	ed fruit in a dar Waxwir	mazingly ngs once	
Woody: Shrub	Itea virginica 'Merlot'	Virginia Sweetspire	Spring to Fall	Sun to Shade	3-4' x 4'				✓		•
	This lovely, compact of the fall brings a great moist, fertile soils and is over.	show of burgar	ndy foliage. 'Merlo	ot' is a medium t	o fast grower g	given ad	equate n	utrition and	moisture.	It prefers	
Woody: Shrub	Lindera benzoin	Spicebush	Spring to Fall	Sun to Partial Shade	6-12' x 6-12'	✓		•	•	•	•
	A deciduous shrub na the spring landscape pollinator in order to fragrance similar to " shrub. Lindera is nam soils.	in April. Small ro set fruit, howev Old Spice" when	ed fruits, on the fer er.Fall color is a go bruised. The larva	male plant, are e od clear yellow, a (caterpillar) of	especially enjor especially who the spicebush	yed by b en growi swallow	irds in th n in full s tail butte	e Fall. Fema un. Stems, f erfly feeds o	ale plants no ruit and lea n the leaves	eed a male aves emit a s of this	e a

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
	Morella (Myrica) pensylvanica	Bayberry	Year Round	Sun to Partial Shade	6-10' x 6-10'	•			•	✓	✓
	Morella (Myrica) pe plants provide the f and for areas where spray.	ragrance for bayl	perry candles. Thi	s is a useful shrub	for massing in	border	s, erosior	control for	highway pl	lantings	:
Woody: Shrub	Photinia (Aronia) arbutifolia (pyrifolia) 'Brilliantissima'	Red Chokeberry	Spring to Fall	Sun to Partial Shade	6-8' x 3-5'	✓		✓	✓		✓
	Red Chokeberry is a Small white cluster deep green leaves t Aronias prefer soils	of flowers in the urn brilliant red i	spring followed by n the fall. This cul	y 1/4" fruit which tivar has been sel	turn bright red ected for supe	in the f	all and p ssoms, fo	ersist thru N liage, fall co	ovember.	Lustrous	
Woody: Shrub	Rhus aromatica 'Gro- Low'	Fragrant Sumac	Spring to Fall	Sun to Partial Shade	2' x 6-8'				•		✓
	This selection has a fruits. Fall color is a to part shade. Tole	good orange-re	d. It makes a grea	t groundcover; ea	sily grown in a			•		•	n
Woody: Shrub	Rhus copallina 'Lanham's Purple'	Flameleaf Sumac	Spring to Fall	Full Sun	10' x 10'			•	•	✓	✓
	'Lanham's Purple' So has matured to burn dry sites, and colon resistant. It attracts	gundy-green, and izes banks, hillsid	I the fall color is a es and rocky areas	striking combinat s well with its sucl	ion of purple, kering habit.It	red, ora is native	nge and y	ellow. It is v	ery tolerar	nt of poor	
Woody: Shrub	Salix discolor	Pussy Willow	Early Spring	Sun to Partial Shade	6-15'	✓			•		✓
	Salix discolor, also k to the pads on the p leaves are also a fav	paws of cats. This	large native shruk	o serves as an imp	ortant food so	ource for	early be	es and othe	r pollinator	s. The	d

to the pads on the paws of cats. This large native shrub serves as an important food source for early bees and other pollinators. The leaves are also a favored food source for numerous caterpillars, which in turn provide provide esential food for nestling birds. Hummingbirds are also known to use the catkin fluff to construct their nests. Pussy willows thrive in wet soils, making it an ideal addtion to a rain garden. They also adapt well to drier sites and their rapid growth is useful in creating quick screening. To assure a good supply of pussy willows, prune back about a third of the branches each year after flowering.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Tolerant	Native
Woody: Shrub	Syringa meyeri 'JDB123whitehouse' Pearl Potion™	Hybrid Lilac	Summer to Fall	Full Sun	4-5' x 5-7'	✓		•	•		
	Syringa Pearl Potion pearal white, intense hedge or a privacy so or cut to use in arrar balanced plant food year's buds shortly a	ely fragrant blook creen or simply t ngements.This lik Prune the plant	ms. The green leave o add height and contract of the sure of the s	ves stay in place foolor to a garden and rich, moist, shape after the	or the rest of area. Locate is well-drained stowers are do	the grownear a posoil. Fert ne bloor	ring seaso orch or pa cilize your ming. The	on. Use Pea atio, to enjor Illac in earl e plant will s	rl Potion™ t y the fragra y spring usi	to create a ant flowers ng	
Woody: Shrub	Syringa vulgaris 'Gismonda'	Common Lilac	Mid Spring	Full Sun	12' x 8'		✓	•	✓		
	The blooms of Syring variety 'Gismonda' a flowers attract humingarden. Thrives in fu	re a delicate ligh mingbirds and bu	t lavender. This rautterflies, as well a	are cultivar is one s other pollinato	of the historics. Plant wher	c Lemoir e the fra	ne hybrid: grance ca	s and was br	ed in 1939.	.Lilac	
Woody: Shrub	Viburnum nudum 'Winterthur'	Possomhaw Viburnum	Spring to Fall	Sun to Partial Shade	5-6' x 5-6'	✓		•	•		✓
	This handsome flow spectacular vibrant r form, beginning whit pollination for good shaded sites and sur	ed-purple in fall. te changing to pi fruiting. Possom	In May-June, creans in May-June, creans in May Brillin in May Brows natura	amy white flowe ant blue. Its hab	rs are 2-4" acr it is more com	oss. As t pact and	the leave: d refined	s turn in aut than the spe	umn fruit c ecies. It ne	lusters eds cross-	
Woody: Evergreen	Arctostaphylos uva-ursi 'Massachusetts'	Bearberry	Late Spring	Sun to Partial Shade	6" x 3'-6'	✓			•		✓
	Common Bearberry solution for a difficu large rock. Its small g	It site since it gro	ows where few oth	er plants are hap	py. Artostaph	yllos is l	ovely dra	ped over th	e edge of a	wall or	

abundantly and is a disease-resistant selection with smaller leaves than the species. Introduced by west coast growers, but seed for this

selection originated in Massachusetts.

Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies		Drought Tolerant	Native
Cedrus deodara	Deodar Cedar	Year Round	Full Sun	40-50' x 30- 40'				•	•	
green needles appear	ar in clusters. Thi branches. Deodar	s medium tree ty cedar is beautifu	pically reaches 40 ul when used as ar	-50' in its first n elegant speci	25 years imen tre	s. Large I e in the I	parrel-shape andscape.Re	d female co	ones are	
Ilex glabra 'Gem Box'	Inkberry Holly	Year Round	Sun to Partial Shade	24-36" x 24- 36"				✓		•
dainty, dark green le looks bare-legged lik	eaves with attract ke other cultivars	ive red tips durin may. It's great as	ng the spring flush. Sa small evergree	It maintains an hedge or use	good bra	nching ri	ght to the group in	round so it milder	never	
Ilex x 'Ginny Bruner'	Holly	Year Round	Full Sun	15-20' x 15'				•		
clusters of inconspic latifolia, initially dev production, and den prickly leaves.Grow	cuous, yellow-gree reloped by a stude ise, broad, and py in moderately fer	en flowers in late ent at the Univers ramidal form. Ut tile, moist but we	spring followed b sity of Tennessee, se as a focal point ell-drained, acid to	y bright red fr it is noted for in the garden o slightly alkali	uit. A hy its brigh or can b	brid cros t, glossy e used a	s between I. green leaves s a barrier di	cornuta ar s, good frui ue to the d	id I. t ense,	
Illicium parviflorum	Small Anise-	Year Round		5' x 3'				✓		✓
i ionaa oansiinio	1100		to oriado							
	Cedrus deodara is a green needles apperheld upright on the grown moist, but we leave a green leave a green leave a green leave a grown moist, but we grown moist with the	Cedrus deodara Cedrus deodara is a beautiful broadly green needles appear in clusters. Thi held upright on the branches. Deodar grown moist, but well-drained soil. D Ilex glabra 'Gem Box' Inkberry Holly This cool new dwarf, broadleaf everg dainty, dark green leaves with attract looks bare-legged like other cultivars climates. Grows best in average well-outlined in late winter or early spring. N Illicium parviflorum Small Anise-	Cedrus deodara Deodar Cedar Year Round Cedrus deodara is a beautiful broadly pyramidal everg green needles appear in clusters. This medium tree ty held upright on the branches. Deodar cedar is beautiful grown moist, but well-drained soil. Drought tolerant of the search of the se	Cedrus deodara Deodar Cedar Year Round Full Sun Cedrus deodara is a beautiful broadly pyramidal evergreen with horizon green needles appear in clusters. This medium tree typically reaches 40 held upright on the branches. Deodar cedar is beautiful when used as ar grown moist, but well-drained soil. Drought tolerant once established. Illex glabra 'Gem Box' Inkberry Holly Year Round Sun to Partial Shade This cool new dwarf, broadleaf evergreen looks more like a boxwood the dainty, dark green leaves with attractive red tips during the spring flush. looks bare-legged like other cultivars may. It's great as a small evergreen climates. Grows best in average well-drained to wet acidic soil. Tolerate leaves of inconspicuous, yellow-green flowers in late spring followed be latifolia, initially developed by a student at the University of Tennessee, production, and dense, broad, and pyramidal form. Use as a focal point prickly leaves. Grow in moderately fertile, moist but well-drained, acid to done in late winter or early spring. Needs a male pollinator to produce to lilicium parviflorum Small Anise- Year Round Partial Shade	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30-40' Cedrus deodara is a beautiful broadly pyramidal evergreen with horizontal branches the green needles appear in clusters. This medium tree typically reaches 40-50' in its first held upright on the branches. Deodar cedar is beautiful when used as an elegant spec grown moist, but well-drained soil. Drought tolerant once established. Tolerant of horizontal branches. Deodar cedar is beautiful when used as an elegant spec grown moist, but well-drained soil. Drought tolerant once established. Tolerant of horizontal branches. Deodar cedar is beautiful when used as an elegant spec grown moist, but well-drained soil. Drought tolerant once established. Tolerant of horizontal branches is provided in the partial provided by a student at the spring flush. It maintains looks bare-legged like other cultivars may. It's great as a small evergreen hedge or used climates. Grows best in average well-drained to wet acidic soil. Tolerates poorly drained like x 'Ginny Brunner' Holly Year Round Full Sun 15-20' x 15' 'Ginny Brunner' is a dense, conical to broadly conical, evergreen shrub or small tree were clusters of inconspicuous, yellow-green flowers in late spring followed by bright red from latifolia, initially developed by a student at the University of Tennessee, it is noted for production, and dense, broad, and pyramidal form. Use as a focal point in the garden prickly leaves. Grow in moderately fertile, moist but well-drained, acid to slightly alkalid done in late winter or early spring. Needs a male pollinator to produce fruit. Illicium parviflorum Small Anise- Year Round Partial Shade 5' x 3'	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30- 40' Cedrus deodara is a beautiful broadly pyramidal evergreen with horizontal branches that droo green needles appear in clusters. This medium tree typically reaches 40-50' in its first 25 years held upright on the branches. Deodar cedar is beautiful when used as an elegant specimen tre grown moist, but well-drained soil. Drought tolerant once established. Tolerant of hot and hull llex glabra 'Gem Box' Inkberry Holly Year Round Sun to Partial 36" This cool new dwarf, broadleaf evergreen looks more like a boxwood than a holly. A dense, by dainty, dark green leaves with attractive red tips during the spring flush. It maintains good brate looks bare-legged like other cultivars may. It's great as a small evergreen hedge or used as a conclimates. Grows best in average well-drained to wet acidic soil. Tolerates poorly drained soils. Ilex x 'Ginny Brunner' Holly Year Round Full Sun 15-20' x 15' 'Ginny Brunner' is a dense, conical to broadly conical, evergreen shrub or small tree with elliptic clusters of inconspicuous, yellow-green flowers in late spring followed by bright red fruit. A hy latifolia, initially developed by a student at the University of Tennessee, it is noted for its brigh production, and dense, broad, and pyramidal form. Use as a focal point in the garden or can be prickly leaves. Grow in moderately fertile, moist but well-drained, acid to slightly alkaline soil in done in late winter or early spring. Needs a male pollinator to produce fruit.	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30- 40' Cedrus deodara is a beautiful broadly pyramidal evergreen with horizontal branches that droop graceful green needles appear in clusters. This medium tree typically reaches 40-50' in its first 25 years. Large beld upright on the branches. Deodar cedar is beautiful when used as an elegant specimen tree in the ligrown moist, but well-drained soil. Drought tolerant once established. Tolerant of hot and humid sum Ilex glabra 'Gem Box' Inkberry Holly Year Round Sun to Partial Shade 24-36" x 24- 36" This cool new dwarf, broadleaf evergreen looks more like a boxwood than a holly. A dense, ball-shaped dainty, dark green leaves with attractive red tips during the spring flush. It maintains good branching rid looks bare-legged like other cultivars may. It's great as a small evergreen hedge or used as a container sclimates. Grows best in average well-drained to wet acidic soil. Tolerates poorly drained soils. Does pool lex x 'Ginny Brunner' Holly Year Round Full Sun 15-20' x 15' 'Ginny Brunner' is a dense, conical to broadly conical, evergreen shrub or small tree with elliptic, spiny, clusters of inconspicuous, yellow-green flowers in late spring followed by bright red fruit. A hybrid cross latifolia, initially developed by a student at the University of Tennessee, it is noted for its bright, glossy production, and dense, broad, and pyramidal form. Use as a focal point in the garden or can be used as prickly leaves. Grow in moderately fertile, moist but well-drained, acid to slightly alkaline soil in sun or produce in late winter or early spring. Needs a male pollinator to produce fruit. Illicium parviflorum Small Anise- Year Round Partial Shade Full Shade	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30-	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30- Cedrus deodara is a beautiful broadly pyramidal evergreen with horizontal branches that droop gracefully at the tips. Dark gragnen needles appear in clusters. This medium tree typically reaches 40-50' in its first 25 years. Large barrel-shaped female or held upright on the branches. Deodar cedar is beautiful when used as an elegant specimen tree in the landscape.Requires full grown moist, but well-drained soil. Drought tolerant once established. Tolerant of hot and humid summers. Ilex glabra 'Gem Box' Inkberry Holly Year Round Sun to Partial Sun to Partial 24-36" x 24- Shade 36" This cool new dwarf, broadleaf evergreen looks more like a boxwood than a holly. A dense, ball-shaped plant, 'Gem Box' has a dainty, dark green leaves with attractive red tips during the spring flush. It maintains good branching right to the ground so it looks bare-legged like other cultivars may. It's great as a small evergreen hedge or used as a container specimen in milder climates. Grows best in average well-drained to wet acidic soil. Tolerates poorly drained soils. Does poorly in neutral to Alkalin lex x 'Ginny Brunner' Holly Year Round Full Sun 15-20' x 15' 'Ginny Brunner' is a dense, conical to broadly conical, evergreen shrub or small tree with elliptic, spiny, glossy, dark green leave clusters of inconspicuous, yellow-green flowers in late spring followed by bright red fruit. A hybrid cross between 1. cornuta an latifolia, initially developed by a student at the University of Tennessee, it is noted for its bright, glossy green leaves, good fruit production, and dense, broad, and pyramidal form. Use as a focal point in the garden or can be used as a barrier due to the de prickly leaves. Grow in moderately fertile, moist but well-drained, acid to slightly alkaline soil in sun or partial shade. Planting in done in late winter or early spring. Needs a male pollinator to produce fruit.	Cedrus deodara Deodar Cedar Year Round Full Sun 40-50' x 30- Cedrus deodara is a beautiful broadly pyramidal evergreen with horizontal branches that droop gracefully at the tips. Dark gray-ish green needles appear in clusters. This medium tree typically reaches 40-50' in its first 25 years. Large barrel-shaped female cones are held upright on the branches. Deodar cedar is beautiful when used as an elegant specimen tree in the landscape. Requires full sun. Best grown moist, but well-drained soil. Drought tolerant once established. Tolerant of hot and humid summers. Illex glabra 'Gem Box' Inkberry Holly Year Round Sun to Partial Shade Sh

shaded situations to add bright color spring through winter. Anise tree is pollinated by small native bees. Grow in part shade to avoid leaf

scorch. Requires moist, rich soil and is not drought tolerant.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody: Evergreen	Juniperus communis	Common Juniper	Mid Spring	Full Sun	1-15'				✓	✓	
	Juniperus communis Mountains of Africa factors as geograph tall), but can be a lo bark is often an attr moisture and temer	. It is the most wic location and to w-growing, spre active reddish-b	widespread conifer emperature. In th ading plant (9-12"	r growing in the w e U.S., common ju).Prickly, green, no	orld today. Gr iniper is most eedle-like juve	rowth hal frequent enile leav	bit and fo ly seen a es grow i	orm in part of s a multi-ste n whorls of	lepend upo emmed shr three. Exfo	on such rub (5-15' oliating	
Woody: Evergreen	Kalmia latifolia 'Tiddlywinks'	Mountain Laurel	Spring to Summer	Partial Shade	3' x 3'				•		✓
	'Tiddlywinks' is a ve flowers. These bloc year and in differen deeper-colored flow growing conditions	ms are held in la t exposures.Mud vers. Mountain	arge trusses 3 to 4 ch like the cultivar Laurel loves moist	inches across and 'Elf' in growth rate t, acid soil as do o	open from Me, but 'Tiddlyw ther members	lay to Jur vinks' has s of the E	ne. The c a broad ricaceae	olor intensit er multiple-l family but it	y varies fro branching h should hav	om year to nabit and ve exacting	
Woody: Evergreen	Tsuga canadensis 'Albospica'	Canada Hemlock	Year Round	Partial Shade to Shade	8-25'				✓		
	'Albospica' is a conic shrub or as a small t much as 25' tall.This this tree a graceful f shade in sheltered le	ree. Shrub form species is noted orm.Easily grow	ns typically grow to d for having the sn n in average, med	o 8-10' tall with a s nallest needles an ium moisture, we	spread to 5-6', d cones in the II-drained soils	, howeve genus. I s in part s	r tree for lat spray	ms will ever s of lacy ever	ntually mat ergreen fol	ture to as iage give	
Woody: Edible	Lycium barbarum 'Phoenix Tears'	Goji Berry	Summer	Full Sun	4-10' x 5'				✓	✓	
	Lycium barbarum 'P are a popular medic minerals. Even the Light purple, bell-sh followed by orange-	inal herb. Amon cooked leaves a aped flowers blo	g the highest in pr re edible!Grow thi oom in May and co	otein and anti-oxi s attractive plant ontinue throughou	dants, they co on a trellis to it the summer	ontain all more tha ·. The thi	the essent 10' tall rd year a	ntial amino a or trim it it and thereaft	acids and n as a bush a er, flowers	nany at 4-6' tall. are	

and well-drained soil. It prefers warm summer days and cool nights, and neutral or somewhat alkaline soil.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Woody	Sorbaria sorbifolia 'Bococot' Cherry On Top™	Sorbaria	Year Round	Sun to Partial Shade	5' x 5'	✓			•		
	Sorbaria Cherry On blooms, and flambor maturing light green by bright red seed p flowers and foliage a makes it a great opt Prune close to the g	yant fall fruits. If for summer. A ods—the cherry are popular add ion for erosion o	n spring, the dense floriferous bloome on top. The seeds tions to floral arran control on banks an	e leaves emerge ver, the plant sets of persist throughout a gements, fresh and slopes. The plant is the plant	vivid pink to re masses of sho out winter offe and dried. It sp	ed and th wy pyrar ering hun oreads by	en turn c nidal whi gry birds suckerir	hartreuse w te flower pl a an excelle ng roots to fo	vith bronze umes follow ent food sou orm colonie	tips before wed in fall urce. Both es, which	
Perennial: not Grass/Fern	Achillea filipendulina 'Coronation Gold'	Fernleaf Yarrow	Summer	Full Sun	36" x 24"			•	✓	✓	
	This selection has ex of bloom. Wonderfo divide in spring or fa	ul as cut flowers	, in fresh or dried a	irrangements.Dea	adhead spent	blossom	s. Plant i	n full sun in	well draine	d soil,	
Perennial: not Grass/Fern	Achillea millefolium 'Oertel's Rose'	Yarrow	Summer	Full Sun	12-36"			•	•	✓	✓
	Valuable drought ret the plants that sprea color when dried. E heat and drought. Heet when in bloom.	ad like groundco ssential plant fo Herbaceous pere	ver. Early summer drought resistant	blooms in poten color. Suited to	t magenta pir borders, rock	nk are bo gardens,	rne on st herb gar	iff 2 foot sta dens and co	ılks. Flower ontainers. T	rs retain olerant of	
Perennial: not Grass/Fern	Achillea millefolium 'Pomegranate'	Yarrow	Summer to Fall	Full Sun	18" x 18"			•	✓	✓	✓
	'Pomegranate' is an growing habit. Yarro tolerate hot, humid	ow is best grown	n in lean, dry to me	dium, well-draine	ed to sandy so	ils in in f	ull sun. D	rainage mus	st be good.	Plants wil	I

height. Deadhead after bloom period to encourage more blooms and divide clumps as needed. Plants spread aggressively by rhizomes

and self-seeding, and can naturalize into substantial colonies if left unchecked. Great in a container for blooms all summer!

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Achillea millefolium 'Terra Cotta'	Yarrow	Summer	Full Sun	2-3' x 2'			✓	•	✓	✓
	Yarrows are among the months. This hybrid for produce an airy effect 4" across. Excellent as or early spring. Easily fade in extended, hot	eatures salmon- t and are fragrar s cut flowers, fre grown in averag	pink flowers that a at when crushed. T ash or dried. Remo e, dry to medium,	ge to rusty terra iny flowers are ve spent flowers well-drained soi	cotta orange, densely packe s regularly to p I in full sun. T	then cre d in large promote olerant c	amy yello e, flat-top continue of heat ar	ow.Delicate, oped, termined blooming. and humidity,	fern-like le al flower cl Easily divid but flower	eaves lusters 2- ded in fall color may	,
Perennial: not Grass/Fern	Actaea (Cimicifuga) pachypoda	White Baneberry	Summer to Fall	Partial Shade to Shade	30" x 30"	✓		✓	✓		✓
	White Baneberry is a of small white flowers pedicels. Acteas prefe plant are poisonous if	s that float abov r moist, rich soil	e the foliage. In au	utumn they deve	lop panicles o	f eye-cat	ching wh	nite fruit bor	ne on red		
Perennial: not Grass/Fern	Agastache 'Blue Fortune'	Hybrid Hyssop	Summer	Full Sun	23-32"		✓	✓	✓		
	This hybrid selection of flowers. This is a great		•	•	-	flower sp	oikes are	covered wit	h small tub	ular	
Perennial: not Grass/Fern	Alchemilla mollis	Lady's Mantle	Year Round	Sun to Partial Shade	18" x 24"				•		
	This low growing pere on them and sparkle flowers in June-July th	ike quicksilver, o	delighting children	of all ages. If th	at weren't end	ough, the	foliage i	s topped by			
Perennial: not Grass/Fern	Allium 'Millenium'	Ornamental Onion	Mid Summer	Sun to Partial Shade	6-18" x 6-18'	· _		✓	•	✓	
	Each 'Millenium' bulb green leaves to 6-12" each scape topped by oniony smell and tast easily grown in averag afternoon shade in ho	tall in spring. U a showy 2" ball e when cut or bi ge, dry to mediu	nbranched naked s of rose purple flor uised, this hybrid i m moisture, well-c	scapes rise abovets. Flowers types is considered to drained soils in fu	e the foliage c pically bloom J be an orname all sun to part	lump to a uly-Augu ntal and shade. E	as much st. Althous is not use Best in full	as 18-20" ta ough all part ed for culina Il sun, but ap	II by mid-su s of this pla ry purpose	ummer, ant have an es.Allium is	

TypeDesc	Botanical Name	Name	Interest	Exposure	Size	Birds	Hbirds	Butterflies	Resistan	Tolerant	ivalive
Perennial: not Grass/Fern	Allium stellatum	Prairie Onion	Summer	Sun to Partial Shade	12-18"				•	✓	✓
	The dainty clusters of August. The narrow optimum conditions thrives in open dry sigorous perennials;	green leaves ofto The flowers are andy soils and ro	en die back by the pollinated by sm cky sites, but is al	e time of flowering all native bees. Na so happy in avera	g.Plants will r ative to the p ge garden so	naturalize orairies of il. It does	by self-s the midy not com	eeding and I west, this is a pete well w	bulb offsets a tough pla ith larger, r	in nt that more	
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓	✓	✓	✓	•
	This uncommon spe The show realyl hea excellent low mainte	ts up with the inc	redible fall color a	as the leaves chan	_						
Perennial: not Grass/Fern	Anemone x hybrida 'Serenade'	Hybrid Anemone	Summer to Fall	Partial Shade	2-3' x 2'				•		
	Anemones are outst Makes a charming a partial shade with p	ddition to contain	ners, borders, and	l woodland garder	ns. 'Serenade	' is used a	as a comr	mercial cut f		_	
Perennial: not Grass/Fern	Anemone x hybrida 'Whirlwind'	Hybrid Anemone	Fall	Sun to Partial Shade	4' x 4'			•	•	✓	
	Anemone x hybrida green leaves. It is a l early spring bulbs ar rich, loose well drain	ong lived clumpir nd summer's wan	ng perennial that sing blossoms, or i	spreads by rhizom	es to four fe	et or mor	e. Use in	the woodla	nd garden t	to follow	
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"		✓	•	•		✓
	This is an erect, bran spurred petals altern leaves are attractive as long as drainage i seed freely. The sma	nating with sprea in their own righ s good. Soil that i	ding, colored sepa at.Easily grown in as too rich encoura	als and numerous average well-drain ages weak stems a	yellow stame ned soil in ful and shorter li	ens hangi Il sun to s fespan. Ir	ng below hade, it v n optimu	the petals. vill tolerate a m growing c	The compo a wide rang onditions it	ound ge of soils,	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Aquilegia canadensis 'Corbett'	Wild Columbine	Spring	Partial Shade	18 inches tall	•	✓	✓	✓		✓
	This cultivar is a sele- somewhat more con as other columbines is good. Soil that is to	npact and tends t Easily grown in a	to flower more heaverage well-drain	avily than the spe ed soil in full sun	ecies. Like its to shade, it w	parent, t	his plant	is not as sus	ceptible to	leaf mine	
Perennial: not Grass/Fern	Aquilegia canadensis 'Little Lanterns'	Wild Columbine	Late Spring- Early Summer	Sun to Partial Shade	10"	•	✓	✓	•		✓
	This is a compact gro A long blooming spe- June. Since it's little,	cies, it produces	many brilliant red	flowers with a ye	ellow corolla t	hat dang					
Perennial: not Grass/Fern	Arisaema triphyllum	Jack-in-the- Pulpit	May-June	Partial Shade	16-20"				✓		✓
	One of the most design purple-green spath (in the fall. Prefers w	the pulpit) enclo	ses a slender spad	ix (jack). After th	e flower fade					_	t
Perennial: not Grass/Fern	Artemisia 'Powis Castle'	Hybrid Sage Brush	Spring to Fall	Full Sun	36"				✓		
	One of the most bea gray lacy foliage seer imaginable. All arten native to the Medite then only sparingly.	ms to intensify th nisias share the s rranean and whi	ne color of nearby ame cultural requi le they don't need	flowers and othe rements, which a a luxurious soil,	r foliage, and are plenty of s	ties toge sunlight a	ther alm	ost every co drained soils	lor combina . Artemisia	ation as are	
Perennial: not Grass/Fern	Asarum canadense	Wild Ginger	Spring	Partial Shade	1"	•		•	✓		•
	Kidney-shaped, leath spreads slowly by an to North America.Th requires high organic	d can be propaga is plant prefers li	ated through its fra ght to deep shade	agrant undergrou and it is often fo	ind rhizomes und on rocky	or throug acidic so	gh seeds. ils. It has	This is a wo poor droug	odland plar	nt, native	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Asclepias incarnata	Swamp Milkweed	Early Summer	Sun to Partial Shade	3-4'	•		•	•		✓
	Deep pink flowers clu and July. Later, large source for the monar attract insectivorous drained gardens as we	pods form whic ch caterpillar. B birds.Swamp m	ch will break open looming from late ilkweed, true to its	to reveal seeds the spring to early fa s name, prefers co	nat will float a II, nectar-rich	way in tl Milkwee	he wind.I ed attract	Milkweeds a s many inse	re an impo cts, which i	rtant food n turn	
Perennial: not Grass/Fern	Asclepias incarnata 'Ice Ballet'	Swamp Milkweed	Summer	Full Sun	38-42"		✓		•	✓	✓
	This white flowered s followed by the distin is a great butterfly pla	ictive milkweed	·	_	_	•					t
Perennial: not Grass/Fern	Asparagus officinalis 'Jersey Giant'	Asparagus	Spring to Summer	Sun to Partial Shade	4-5'				•	✓	
	Jersey Giant was dever full of flavor. A super spears are extremely planting. Tolerant to 18 inches wide, allow drained, sandy soil.	-prolific, all-ma tender with a r rust, Fusarium,	le hybrid that prod ich, full flavor. Vig other foliar diseas	luces almost twic orous, adaptable es and crown rot	e the number and disease re .To make an a	of spear esistant. asparagu	rs as trad Start ha s bed, dig	itional variet rvesting the g trenches 1	ties. Extra- second yea 5-18 inches	large ar after deep and	
Perennial: not Grass/Fern	Baptisia 'Ivory Towers'	False Indigo	Late Spring	Sun to Partial Shade	48" x 24"			•	✓	✓	✓
	The tall stems of Bapt beautiful pure white to upright and vase-shap trial. Easily grown in a once established. Fol 3 years to establish.	flowers that last ned with blue-g verage, dry to r	t for 3 weeks. The reen trifoliage folia nedium soil in full s	large, blocky frui age.'Ivory Towers sun or partial sha	t pods that fo ' received ver de. Plants de	llow pers y high ra velop a l	sist throu tings in t arge tapr	igh the winto he Mt. Cuba root and are	er. The pla Center's Babes best left ur	nt habit is aptisia ndisturbed	
Perennial: not Grass/Fern	Calamintha nepeta ssp. nepeta	Calamint	Fall	Sun	18"			•	✓	✓	
	Soft green leaves, wit the wiry stems. A gre insect pollinators. Do	eat plant for a d	ooryard garden, he	erb garden or the	front of the b	order. F	lowers a	re attractive			

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Caltha palustris	Marsh Marigold	Spring	Partial Shade to Shade	12 - 18"				•		•
	Native to northern sta seed in to form a den green carpet of corda Alaska.Clatha palustri that stays wet most o	se groundcover te foliage. Dee s likes moist coi	in a consistently r r usually leave this nditions and rich s	noist site. In earl along! Found in oils. It is most at	y spring hund marshes, swa home near a	reds of bamps, and pond or s	right yell d wet me stream, b	ow buttercutadows from but can be ha	p flowers on North Care	dot the olina to	n
Perennial: not Grass/Fern	Coreopsis x verticillata 'Creme Brulee'	Threadleaf Coreopsis	Summer	Sun to Partial Shade	16-20" x 24- 30"			•	•		✓
	'Crème Brulee' is as d robust plant. Starting delicately serrated at lightly in late summer	in early summe the tips. The bi	er and continuing to right green, lacy fo	through fall, doze bliage is also very	ns of butter-y ornamental, §	ellow, dagiving the	aisy-type e plant a s	flowers app soft, wispy lo	ear, each p ook. Shear	etal	
Perennial: not Grass/Fern	Delosperma cooperi	Ice Plant	Summer	Full Sun	2 "				✓	✓	
	A ground hugging plate texture of the foliage.		nt, boney-like leav	es on sprawling s	tems. Two inc	ch rose-p	ink flowe	ers highlight	the interes	sting	
Perennial: not Grass/Fern	Dennstaedtia puntilobula	Hayscented Fern	Summer to Fall	Partial Shade to Shade	2' x 1'				✓		•
	Hayscented fern has I native that has leaves conditions. Best grow tolerates full sun. Recestablished, dry soils	s, when bruised, vn in moist, rich quires low main	smell like fresh m , humusy, acidic, r tenance and sprea	nown hay. This is medium moisture ads. Tolerates a v	a popular gar loams in part vide range of	den fern : shade to soils, inc	being ve full shad uding po	ry adaptable de. With co or rocky soi	e and toleransistent mo	ant of man pisture, it	
Perennial: not Grass/Fern	Digitalis grandiflora (ambigua)	Yellow Foxglove	Summer	Sun to Partial Shade	12-30"				•	✓	
	Yellow Foxglove has s September. The soft, lance-shaped with fin their real strength is a foxglove is easy to gro Once established it is	lush foliage is ce teeth. Foxglov as dramatic and ow in almost an	only 12-18" tall bures are of easy cul- richly colored ver y type of soil exce	t the flower spike ture and make ex tical accents, a lo	s will grow to cellent cut flo ok that is imp	3 feet. Towers if possible to	The 5-10' icked who duplica	' long, deep en the blooi te with anot	green leav ms are half her genus.	es are open. But Yellow	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Digitalis purpurea f. albiflora	White Foxglove	Early Summer	Sun to Partial Shade	3-5'		✓	•	•		
	This beautiful foxglo tubular, creamy whi while the upright flo the end of the seaso moisture, well-drain	te flowers with sower spikes bring on, this plant may	peckled throats. T a vertical accent.h self-sow, creating	he basal rosettes Iummingbirds an	of large oval d butterflies a	pointed re drawi	leaves of n to the f	fer bold text lowers. If flo	ture in the sower spikes	garden s are left a	t
Perennial: not Grass/Fern	Digitalis purpurea 'Foxy'	Foxglove	Mid Summer	Sun to Partial Shade	30"				•		
	'Foxy,' a shorter var arranged on upright throat. Foxgloves wi	spikes and come	in an assortment	of colors, includi	ng purple, pinl	k, maroo					
Perennial: not Grass/Fern	Digitalis purpurea 'Snow Thimble'	Foxglove	Late Spring	Sun to Partial Shade	3' x 1'				✓		
	Majestic spires of sm selection of foxglove designs.Foxgloves ac creating low clumps perform best in rich, moved when small.	e with no spotting dd a dramatic ve of foliage the fir	g on the interior or rtical element to co st year and bloom	f the flower petal ottage gardens or ing the second ye	s creating a cr woodland ed ar. They seed	isp, eleg ges. The freely a	ant accer ey are bions s long as	nt for white ennials or sh there is bar	or moon ga ort-lived pa e soil. Foxg	arden erennials loves	е
Perennial: not Grass/Fern	Echinacea 'TNECHKIO' Kismet ® Intense Orange	Coneflower	Summer	Sun to Partial Shade	15-24" x 18- 24"	✓		✓	•	✓	✓
	Echinacea Kismet Indiameter. The dens June - August. The for floral arrangeme Adaptable and toler	ely branched hat lowers attract bu nts. Easily grow	oit provides a neat utterflies and polling in in average, dry to	appearance in the second medium moist.	e garden. This ed heads prov ure, well-drain	s easy to ide food ed soils	grow, do for birds in full sur	eer tolerant . The showy n to part sha	plant bloor flowers ca	ms from an be cut	
Perennial: not Grass/Fern	Echinacea purpurea	Purple Coneflower	Summer to Fall	Sun	3-4'	•		•	•		✓
	This has been one or and have short, stiff droop slightly towar	hairs. The cente	ers of the flowers a	re cones of orang	ge-brown, and	are sur	ounded	by bright pir			

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Echinops bannaticus 'Blue Glow'	Globe Thistle	Mid Summer	Sun to Partial Shade	30"				✓		
	Globe Thistle has very character to the garde	• •	eaves on stiff stems	that are topped	l off by navy b	lue, glob	e shaped	d flowers wh	ich impart	a unique	
Perennial: not Grass/Fern	Epimedium grandiflorum 'Orange Queen'	Barrenwort	Spring	Partial Shade to Shade	20"				✓	✓	
	Flowers in the spring v	with a subdued	Orange-copper ton	e. Attractive foi	lage all year lo	ng.Grea	t for spec	ciman wood	land gardei	ns.	
Perennial: not Grass/Fern	Epimedium spp. nova 'Spine Tingler'	Spine Tingler Fairy Wings	Spring to Fall	Partial Shade to Shade	8-10" x 18- 24"				✓	✓	
	'Spine Tingler' is aptly late spring. Unlike oth time. Use as a ground establish, mature plan and critter resistance,	ner Epimedium t cover or accent ats will not be m	that send flowers fi plant.Epimedium issed in the landsca	rst, followed by are one of the fe ape, particularly	foliage, 'Spine w plants capa when in flowe	e Tingler' able of su er. These	sends flo irviving in plants a	owers and for an dry shade.	oliage up at Although ed for thei	the same slow to r durability	
Perennial: not Grass/Fern	Epimedium x rubrum	Red Alpine Barrenwort	May-June	Partial Shade	10-12"				✓	✓	
	Epimedium x rubrum yellow spurs. Leaves of and compete well with	of this selection									
Perennial: not Grass/Fern	Epimedium x 'Songbirds'	Song Birds Fairy Wings	Spring to Fall	Partial Shade to Shade	16x18" x 26- 30"				✓	✓	
	Epimedium 'Songbirds yellow flowers have so summer and bronze in plant. Epimedium are omissed in the landscapthe long sprays of jest	mall rose sepals of all. 'Songbird' one of the few poe, particularly v	. Its deep green land s' flowers later thand plants capable of su when in flower. The	nce-shaped leav n other offerings Irviving in dry sh	es have some and has a lon ade. Although	spotting g bloom n slow to	, are bro ing time. establis	nzy-pink in s Use as a gro h, mature pl	pring, gree ound cover ants will no	n in or accent ot be	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Erigeron pulchellus var. pulchellus 'Lynnhaven Carpet'	Robin's Plantain	Late Spring	Partial Shade to Shade	12-15"			✓	✓	✓	✓
	This outstanding form spring with a profusion deer tolerant in dry suited for moderate s	on of very pale la hade a condition	evender daisies on on that many othe	1 foot tall stalks	a butterfly f	avorite.	Erigeron	pulchellus is	very drou	ght and	
Perennial: not Grass/Fern	Euphorbia amygdaloides 'Purpurea'	Woods Spurge	Late Spring	Partial Shade to Shade	12-18"				✓	•	
	Blooming in late sprir contrast with the dar vigorous in optimum ground level immedia	k evergreen folia conditions. Wo	age.A good plant to ood spurge grows i	o use as a ground n dry or moist so	dcover in dry soils, but requir	shade. It es good	spreads drainage	by rhizomes . Cut back fl	and can be owering sh	overly	
Perennial: not Grass/Fern	Euphorbia x martinii 'Ascot Rainbow'	Hybrid Spurge	Spring to Summer	Full Sun	20" x 20"				•	✓	
	If you looking for a pl flowers shades of p space, this spurge wil or 'Diablo' nine-bark.	oink, green and p	ink. In cooler tem	peratures, the co	olors will be m	ore inte	nse.Prefe	erring well di	raining soil	and some	
Perennial: not Grass/Fern	Eurybia (Aster) macrophylla (macrophyllus)	Big Leaf Aster	Early Fall	Partial Shade to Shade	2-3'			✓	✓	•	✓
	Our native Eurybia m The large heart-shape it a valuable groundo well as a larval food s the growing season is shade.	ed leaves create over for shade o ource for severa	a dense carpet. Bi r woodland garden al butterflies and m	g leaf aster spreans. It is an impornoths. Best grow	ads by underg rtant late seas n in well-drair	round sto on necta ed soils	olons and r source in part sh	d is very drou for butterlie nade. Moistu	ight tolerai s and pollir ure in the b	nt, making nators as eginning o	of

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Fragaria x ananassa 'Seascape'	Strawberry	Summer to Fall	Full Sun	12-24"				•		
	Fragaria x ananassa 'S fruit all season. The b soil. Space plants 12 - Can be grown in rows	erries are large 15". Water re	, prolific, and have gularly (about 1" p	good flavor whe	en picked ripe	from the ess weed	plant.Gr	ow in full su oots cool, ar	n in rich, w	ell-drained oisture.	
Perennial: not Grass/Fern	Gaillardia aristata 'Arizona Red Shades'	Blanket Flower	Summer	Full Sun	12" x 12"			✓	•	✓	✓
	'Arizona Red Shades' I compact habit of this cone and keep coming variety as an outstand	Blanket Flower, g all summer. C	it is perfect for gr Once established, t	owing in pots.Th he plants perfori	e gorgeous flo n best with or	wers hav	ve brick r onal dee	ed petals an p watering.\	d a darker Ne recomn	burgundy	
Perennial: not Grass/Fern	Geranium maculatum	Spotted Geranium	Mid Spring	Sun to Partial Shade	1-2'			•	✓		✓
	Blooming earlier than clusters of violet-rods	-			_				merica. Th	e airy	
Perennial: not Grass/Fern	Geranium maculatum 'Huggy Bear'	Spotted Geranium	Late Spring	Sun to Partial Shade	12-24"			✓	•	•	✓
	'Huggy Bear' is a new beautifully with its un species is a common was well as several species drought tolerant. Spr	ique chocolate voodland native cies of butterflie	red foliage. It is page throughout the E es.Prefers partial sl	art of the local pl ast Coast. It is v hade, but will gro	antsman Davi ery attactive t	d Culp's I o pollina	Brandywi tors, incl	ine Cottage (uding solitar	Collection. ry beeds, bu	The ımblebees	
Perennial: not Grass/Fern	Geranium x cantabrigiense 'Karmina'	Hybrid Geranium	Late Spring	Sun to Partial Shade	12" x 18"			✓	✓		
	Karmina hardy geranii ideal to be used as a g		-					-			

Karmina hardy geranium spreads by trailing stems to form a foliage carpet which is 8-12" tall and spreading to 18" wide or more. This is ideal to be used as a ground cover, weaving amongst other taller perennials such as Solomon seal and hellebores. Leaves are fragrant and the carmine red flowers appear from May to June. Easily grown in average, medium moisture, well-drained soil in full sun to part shade. Tolerates some drought, but prefers and spreads best in moist, humusy soils with good drainage. Deadheading is tedious for larger plantings and unnecessary. Side stems may be removed at any time to control spread. Foliage may decline after flowering in hot summer climates, at which point it may be refreshed by lightly sheering.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Geum triflorum	Purple Avens	Mid Summer	Sun to Partial Shade	15" x 18"				•	✓	
	Purple avens produce effect that resembles roots, Prairie Smoke	smoke hovering	g close to the grou	nd, hence its oth	er common n	ame, Pra	irie Smol	ke. Spreadi	ng slowly fr		
Perennial: not Grass/Fern	Helianthus divaricatus	Woodland Sunflower	Summer	Partial Shade	3-5'	✓		✓	•	•	✓
	The large, yellow dais plants, 3 to 5 feet, creexpand over time. Na butterfly adults and lasoils. Drought tolera	eate a dramatic tive to eastern a arvae, and birds.	presence in shady ; nd central North A . Woodland Sunflo	gardens or along merica and cons	woodland ed idered a high	lges. The value wi	plant sp Idlife plar	reads via rhi nt, supportir	izomes and	l and will ees,	f
Perennial: not Grass/Fern	Helleborus foetidus	Bear's Foot Hellebore	Spring	Partial Shade to Shade	18"				•		
	This is a great plant for deeply divided dark grand self-sows easily.		•								
Perennial: not Grass/Fern	Helleborus x 'Brandywine'	Lenten Rose	Winter to Spring	Partial Shade to Shade	12-18"				•		
	Helleborus hybridus ' includes doubles and tough plants, desirab Plant in rich organic s	anemones with le through all se	colors of dark reds	s, spotted pinks, ark green leaves	picotees and a frame nodding	apricots. g 3-4" wi	Hellebo de flowe	res are ever	green, long	lived,	S
Perennial: not Grass/Fern	Heuchera americana 'Green Spice'	Coral Bells	Year Round	Partial Shade to Shade	8-10" x 16"		✓	✓	✓	•	✓
	Heuchera americana gray edges. Their bea appear in summer re humusy well-drained trees because they a	auty extends into aching 24-28".Cr soils. Is drough	o fall when they tu reates a bold color t tolerant once est	rn warm pumpki contrast in cont ablished and will	n-orange and ainers and per thrive in dry	red shad rennial bo shade.He	les. Delio orders. P	cate sprays o Performs bes	of tiny white st in part sh	e flowers nade in	t

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Hbirds	Attract Butterflies	Deer Resistan	Tolerant	Native
Perennial: not Grass/Fern	Heuchera 'Magma'	Coral Bells			18-24" x 24- 30"		✓	✓	•	✓	✓
	Heuchera 'Magma' leaves. Pink flowers Hosta or ferns in the under Black Walnut	s bloom in spring e garden, border	and summer. A vor containers. M	very vigorous Cora agma stays fiery h	al Bells perfect not pinkish-red	for mixe from sp	ed border ring until	rs.Stunning v I frost! Heuc	vhen plante	ed next to	
Perennial: not Grass/Fern	Heuchera villosa 'Caramel'	Hairy Alumroot	Spring to Fall	Partial Shade to Shade	18" x 24"				•		✓
	Bred by Thierry Dela red. Its lobed fuzzy longevity.Long pani	foliage typical of	Heuchera villosa	stays clean. An e	eastern US nati	ve speci	es that is				r
Perennial: not Grass/Fern	This interesting nati shaped, blue, upwa slowly until hindere	rd facing flowers			create an inter	_		_			✓
Perennial: not Grass/Fern	Lavandula x intermedia 'Grosso'	Hybrid Lavender	Mid Summer	Full Sun	1-3' x 1-3'			•	•	✓	
	This hardy lavender 30 inches tall and no attractive as an edg very high humidity.	early as wide, 'Gr	osso' has very lo	ng flower spikes a	nd blooms fro	m midsu	mmer in	to autumn.	It is especia	ally	
Perennial: not Grass/Fern	Lavandula x intermedia 'Phenomenal' ™	Hybrid Lavender	Summer	Full Sun	2.5' x 4.5'			✓	•	✓	
	This lavender (intro heat without dying does not scare this	back, is resistant	to common root	and foliar disease	s, and grows si	uperbly i	in mid-At	lantic garder	ns. Heat an	nd humidity	•

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Liatris microcephala	Dwarf Blazing Star	Summer	Sun to Partial Shade	18" x 18"			✓	•	•	✓
	An exceptional complike rosy purple flower unfurling of brilliant of Southern Appalachian	rs in August and olor. Excellent a	September. Uniques a cut flower. Lia	ue to the genus atris microcepha	the flowers op a can be foun	en from d in sand	top to bo y, dry pra	ottom on the airies and op	e spike in a	slow	
Perennial: not Grass/Fern	Liatris pycnostachaya Liatris pycnostachya	Prairie Blazing Star	Late Summer	Full Sun	36-48"'	✓	✓	✓	•	✓	✓
	Liatris pycnostachaya Blooms from August it is a popular pollina seeds are attract to so humidity. It does not	through Septeml tor plant, it attra ongbirds. Prairie	ber.It is perhaps thacts bees, butterfli Blazing Star thrive	ne tallest Liatris i es, and hummin	n cultivation.N gbirds and is a	lative to larval ho	the centrost plant	ral and soutl for several r	neastern of noths. The	f the USA, e small	
Perennial: not Grass/Fern	Beautiful dense, cloudersh or dried. The se sun and well-drained promote additional b	emi-evergreen gl soils. Sea Laven	ny lavendar-blue f ossy green leaves	provide bold tex	ture in the ga	rden. Th	e flowers	attract poll	inators. Pro	efers full	
Perennial: not Grass/Fern	Lobelia siphilitica	Giant Lobelia	Summer	Partial Shade to Shade	2-3'	✓		✓	•		•
	Giant Blue Lobelia is a moist, well drained so share. Low rosettes or resistant. Tolerates f	oil in the shady g of leaves are the	arden. This is a vi launching pad for	gorous plant, on	ce established	it self so	ws, gene	rously creat	ing new pl	ants to	h
Perennial: not Grass/Fern	Mertensia virginica	Virginia Bluebells	Spring	Partial Shade to Shade	12-24"				•		✓
	One of our most belo are purple-grey, turni conditions when esta	ng blue-green at	maturity. The en	•	•			_	_	-	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Monarda 'Gardenview Scarlet'	Hybrid Beebalm	Summer	Partial Shade	36"		✓		•		✓
	'Gardenview Scarlet' 3' tall. Leaves light g of monarda are wha massed.Most hybrid sun to part shade.	reen, mildew res t give earl gray te	sistent, and aroma ea its unique flavo	tic foliage. Toothr. Attractive to h	ned, aromatic ummingbirds,	leaves ca butterfli	an be use ies and b	ed for tea an ees, particul	d in salads. arly when	The leave	
Perennial: not Grass/Fern	Monarda 'Judith's Fancy Fuschia'	Beebalm	Mid Summer	Sun to Partial Shade	3-4'		✓	•	•	✓	✓
	Beebalm is a popular purplish red flowers ranked among the to powdery mildew res once established. Sp	that resemble plop performers in istance.Best grow	ayful jester's hats. Mt. Cuba Center's wn in rich, moist, v	Blooms over an plant trials for it	extended per s abundant flo	iod of 3 ral displ	to 4 wee ay, sturd	ks. 'Judith's I y upright ste	Fancy Fusch ms, and ex	nia' was cellent	
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Cat's Meow	Hybrid Catmint	Spring to Summer	Sun to Partial Shade	20' x 18'		✓	•	✓	✓	
	It is the 'Cat's Meow not flop like most ca which will also prom	tmints. It only ge	ets wider and broa	der as the seaso	n progresses.	Fragrant	when b	ruised.Respo	nds well to	shearing	
Perennial: not Grass/Fern	Nepeta x faassenii (racemosa) 'Early Bird'	Hybrid Catmint	Late Spring	Sun to Partial Shade	12" x 12"			•	•	✓	
	Nepetas are beloved addition to flower be and rarely take a nib a long bloom time ar drought tolerant but	eds or can be use ble. 'Early Bird' is nd can persist up	ed as a low mainte s low growing with to 6 weeks. Catm	ncance groundco a neat, compact ints prosper in av	ver. Deer do l habit and blo erage, well-dr	not find oms earl ained so	the arom lier than	atic foliage most other	of catmint a varieties. C	attractive Catmint has	S
Perennial: not Grass/Fern	Pachysandra procumbens	Allegheny Pachysandra	Year Round	Sun to Partial Shade	6-8"				•		✓
	Similar in form to the mottled with lighter A wonderful native g	flecks. Barely no		•	•		_		_		

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Paeonia 'Garden Treasure'	Itoh Peony	Late Spring	Full Sun	22-24" x 30- 48"				•		
	Paeonia 'Garden Trea in mid to late spring a staking. This very had season. Itoh peonies on sturdy short stems superior landscape que shade.	and last up to tw rdy cultivar prod are hybirids prod s. 'Golden Treas	o and a half weeks uces flowers regul duced by crossing ure' was awarded	s. The blooms ar arly and uniform a tree peony wit the Peony Socie	e held well ab ly year after y h an herbaceo ty's Gold Meda	ove the tear. The us peon	foliage or foliage r y. They p 6 and the	strong ster emains hea roduce larg Award of L	ms that do Ithy throug e numbers andscape N	not require hout the of flowers Nerit for	
Perennial: not Grass/Fern	Paeonia lactiflora 'Angel Cheeks'	Hybrid Peony	Late Spring	Full Sun	22-26"				•		
	One look at this soft of 'Angel Cheeks' are be cutting gardens. As t Peony Society Gold No continue looking goo	autifully shaped he amazing bloo Iedal winner. Dis	, luxuriantly full, a ms appear from N sease resistant, re	nd they really sta lay to June, it wi	and out nicely Il quickly beco	n sunlit me evide	borders, ent why A	feature land Ingel Cheek	dscape beds s is an Ame	s and rican	
Perennial: not Grass/Fern	Paeonia lactiflora 'Coral Charm'	Hybrid Peony	Late Spring	Sun to Partial Shade	30"			✓	•		
	The large, semi-doub gradually fade to pale foliage. 'Coral Charm' in full sun in rich med well to transplanting.	e ivory. This early has been award ium moisture, w	v blooming variety ed a Gold Medal fi	is lightly fragran	t. The plants h	nave stro	ong stems lowers ha	and attactions are a long value a long value a	ive, deep gr ase life.Per	reen forms best	
Perennial: not Grass/Fern	Paeonia lactiflora 'Dr. Alexander Fleming'	Hybrid Peony	Late Spring	Sun to Partial Shade	24-36"				•		
	The 'Dr. Alexander Floedges. The plants had Horticultural Society, medium moisture, we transplanting.	ve strong stems this is a reliable	and attactive, dee and vigorous varie	p green foliage.F ety. Peonies hav	Recipient of the e a long vase I	e Award fe if cut	of Garde in bud. P	n Merit fror Performs be	n the Royal st in full sui		

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Paeonia lactiflora 'Duchess de Nemours'	Hybrid Peony	Summer	Full Sun	28-32"				•		
	A century-and-a-half a Peonies are judged. S petals lights them up Society. It is an "Early off cold. After bloom flowers, lasting more	itrong stems giv with a warm glo " June bloomer. is complete, yo	e the blossoms an w. 'Duchesse de N Plants in the genus u are left with a ha	aristocratic bea Nemours' is a wi S Paeonia genera	ring; a touch o nner of an Awa ally like full sur	f yellow ard of Ga and ne	at the baarden Me utral to sl	se of the de rit from the ightly sweet	nse, ruffled Royal Hort soil, and t	l inner icultural hey shrug	
Perennial: not Grass/Fern	Paeonia lactiflora 'Festiva Maxima'	Peony	Early Summer	Full Sun	36"				•		
	Paeonia 'Festiva Maxi have made this variet green foliage that will early June every year, superior cut flowers, I full sun and neutral to	y a great Peony happily anchor regardless of w asting more tha	for generations. At the next sequence eather, because the name week if cut in f	after bloom is co e of bloom in the ney are among t full bud.They ha	emplete, you a e neighborhoo he most durab ve no natural e	re left w d. Peonion le and lo enemies,	ith a hand es produce ongest-live no exact short hed	dsome mour ce their extra ed plants. F ing cultural	nd of glossy avagant dis Peonies ma requiremen all groups i	, deep play in ke nts beyond	
Perennial: not Grass/Fern	Paeonia lactiflora 'Karl Rosenfeld'	Chinese Peony	Spring	Sun to Partial Shade	3' x 3'				✓		
	Named for a renowne golden center rings to flower and for show.	form gorgeous	, richly fragrant blo	ssoms. This ser		•					
Perennial: not Grass/Fern	Paeonia lactiflora 'Nimbus'	Peony	Late Summer	Full Sun	24-36"				•		
	Paeonia lactiflora 'Nin free bloomer, with blo beautiful and very lon	ooms appearing	late to very late in	the season.Pla	nt in avarage w	ell-drair	ned soil.	Disease resis			,
Perennial: not Grass/Fern	Paeonia lactiflora 'Sarah Bernhardt'	Hybrid Peony	Early Summer	Full Sun	36"			✓	•		
	'Sarah Barndhardt' ha lived and should be si	•	_	_	•					are long	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Hbirds	Attract Butterflies	Deer Resistan	Tolerant	Native
Perennial: not Grass/Fern	Paeonia lactiflora 'Shawnee Chief'	Hybrid Peony	Late Spring	Full Sun	24-36"				•		
	The 'Shawnee Chief' vigorous variety that flower arranging.Per fade. Peonies do no	performs well ir forms best in full	n the garden. The I sun in rich mediu	fragrant flower	s are held on l	ong stems	, making	them partic	ularly usefu	ıl for	,
Perennial: not Grass/Fern	Paeonia lactiflora 'Shirley Temple'	Hybrid Peony	Early Summer	Full Sun	26" x 36"			✓	•		
	A stunning double w groups in the perenr cut stalks to the grou	ial border. They	are desirable for	their ease of cu				_	•		
Perennial: not Grass/Fern	Parthenium integrifolium	Wild Quinine	Summer	Full Sun	24-48"			✓	•	✓	✓
	Parthenium integrifor name refers to its for gardens. It spreads to full sun, it is also dro	rmer use in tea to via rhizomes and	o reduce fever. At may not be suital	ttracting an arra ble for small ga	ay of pollinator rdens. Easy to	rs, Wild Qu grow in a	uinine is p	particularly v	vell suited t	to wildlife	
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		✓	•	•	•	✓
	Beard-tongue is a moleonger beginning in estandy soils; however variety of pollinators	early summer. Ri r, it will tolerate o	gid stems arise fro clay. Mass in sunn	om basal rosett	es of attractive	e foliage.P	enstemo	n prefers we	ell-drained	loam and	
Perennial: not Grass/Fern	Peony x 'Scrumdidleumptious'	Itoh Peony			36" x 36"				•		
	Peony x 'Scrumdidle bloom at the termin yield up to 50 mildly buds, of the roots 1-	al ends and dowr fragrant blooms	n the sides of stro per year. Green	ng and sturdy b foliage maintair	oranches, stayi ns on the mou	ng upright nding plan	without t well int	added suppo to fall. Plant	ort. Each p with the ey	lant can es, or	

and very long lived, peonies require minimal maintenance to continue looking good for years to come.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Phedimus (Sedum) spurius 'Fuldaglut'	Hybrid Stonecrop	Late Summer	Full Sun	4" x 4-18"			•	•	✓	
	'Fuldaglut' is a low-gr throughout the grow average, dry to media soils. Needs good so	ing season.Roso um moisture, w	e red blooms appe vell-drained soils ir	ear August to Se n full sun. Tolera	ptember and a tes some light	re attracti shade. Li	ve to but	tterflies.Easi	ly grown in	acidic,	
Perennial: not Grass/Fern	Phlox subulata 'Emerald Blue'	Moss Pink	Late Spring	Full Sun	6" x 18"			•	•	✓	✓
	This phlox is a spring bright green, needlewalls or as a carpet o	like foliage, it is	great for rock gar	dens, borders o	or slopes.'Emera	•	_		_		l,
Perennial: not Grass/Fern	Phlox subulata 'Emerald Pink'	Moss Pink	Late Spring	Full Sun	6" x 18"			•	•	✓	✓
	This phlox is a spring bright green, needlewalls or as a caarpet	like foliage, it is	great for rock gar	dens, borders o	or slopes.'Emera				-		
Perennial: not Grass/Fern	Phlox subulata 'Purple Beauty'	Moss Pink	Late Spring	Full Sun	4-6" x 18"			•	•	✓	✓
	This spreading ground and tolerates drough spring pocket of colo	t. A natural for					•				
Perennial: not Grass/Fern	Phlox subulata 'Snowflake'	Moss Pink	Mid Spring	Full Sun	6" x 24"			•	•	✓	✓
	Your neighbor is sure perennial for the sun the hell strip or front	ny spot. The id	eal soil is quick dra	aining especially	during the wir	nter time.	Plant mo	ss phlox on	_		

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Physostegia virginiana	Obedient Plant	Summer	Sun to Partial Shade	2-4'		✓		•		✓
	Physostegia virginian snapdragon-like, pink stems. Flowers bloor plant for adding latestaking. Easily grown summer temperature	to pale lilac flow m bottom to top season flowers to in average, moist	vers in upright terr on each spike, wit o a garden. Fertile r, acidic, well-drain	minal spikes bloo th each flower be e soils produce ro ned soils in full su	m throughout ing subtended bust growth a n. Stems tend	summe by a sm nd wide to flop	r (late Ju nall leaf-l spreadir in rich sc	ne-Septemb ike bract.It is ng, and the p	er) atop sq s considere llant may re	uare d a good equire	
Perennial: not Grass/Fern	Podophyllum peltatum	Mayapple	Spring	Partial Shade to Shade	12-18"				✓		✓
	Mayapple is a rhizom 12-18" tall and featur one leaf will not flow appears on a short, the way to an edible, flest and roots are poisoned.	res one or two, der. From the cro nin stem in early hy, greenish frui	eeply-divided, palı tch (leaf axil) on tv spring. Flowers ar	mately-lobed, un wo-leafed plants, re quite showy, b	nbrella-like, pa , a single, nodo out usually hido	lle greer ding, wa den by tl	i leaves (xy, 6-9-p ne umbro	to 12" diame etaled, white ella-like leave	eter). Plant e flower (3' es. Each flo	s with only ' diameter ower gives	
Perennial: not Grass/Fern	Pycnanthemum tenuifolium	Narrowleaf Mountain Mint	Summer	Sun to Partial Shade	2-3' x 2-3'			✓	✓		✓
	This summer flowering period. It is adapted is a good garden plan Mountain Mints, this	to a variety of co	onditions and will g dense colonies. Th	grow in dry to mo	oist soils and fu	ıll sun to	partial	shade. It is e	easily estab	lished and	
Perennial: not Grass/Fern	Pycnanthemum virginianum	Common Mountain Mint	Summer	Sun to Partial Shade	3' x 2'			✓	✓		✓
	Tiny, white, mint-like a few at a time, arise leafy plant is covered source for many polli in full sun. Excellent f	from leaf axils at with a whitish b nators including	t the stem tips. The loom and is very fi bees, wasps, flies,	e straight, uprigh ragrant; when cr small butterflies	t stems gives i ushed they ha and beetles. E	t a good ve a stro	l looking ong minty	structure. T odor. Excel	he foliage lent nectar	of this and poller	1

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Ratibida columnifera 'Red Midget'	Prairie Coneflower	Summer to Fall	Sun to Partial Shade	36" x 36"	✓		✓	✓	•	✓
	For a showy native punique flowers dance in the red/yellow raconditions. A must for	te above mounds tio in the flowers	of fine green folia . A native prairie p	ge from June unt plant, this dwarf	il frost. This prairiety of the	olant is g	rown froi	m seed, so tl	nere will be	variation	
Perennial: not Grass/Fern	Ratibida pinnata	Gray-headed Coneflower	Summer	Full Sun	3-6'	✓		✓	•	•	✓
	Ratibida pinnata is a raised central disk o throughout the mid other birds. Yellow sum. Prefers clay or	f the flower start west.A good polli coneflower make	s out grey-green a nator plant, it attr es an excellent, lon	nd turns deep ch acts many native ng-lasting cut flov	ocolate-brow bees and but ver. Grow in a	n as it ma terflies a verage, r	atures. It nd the se nedium r	t is native to eed is eaten noisture, we	prairies an by goldfinc	d savannas h and	S
Perennial: not Grass/Fern	Rheum rhabarbarum 'Victoria'	Rhubarb	Mid Summer	Sun to Partial Shade	4' x 4'				•		
	Victoria is the best of tender, so it's quick grows best in deep,	and easy to fix fo	r the pot. The pla	nts are prolific; t	ne stalks are g	reen wit	h red blu	sh. Dust off	your pie tin	s.Victoria	
Perennial: not Grass/Fern	Rudbeckia maxima	Giant Coneflower	Summer	Full Sun	7'	•		•	✓	•	✓
	Huge glaucous, gray surrounded by droo featured in the Butt	ping yellow petal	s; very striking in t	the landscape. Tl	nis is a unique		_				
Perennial: not Grass/Fern	Salvia azurea	Blue Sage	Fall	Sun to Partial Shade	4-5'				•	•	✓
	The small light blue butterflies, it is a ho good drainage. This in early summer, sta	st plant for the ho plant has a tendo	ermit sphinx moth ency to "lodge" or	. Rabbits and de flop over, espec	er dislike the a	aromatic	foliage.	Grow in me	dium to dry	soils with	I

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Salvia bulleyana	Sage	Mid Summer	Sun to Partial Shade	18"				•		
	This uniquely colored wrinkled soft, fuzzy for dry soils as well as we	oliage.Native to	China, Salvia bull	eyana prefers part	tial shade and	•	_				y
Perennial: not Grass/Fern	Salvia lyrata 'Purple Knockout'	Lyre-leaved Sage	Summer	Sun to Partial Shade	18"			•	•	✓	✓
	The lyre-leaved sage Compact basal rosett blue flowers. Attract groundcover - a great	es of shiny burg s the bees and b	undy leaves turni outterflies. Very e	ng to deep purple	in summer a	nd then t	o red in t	he fall with	spikes of pa	ale lilac	
Perennial: not Grass/Fern	Salvia pachyphylla	Rose Sage	Summer	Full Sun	24-36"		✓	✓	✓	✓	✓
	Salvia pachyphylla fea summer. It is an ever and a variety of bees. landscapes. Requires	green shrub pro Native to the r	oducing slightly cu mountains and hig	upped silvery grey gh desert of Califo	, aromatic foli rnia, Nevada,	age.It is	attractive	e to butterfli	es, hummii		
Perennial: not Grass/Fern	Sanguisorba officinalis	Great Burnet	Late Spring	Full Sun	24-36"		✓	✓	•		✓
	The dark purple, oblo three leaflets. Often u are excellent in salads spent flowers will pre	used as a culinar s and soups. Ea	ry herb, both the sily grown in aver	young leaves and	flowers, appe	aring in I	ate sprin	g, taste simi	lar to cucui	mber and	
Perennial: not Grass/Fern	Santolina rosmarinifolia (virens)	Green Santolina	Spring to Fall	Full Sun	15-18"				✓	✓	
	Green Santolina is an garden. Bright yellow needs well-drained so getting too leggy, wo	pom-pom like oil in the full sun	flowers adorn the and is quite drou	e plant to complet ught tolerant. Pru	e the scene Ju	ıne-July.I	t is fairly	short-lived.	Hardy to 2	Zone 6.It	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Sedum reflexum 'Blue Spruce'	Stonecrop	Year Round	Sun to Partial Shade	6" x 2'			✓	✓	•	
	A very popular groun clusters of bright yell blue-green foliage wi butterflies visit the fl tolerant, but a little v	ow star flowers i hich often becom owers of 'Blue Sp	n summer. Chang nes tinged with ora oruce' in the summ	ing with the seas ange or red in win ner.Blue Spruce s	sons, 'Blue Spr nter. Particula tonecrop pref	uce' stor arly attra	necrop ha	as narrow, fl ock gardens	eshy, need , bumblebe	le-like, es and	
Perennial: not Grass/Fern	Sedum ternatum 'Larinem Park'	Stonecrop	Late Spring	Sun to Partial Shade	4" x 23"				✓	✓	✓
	The evergreen creep Park forms a low car spring. A fast grower containers. Easy to p shade and moisture to	pet of small, rour , this is best kept propagate; simply	nded green leaves, away from slower break pieces off i	spreading to for alpine plants th	m a thick pato at it might sm	ch. Clust other. A	ers of wh	nite starry flood od choice for	wers appe tubs and n	ar in late nixed	
Perennial: not Grass/Fern	Sedum 'Vera Jameson'	Hybrid Stonecrop	Fall	Full Sun	12"x 10"			✓	•	•	
	Unique among sedur growing plants and a cover near the front drought tolerance mand propagate. Little	re absolutely cov of the border. Be akes this plant ve	vered with insects est planted in grou ery useful in rock w	in fall. Easy and pings and combi	attractive. Ha	irdy zone other pe	s 3-9.Us rennials s	e as an attra such as core	ctive, full so opsis. Exce	un ground Ilent	
Perennial: not Grass/Fern	Sibbaldiopsis (Potentilla) tridentata	Three-leaved Cinquefoil	Spring to Fall	Full Sun	6" x 15"			✓	✓		✓
	Sibbaldiopsis tridenta forming mats provide branchlets and are hi much competition. I endangered species i too clustered.	e significant grou ghly attractive to t does not compe	nd cover. Leaves to bees and other pete well, and is bes	turn dark red to lollinators. Does lot not to be grow	bronze in the best in dry hal	Fall. Whi bitats, ar Great p	te flower d thrives lant for r	rs bloom in c s in poor soil rock gardens	lusters at t s where the .Classified	he end of ere is not as a	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Stachys byzantina 'Big Ears'	Lamb's Ear Betony	Year Round	Sun to Partial Shade	4-8"				•		
	Huge, 8-10 inch long slowly. This plant is and will tolerate mu	reputed to be no	on-flowering, but n	•				_		•	
Perennial: not Grass/Fern	Stachys byzantina 'Silver Carpet'	Lamb's Ear Betony	Year Round	Sun to Partial Shade	4-6" x 9-18"				•		
	'Silver Carpet' is a hy drained soil.Leaves a for the fact that it ra runners.	re evergreen in	warm climates, bu	t will depreciate	considerably i	n harsh v	winters.	This cultivar	is perhaps	most note	d
Perennial: not Grass/Fern	Stachys monieri 'Hummelo'	Betony	Summer	Full Sun	18-24" x 18"	✓		•	✓		
	'Hummelo' Betony for the surface of the gr growing leafy rosetto flowers. It has soft f in moist, well draine	ound. Over a co e there arises stu oliage, but the co	onsiderable length ordy nearly leafless olor is glossy green	of time it spreads stems, straight & n instead of silver	s into a pleasing tall, twenty in the floor of the floor	ng groun inches to owers ar	dcover. two fee e attract	Out of the co	enter of the ed with pur	e low- ple	C
Perennial: not Grass/Fern	Stokesia laevis 'Peachie's Pick'	Stokes Aster	Mid Summer	Full Sun	18' x 18'			•	✓	✓	✓
	Stokesia are native A plantwoman who dis addition to pollinato flowering.	scovered it, bloo	ms longer and a bi	t later than other	types.Stokes	ia attract	ts bees a	nd butterlies	, making it	a valuable	·
Perennial: not Grass/Fern	Stylophorum diphyllum	Wood Poppy	Spring to Fall	Partial Shade to Shade	12-18" x 12- 18"				•		✓
	Stylophorum diphyll undersides, clear yel intermittently throu	low cup-like flow	ers and grey fuzzy	seed pods. It has	s a heavy bou	quet of f	lowers in	the spring b	out blooms		

seedlings but they are easy to control.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Symphyotrichum (Aster) cordifolium	Blue Wood Aster	Fall	Partial Shade to Shade	3' x 3'			✓	•		•
	Clouds of blue flowers Astilbes, which look p or shade. Flowers bes	retty rough by S	September. Found	l in woods and di	ry meadows.Pi	efers a p	partially s	shaded site,	but will tol	erate sun	
Perennial: not Grass/Fern	Symphyotrichum (Aster) novae-angliae 'Purple Dome'	New England Aster	Early Fall	Sun	18-24"			✓	✓		•
	This cultivar stays very in Greenville, DE. Aste after blooming to avo	ers are very easy	to grow in averag	ge garden soil, wi	•			•			
Perennial: not Grass/Fern	Thelypteris palustris	Marsh Fern	Spring to Fall	Sun to Partial Shade	18" x 18"				•		•
	Marsh fern features b soils in open woodlan be used in bog plantin water.	ds, marshes, an	d wet meadows. l	Jnusually for a fe	rn, it grows ha	ppily in	full sun if	kept consis	tantly mois	st and can	
Perennial: not Grass/Fern	Thymus serpyllum (praecox) 'Minus'	Creeping Thyme	Year Round	Full Sun	4-6"			•	•	✓	
	Thymus 'Minus' is a di woody stems form a f whitish to rose-purple an accent plant. It is a should be done before wateringsdon't let it	lat mat (2-6" ta flowers appear deer resistant ar e August.Grows	II) with tiny, round r in summer. Flow nd tolerates foot t well even in poor	led, fuzzy, blue-g ers are attractive raffic. Cut off wi	reen leaves. L to bees. Ever nter damage t	eaves ar green in o new gr	e aromat mild wir	tic. Clusters nters.Use as early spring.	of tiny, tuk a ground co Heavy pru	oular, over or as ining	
Perennial: not Grass/Fern	Tiarella cordifolia	Foamflower	Late Spring- Early Summer	Partial Shade to Shade	6-12"			✓	•		•
	The Foamflower make shaped leaves in the s its burgundy hued lea	pring. When p		-		•				•	h

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: not Grass/Fern	Vernonia angustifolia 'Plum Peachy'	Narrow-leaf Ironweed	Late Summer	Full Sun	48"	✓	✓	•	•	✓	✓
	This southeast native leaves are tinted with lodging. It attracts b moist.	h purple and con	tribute fine textur	re to the flower g	arden.'Plum P	eachy' w	as select	ed for its str	ong stems	that resist	
Perennial: Grass	Bouteloua curtipendula	Sideoats Grama grass	Summer to Fall	Full Sun	30" x 30"	✓		✓	•	✓	✓
	Sideoats grama is a nattractive bluish gree garden.Perfect for namoths.Tough and dro	en in spring and s aturalistic or prai	summer, turning s rie style plantings	hades of gold in f , Sideoats Grama	all. This is a cl	ump for d host fo	ming gras or several	ss and is not skipper but	aggressive terflies and	in the	
Perennial: Grass	Carex albicans	White Tinge Sedge	Spring to Fall	Partial Shade to Shade	18" x 18"				•	•	✓
	White Tinge Sedge for and feature a distinct plant intermingles with full shade. Slowly sp	t white margin.T ell with both ear	he very fine leaf b ly spring bulbs, na	lades can be up t	o 20" long and	form flo	owing tus	sucks in the	shade gard	den. The	
Perennial: Grass	Carex appalachica	Appalachian Sedge	Spring to Fall	Partial Shade to Shade	6" x 12"	✓			•	•	✓
	Carex appalachia is nalso performs very was plantings. Appalachia seeds are eaten by a those of skipper and late winter.	rell as a moundin n sedge is clump variety of birds a	g, fine textured gr forming and slow and by turtles and	roundcover, a sof ly, gradually forn it is an importan	t edging to a part of the second to the second to the second second to the second seco	oath, or a at provid ource fo	as a grace e habitat r several	eful addition for wildlife. species of ca	to contain In addition aterpillars in	er n, the ncluding	
Perennial: Grass	Carex pensylvanica	Pennsylvania Sedge	Spring	Sun to Shade	6-8" x 6-8"	✓			•	✓	✓
	Carex pennsylvanica Foliage is green, red seasonal cover for sn resistant.	to purple. Reddi	sh brown thimble	-like flowers top	the narrow fin	e textur	ed leaves	in spring.It	provides ar	n excellent	:

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: Grass	Cyrtominum falcatum 'Rochfordianum'	Japanese Holly Fern	Spring to Fall	Partial Shade to Shade	24" x 12"				•		
	This Japanese holly f fringed, holly-like pir unique Fern is an exc other Ferns, it stands supply.Best grown in are grown in poorly o	nnae. Pinnae are cellent potted sp s up to coastal br rich, humusy, m	falcate (sickle-sha ecimen. It grows i eezes without tat	aped) as the spec in shaded niches tering. Above all	ies name sugg in rock gardei , it is among t	gests. From s and on the few the	onds arise the nort nat surviv	e from erect th side of bu ve well with s	, scaly rhizo ildings. Thi salt air or sa	omes.This cker than aline wate	r
Perennial: Grass	Panicum virgatum 'Shenandoah'	Switchgrass	Summer to Fall	Full Sun	4'				•	✓	✓
	This is the reddest of seed heads in late su			•		burgund	y red in f	fall. Topped	with airy, o	dark tan	
Perennial: Grass	Schizachyrium scoparium 'Standing Ovation'	Bluestem Grass	Year Round	Full Sun	3-4' x 1'				•	✓	✓
	This little bluestem is transition through pu amber tone. It tolera growth. It will self-so	urple down to blu tes a wide range	ue-green at the ba of growing condi	se. Beautiful eve	en in winter, voor, dry soils.	vhen its f Cut back	ine, uprig	ght foliage ta spring to ma	akes on a re ake way for	eddish new	
Perennial: Grass	Sorghastrum nutans 'MNYG318153' Golden Sunset®	Yellow Indian Grass	Late Summer	Full Sun	5-6'	✓			•	•	✓

'Golden Sunset' is a selction of our native Yellow Prairie Grass. Wide leaves form a solid base up to 3' high with long golden seedheads rising up to 5 - 6' above the plant in late summer. The wheat-like seedheads are 10 - 12" and hold their form adding winter interest to the landscape. Developed by the Minnesota Landscape Arboretum, 'Golden Sunset' remains upright during the growing season and through the winter. 'Golden Sunset' is adaptable to a wide range of conditions, but prefers rich loam soils. It is drought tolerant once established. Cut back in late winter or early spring before new growth.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: Fern	Asplenium trichomanes	Maidenhair Spleenwort	Year Round	Partial Shade to Shade	4-8" x 12"				✓	•	✓
	This small, fragile-loo green and appear like even easy to grow in rich well-drained soil established. Prefers	e miniature versi dry shade. This but it will grow	ons of our commo easy but slow-gro well in most soil t	on sword fern. A wing fern perform ypes except thos	splenium trich ms well in ligh e that becom	nomanes t, open, o e water l	is very cu dappled, ogged. It	ate and once or deep sha	e it is estab de. It grow	lished it is vs fastest ir	ı
Perennial: Fern	Athyrium filix-femina	Lady Fern	Spring to Fall	Shade	26-30"				✓		✓
	Athyrium felix-femina fronds. Plant in shad strong wind, since fro	e in a slightly aci	d, moist fertile soi	il. Easy to grow a	and vigorous,	it will for	m dense	clumps rapi	dly.Protect	from	
Perennial: Fern	Athyrium filix-femina 'Lady in Red'	Lady Fern	Spring to Fall	Partial Shade to Shade	30" x 24"				•		•
	Strong-growing and of features red stems, in choice for perennial lathroughout the season clay. Tolerates sun if	naking it a great porders and woo on for a continuo	choice to combine dlands alike. A br usly fresh look.Lad	e with purple-leadeathtaking flush	ved plants. To of new fronds	ough and appears	easy to g	grow, this su oring, with n	Itry beauty ew leaves a	is the righ appearing	t
Perennial: Fern	Athyrium nipponicum 'Pictum'	Japanese Painted Fern	Spring to Fall	Partial Shade	10"				•		
	The most colorful of mound. This fern wil		• .	oliage with red ar	nd green flush	es and da	ark stems	s. Spreads sl	owly to for	m a	
Perennial: Fern	Dryopteris erythrosora 'Brilliance'	Autumn Fern	Fall	Partial Shade to Shade	18" x 12-24"				•		
	Dryopteris erythroso orange as they unfur giving a colorful tape fern grows well in mo of sites with compact disease problems.	. Fronds age to stry effect of copicts woodlands a	a lustrous dark grepper and green fro oper and green fro nd shade gardens.	een and remain v m spring to late . It prefers moist,	vell into winte fall.It has an u well-drained	er. New g pright, o acidic so	growth co pen habi ils in full	ontinues thro t and moder to partial sh	ough the se ate density ade and is	eason, 7. Autumn intolerant	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Drought Tolerant	Native
Perennial: Fern	Dryopteris goldieana (goldiana)	Goldie's Fern	Spring to Fall	Shade	3-4'				•		•
	This is the largest of o to form a 6-foot clum fronds. The fronds ta prefers a bright shady	p. It is easy to d per near the tip	istinguish from otl .Use in a woodlan	her ferns not onl d garden, along p	y by its size bu oonds, streams	t also by s or bogs	the back , or mass	ward-archin	ig, oblong-t	triangular	
Perennial: Fern	Dryopteris spinulosa	Toothed Woodfern	Year Round	Sun to Partial Shade	18-24"				•		
	An erect, medium-size	ed fern with out	ward curving, eve	rgreen fronds. T	he naturalizin	g fern wi	th no wo	rry.			
Perennial: Fern	Matteuccia struthiopteris	Ostrich Fern	Spring to Fall	Partial Shade to Shade	2-4'				✓		•
	In the spring, emergin our moist woodlands can cover large areas.	or stream edge	_	_							
Perennial: Fern	Osmunda cinnamomea	Cinnamon Fern	Spring to Fall	Partial Shade to Shade	2-5'				✓		✓
	Cinnamon fern derive resembling cinnamon handsome additions t	sticks. These a	re followed by larg	ger, coarse-testu					•	•	
Perennial: Fern	Osmunda claytoniana	Interrupted Fern	Spring to Fall	Partial Shade to Shade	2-3' x 2-3'				•		•
	This is a native fern w in a spreading-vase fo spore-bearing pinnae the source for Osmun phlox, foam flowers, r	rm to 2-3' tall, l (leaflets) which da fiber used in	out with constant typically fall off in the potting of orc	moisture can rea n mid summer, th	ch 5' in height us giving rise	. Broad to the co	fronds ar mmon n	e "interrupt ame. The rh	ed" in the r izomes (ro	middle by ots) are	
Perennial: Fern	Osmunda regalis	Royal Fern	Spring to Fall	Shade	3'				•		•
	Bright brown plumes and a lot of moisture.	emerge from th	e ground in spring	g. Leafy, lance-sh	aped fronds a	re attrac	tive all se	eason long.	Prefers an	acid soil	

Annual - ALL Seasons	TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistan	Tolerant	Native
			Vick's Plant	Year Round	Partial Shade	12" x 30"				•	•	

Plectranthus tomentosus is a perennial, succulent-like herb or branched subshrubs with aromatic leaves. It is commonly known as the "Vicks Plant" for its leaves that smell like Vick's Vap-O-Rub or mentholatum when crushed. The flowers are white to light purple, and exceptionally attractive to honey bees. Give this one room, as it can spread to three of four feet across. Prune back by half every six months to reduce woodiness. Very fast growing - ideal for filling empty spots. The plant prefers dry conditions, very drought tolerant. It is a tender perennial and is grown here as an annual or a houseplant.