,	nyler Arboretum Tyler F	Plant Sale - P	lant Descriptior	ns - Native		2024	4/	28/2024		Page	1 of 49
TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Vine	Campsis radicans	Trumpet Vine	Summer	Sun to Partial Shade	30' x 5'		✓		✓	✓	✓
	Trumpet vine is a hum through August. Flow and can provide quick Prune aggressively in	ers are followed cover for walls,	d by 3-5" seedpod , fences and arbor	ls.This large, vigo s or can climb lar	rous vine nee	ds a stron	g suppor	t and lots o	froom. It	self-clingin	
Woody: Vine	Clematis virginiana	Virgin's Bower	Summer to Fall	Sun to Partial Shade	12-15' x 3-6	j' 🖌			✓	✓	✓
Woody: Vine	Clematis virginiana is all the baggage, dogm profusion in high sum This one will root whe average soils, and can Dioscorea villosa	a and fuss of th mer, just when re it makes goo	e mass-market Cle your garden need d soil contact, bu	ematis. Small wh s a shot of love. t can be kept in p	ite 4-petaled Perfect for cli lace with a lit	flowers a imbing str tle old-fas	re sweet uctures,	y fragrant a arbors, cha	and in mass in-link fenc	sive es, etc.	V
	Wild Yam is a beautifu long and wide. The test are in loose straggling need to be grown tog	xture effect is te clusters.Individ	errific. Small gree ual plants are eith	en flowers first ap ner male or femal	pear in mid s e. The plant i	pring and s not self-	continue fertile an	into early d both mal	summer. T	he flowers	i
Woody: Vine	Gelsemium sempervirens 'Margarita'	Carolina Jessamine	Spring to Fall	Full Sun	10-20'						✓
	A twining evergreen v trellises and even as a need fertile, well drain	n accent for sm	all trees. Cultivar	'Margarita' is a c		•					

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer 8 Resistant	Drought Tolerant	Native
Woody: Vine	Lonicera sempervirens	Trumpet Honeysuckle	Spring to Summer	Sun to Partial Shade	10-15'	✓	✓				✓
	The flashy red flower arbor or trellis in full from Spring through S birds. Plant is a larva dry sands. Although too aggressive, it is an	sun for the best Summer and are host to Spring t will grow in pa	floral display. Old set against a back Azure butterflies a rtial shade, flower	er stems have pa drop of dark gre nd Snowberry cle	pery exfoliati en leaves. Bri earwing moth	ng bark.1 ight red f s.Trumpe	The delica ruits are a et honeys	te but strik attractive to uckle tolera	ing blooms o a wide vai ates most so	appear riety of oils except	
Woody: Vine	Lonicera sempervirens 'Magnifica'	Trumpet Honeysuckle	Spring to Fall	Sun to Partial Shade	15-25'	✓	✓	✓			✓
	Lonicera 'Magnifica' i unite at the ends of s flowers and other bir vines.	tems. Flowers a	re trumpet shaped	d with scarlet on	the outside a	nd yellow	/ on the ir	nside. Hum	nmingbirds	love the	
Woody: Vine	Lonicera sempervirens 'Major Wheeler'	Trumpet Honeysuckle	Summer to Fall	Sun to Partial Shade	3-8' x 1-10'	✓		✓			✓
	This native honeysuch demonstrated that the spring through the en landscape.Needs a lit edges of woodlands,	is is the most pr d of summer an tle support in th	ofuse bloomer of d highly disease re e garden, or let it s	its species and w esistant foliage, 'l scramble over a l	ith its mass d Major Wheele nearby large s	isplay of er' is a lov hrub. Fo	thin tubul v care, hi und in su	ar, red-ora gh color ad nny clearin	nge flowers dition to th gs and alon	e g the	
Woody: Vine	Parthenocissus quinquefolia	Virginia Creeper	Spring to Fall	Sun to Partial Shade	30-50'					✓	✓
	Virginia creeper is a fabronze. Purple to reconsummer or early fall i and other mammals bas a shading vine on bas masonry. Tolerant of	l fall color devel nto small hard p put provide an ir puildings/mason	ops early. The flow purplish-black berri nportant winter fo ry walls; it adheres	vers are small and les. These berrie bod source for bin s to the surface b	d greenish, pr s contain oxa rds.Can be use	oduced i lic acid, w ed as a cl	n clusters /hich is or imbing vir	in late spri nly modera ne or grour	ing, and ma tely toxic to nd cover. Al	ture in late humans lso can use	
Woody: Vine	Wisteria frutescens 'Amethyst Falls'	American Wisteria	Late Spring- Early Summer	Sun to Partial Shade	20'						✓
	'Amethyst Falls' is an flowers as a younger					-		Irple flowe	r clusters ar	nd it also	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Vine	Wisteria frutescens 'Nivea'	American Wisteria	Late Spring- Early Summer	Sun to Partial Shade	20-30'						
	A white flowered sele purple selections. The growth begins. These	e best show can	be achieved by tr	imming your vine	to four buds						
Woody: Tree- Ornamental	Amelanchier arborea	Common Serviceberry	Early Spring	Sun to Partial Shade	20' x 15'	✓		✓			✓
	Amelanchier arborea leaves emerge. Fruits shrub or pruned to on make jelly or jam, her shade. May be suscep	s form quickly a e trunk to form ce another com	nd ripen into smal a small tree. In th nmon name is June	ll dark purple ber he autumn the fo eberry.Adaptable	ries that are q liage turns ora	uickly eat ange-red. ⁻	en by bir The early	ds. It can summer b	be grown a erries can l	is a large be used to	
Woody: Tree- Ornamental	Amelanchier canadensis	Serviceberry	Year Round	Partial Shade to Shade	15-30'	✓					✓
	Serviceberry is a beau typically grows 15-30' early spring. Finely to green berries which tu color and are used in	tall. The showy othed, elliptic, i urn red and fina	y, 5-petaled, slight medium to dark gr lly mature to a dar	ly fragrant, white reen leaves chang	flowers appe se to orange-r	ar in droc ed in autu	ping clus umn.Flow	sters befor vers give w	e the leaves ay to small,	s emerge ir round,	
Woody: Tree- Ornamental	Cercis canadensis 'Alley Cat'	Eastern Redbud	Spring to Summer	Sun to Partial Shade	20-30' x 25- 35'		✓				✓
	Prized for its variegate are held in clusters co leaves become speckl	vering the bare	branches. The he	art-shaped leave	s emerge a co	pper pink	and soft	green. As	they matu	re the	

woodlands. The early flowers of our eastern redbud are a favorite of hungry spring migrating hummingbirds as well as a variety of pollinators. Easily grown in average, medium moisture, sell-drained soils in full sun to partial shade. Performs best with consistant moisture.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cercis canadensis 'Flame Thrower'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	15' x 15'	✓	✓				✓
	Redbuds are loved for Thrower' are heart sh as they age. The colo pollinators. Redbuds production. Redbud p	aped. The you r mix persists fi make good cut	ng foliage emerges rom spring through flowers and the blo	a rich burgandy fall. The early bl ooms are edible	red, gradually ooms of redbu and can be us	turn bea uds attrac	utiful sha ct returni	ides of ora ng hummir	nge, yellow ngbirds as w	and greer vell as early	/
Woody: Tree- Ornamental	Cercis canadensis 'JN21' Sparkling Wine™	Easterm Redbud	Spring to Fall	Sun to Partial Shade	12' x 10'		✓		✓		✓
Weethy Tree	In mid-May the bare b followed by deep red- breezy summer days. upright, narrow habit, full sun to partial shac	to-purple leave In autumn the making it a pe de. Performs b	es that transition to foliage glows with rfect plant for smal est with consistant	b bronzy green at oranges, green, a Il garden settings moisture.	maturity with and purple. 'S . Easily grown	n velvety Sparkling	purple ur Wine' is a	ndersides p a compact v	roviding co variety with	ntrast on i an	n V
Woody: Tree- Ornamental	Cercis canadensis 'Merlot'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	10-12' x 12'	V	V	V		V	V
	Early small bright pink 2 - 3 weeks. The smal stress.Reaching only 1 habit. The early sprin conditions. Performs	ll heart-shaped 10 to 12 feet ta g flowers are e	leaves of 'Merlot' a II, 'Merlot' is a perfe njoyed by humming	are wine red and ect candidate for gbirds.It is impor	hold their col smaller garde tant to noted	or throug ens. It fea that 'Me	gh the sea atures an rlot' is mo	ason with n upright, de pre toleran	o summer l ense, vase-s	heat shaped	
Woody: Tree- Ornamental	Cercis canadensis 'Pink Pom Poms'	Eastern Redbud	Spring to Fall	Sun to Partial Shade	13' x 13'						
	The prolific reddish pu appear in early spring is erect and multi-ster shade, but flowering i doubled they are ster	before the lear mmed. The fol s heavier in full	ves emerge. The gl iage supports 12 sp l sun. They are tole	lossy green heart becies of Lepidop erant of most soil	-shaped foliag tera as a larva	ge turns a I host pla	n attract nt. Redb	yellow in f uds grow ir	all. The gro full sun to	owth habit part	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer s Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Cornus florida	Flowering Dogwood	Early Spring	Sun to Partial Shade	15-30' x 15- 30'						
	Cornus florida, comm somewhat flat-toppe surrounded by four s white flower. Oval, o loved by birds.Grow part shade. Benefits	ed habit. It argu showy, white, pe dark green leave in average, med	ably may be the m etal-like bracts whi es turn attractive sl lium moisture, wel	ost beautiful of t ich open flat, givir hades of red in fa Il-drained soil in f	he native Ame ng the appeara II. Bright red f ull sun to part	erican flo ance of a fruits are shade bu	wering tro single, la bitter and	ees.Each flo rge, 3-4" di d inedible t	ower cluste iameter, 4-p to humans b	r is petaled, put are	
Woody: Tree- Ornamental	Cornus florida 'Appalachian Spring'	Flowering Dogwood	Year Round	Sun to Partial Shade	20-30' x 25- 35'						✓
	Cornus florida is one cultivar 'Appalachian lead into winter whe the glossy red berrie during drought, mulo	Spring' has larg in the interesting s. 'Appalachian	e white flowers in g bark and horizon Spring' showed su	spring followed b Ital branching pat perior resistance	by dark green t tern make the to dogwood a	foliage. A tree a fo inthracho der the ti	Abundant ocal point ose in an e	red berrie in the lanc extensive t void using l	s and vivid i lscape. Bird rial. Water	red leaves ds feast on plants	S.
Woody: Tree- Ornamental	Prunus maritima	Beach Plum	Spring to Summer	Sun to Partial Shade	5' x 5'	✓		✓			✓
	Prunus maritima is a leaves with highly dis fruits develop over s wildlife.Grows well in humans, pets, or live	stinguishing lent ummer and ripe n high drainage s	icels that form on n early fall. These	bark.Dense cluste fruits, while tart,	ers of white flo are edible and	owers be d a great	gin bloon food sour	ning in late rce for bird	spring. Sma s and other	all pitted-	
Woody: Tree- Ornamental	Ptelea trifoliata	Hop Tree	Spring to Winter	Partial Shade to Shade	15-20' x 15- 20'						
	This lovely tree is a d leaves are shiny, dar flowers are not parti disc that matures to well-drained soils in	k green in summ cularly showy, t brown in late su	ner, turning yellow hey give way to at immer and persist	in the fall. Term tractive pendulou through most of	inal clusters o is seed cluster the winter. H	f tiny wh s. Each op tree is	ite flower seed is er s easily gr	rs appear ir ncased in a own in ave	h late spring thin, winge rage, dry to	g. While the d, 1-inch	е

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Ornamental	Stewartia malacodendron (virginica)	Silky Camellia	Spring to Fall	Shade	10-18' x 15- 25'						✓
	The Silky Camellia is a centers of purple star undersides of the dar well-drained soils, and flowers attract bees a locate it in its final gro	nens and blue and k green leaves a d the shelter of v and butterflies to	nthers. The bark is nd the young redd woodlands. The pl	s smooth cinnam lish-brown twigs lant thrives in th	ion color and e . The fruit is a e morning sun	exfoliates small ov but need	in strips al capsule ls deep s	Silky hairs It prefers hade durin	s are found rich loamy, g most of th	on the moist, ne day. The	
Woody: Tree- Ornamental	X Gordlinia grandiflora	Mountain Gordlinia	Year Round	Full Sun	30' x 15'						
	An absolute must-hav (now believed extinct shaped evergreen tre appeal. It is more col University, Mountain USDA Hardiness Zone	in the wild) with e with large, ser d-hardy, longer- Gordlinia is cert	h those of Gordon ni-cupped 3-4" wh lived, and disease	ia lasianthus, the ite blooms, rich -resistant than it	e beloved Lobl orange and re s parents.Intro	olly Bay. d fall folia oduced by	/lountain age, vigoi / Dr. Tom	Gordlinia rous growt Ranney of	is a small, be h, and irresi ⁻ North Caro	eautifully stible Ilina State	
Woody: Tree- Canopy/ Shade	Diospyros virginiana	Persimmon	Fall	Sun to Partial Shade	+30' x +20'	✓		✓			
	Common persimmon lands of the Mississip strength. Persimmon food. The glossy leat taproot.	pi River Valley. is much better	The wood is close known for its fruits	grained and som s, however. The	etimes used for a re enjoyed	or special by people	product e as well	s requiring as many sp	hardness ar ecies of wild	nd dlife for	
Woody: Tree- Canopy/ Shade	Juglans cinerea	Butternut	Year Round	Full Sun	40-60'						✓
	Butternut is a small to similar. Fall foliage is	yellow to brown	n.Butternuts produ	uce edible fruits	that are sweet	and mild	l and are	enjoyed by	v people and	d wildlife.	

Butternut is a larval food host for luna moths and other Lepidoptera. Plant in moist, well-drained soil in full sun. Does not tolerate extended drought. Like walnuts, the roots of butternuts produce juglone, a substance that is toxic to some plants.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Tree- Canopy/ Shade	Liquidambar styraciflua	Sweet Gum	Spring to Fall	Sun to Partial Shade	60-80' x 40- 60'	✓					<
	The Sweet Gum has s color of the fruiting h and familiar trees, wi crushed. Sweet Gum	eads fades to ye th distinctive sta	ellow as maturity is ar-shaped leaves a	s reached in Sept nd spiky ball-sha	ember to Nov ped fruits. The	ember. S [.] e leaves h	weet Gur ave a ple	n is one of asant, swe	our most c	ommon	
Woody: Tree- Canopy/ Shade	Oxydendrum arboreum	Sourwood	Year Round	Sun to Partial Shade	25-30'						✓
	This is a pyramidal tre Flowers are small, urr yellow-green when th	n-shaped, and co	ome on 4 to 10" dr	rooping panicles	that lay on top	o of the g	ossy folia				
Woody: Tree- Canopy/ Shade	Quercus prinus	Chestnut Oak	Year Round	Full Sun	60' x 60'	✓				✓	
	The Chestnut Oak tre is dark and very roug are an important sou old. The leaf undersion of leaves by late autu	 h. On older tree rce of food for v des are medium 	es bark typically is l various forms of wi	broken into long, ildlife. The acorn	V-shaped ridg s are large, bu	ges that a t do not a	re separa appear ui	ited by dee ntil the tree	ep furrows. e is around	The acorn 20 years	
Woody: Tree- Canopy/ Shade	Tilia americana	American Linden	Spring	Sun to Partial Shade	50-80' x 35'	✓					✓
	American linden is a r flowers in late spring, Ontario and the north bees often visit in suc prized gourmet food manner as maple syre	, small nutlets w heastern and no ch abundant nun item. Flowers h	ith attached leafy rthcentral U.S., inc nbers that hummi	wings and large o cluding dry upland ng can be heard r	dark green lea d areas as wel many feet fron	ves. It is I as moist n the tree	native to :, low wo e. Honey	a variety o ods. Wher made from	of habitats in tree is in f these flow	n southern ull bloom, vers is a	
Woody: Shrub	Aesculus parviflora	Bottlebrush Buckeye	Summer to Fall	Sun to Partial Shade	8-10' x 8-15'		✓				✓
	Bottlebruch buckeye leaves have their leaf arranged in cylindrica summer for 2 to 3 we perfers acid soil, but i	lets arranged lik Il clusters that a eeks. In the fall t	e fingers radiating re 8-12"s long and	from a person's 2-4" wide. This	hand and meanative buckey	asure 8-10 e blooms)" across in our ar	. Small wh ea around	ite flowers July Fourth	are each	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Aralia spinosa	Devil's Walking Stick	Late Summer	Sun to Partial Shade	15-20'	✓		✓	✓	✓	✓
	Aralia spinosa is a nat reaching about 35' tal summer it is topped b commonly found in w stems and leaves. It is blossoms and songbin occasionall wet condi	II. It is crowned by large clusters roodland margin highly deer resids and wildlife r	by umbrella-like co of frothy white flo is, fields, or along s istant and can be v elish the fruit. A ve	anopies of large of wers which are for streams. It is ofte valuable as part of	compound fol ollowed by fle en called devil f a perimeter	iage, givir eshy black I's walking barrier.	ng it a str k fruit.Na g stick du Pollinato	iking tropic tive to the e to the sh rs and butt	al effect. In eastern U. S arp spines o erflies nect	n late S., it is on both the ar on the	
Woody: Shrub	Calycanthus floridus 'Athens'	Common Sweetshrub	Spring to Fall	Sun to Partial Shade	4-8' x 4-8'						✓
	Calycanthus floridus ' Flowers are born on c can be enjoyed. Swee when dry but can surv	urrent growth, s etshrub is easy t	so do desired prun o grow in average	ing after flowerir soil, is easy to ca	ng. Be sure to	incorpor	ate this o	arefree pla	nt where f	ragrance	
Woody: Shrub	Calycanthus floridus 'Michael Lindsey'	Common Sweetshrub	Spring	Sun to Partial Shade	7' x 7'						✓
	Calycanthus floridus ' turns a striking yellow 2" flowers. No seriou conditions. Hardy in 2	in the fall. Dist	inct, very fragrant	flowers bloom in	May and Jun	e; the sce	ent of fru	it lures you	to its redd	ish-brown	
Woody: Shrub	Clethra alnifolia 'Sixteen Candles'	Summerswee t Clethra	Summer	Sun to Partial Shade	3-3.5'						✓
	This cultivar was select its parent plant. It ho July. The spent inflore part shade and consis	lds its flowers u escents add inte	pright like candles rest through winte	on a cake which er.Easily grown in	inspired its na average, me	ame. The dium to v	y are wh	ite coming	in late June	e and early	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Cornus amomum	Silky Dogwood	Late Spring	Sun to Partial Shade	6'-12' x 6'- 12'	✓		✓	✓		✓
	A great shrub for wil important food sour be a great addition t wet soil, creating thi steams/ponds or for	ce for many song o your yard for tl ckets which are g	birds. Reddish-b nose soggy areas great for wildlife h	rown stems add w that are difficult to	vinter interest o find good pl	. Does pa antings fo	orticularly or. Its bra	well in mo anches have	ist areas, so e a tendeno	o it would	
Woody: Shrub	Cornus sericea (stolonifera) 'Arctic Fire'	Redosier Dogwood	Year Round	Sun to Partial Shade	4-5' x 4-5'	✓		✓	✓		✓
	Arctic Fire [®] dogwood 3-5' feet rather than color appears on one breakthrough for sm America.Synonymou	the 8-10' of conv e and two year of aller gardens or	ventional red-twig d stems; older sto residential landsc	g dogwood. Brigh ems will turn cork apes. Tolerates a	t red stems in y and brown.	winter a Its smalle	dd color er size ma	to the lands ikes this vai	scape. The riety a grea	best red t	t
Woody: Shrub	Cornus sericea (stolonifera) 'Baileyi'	Redosier Dogwood	Winter	Sun to Partial Shade	6-9' x 6-9'	✓		✓			✓
	Cornus sericea 'Baile and fruit are milky w against dark evergre should be cut to the	hite. The plant's ens or mixed wit	most interesting h sericea 'Flavirar	feature is its rich nea' or sericea 'Ca	dark-red to bl ardinal'. Prefe	ood-red rs rich, n	stem colo	or in winter	. The color	is great	
Woody: Shrub	Corylus americana	American Filbert	Spring to Fall	Sun to Partial Shade	8' x 6'	✓					✓
	Leaves of American fall. Flowers are intr turn brown when the wide range of condit	iguing catkins (lik e nuts are ripe. N	ke birch). Female luts are 1/2 inch i	flowers develop i n size. When a fe	nto a small clu w are planted	uster of n , count o	uts enclo	sed by two	protective	bracts tha	
Woody: Shrub	Diervilla rivularis 'SMNDRSF' Kodiak® Black	Bush Honeysuckle	Spring to Fall	Sun to Partial Shade	36-48"	✓		✓	✓		✓
	Diervilla just got a lo its dark burgundy-bla summer. This is a du ones. Trim in spring	ack foliage. The our able native that	color is especially t thrives in sun or	intense in spring a shade, and is a ve	and autumn.	The brigh	nt yellow	flowers add	d contrast i	n early	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Euonymus americanus	Hearts-A- Burstin	Year Round	Partial Shade	6-9'					✓	
	This airy, deciduous sh appear in spring and h "husks" open to revea loose, suckering, spray hundreds of "bursting droughts, and alkaline	have five, disting Il orange-red se wling shrub, it is "red capsules.	ct, clawed petals. I eds. This dramatic s best used in natu	Bright green, ova c husk-and-seed o ral settings, in th	l leaves becor display is resp e shade of lar	me dark r onsible fo ger shrub	ed in fall or the "he is and tre	when brigl earts-a-bur es. Large s	nt pink to po stin" comm specimens c	urple fruit on name. <i>A</i> an have	Ą
Woody: Shrub	Fothergilla major 'Mount Airy'	Dwarf Fothergilla	Spring to Fall	Sun to Partial Shade	5-6'				✓		✓
	Fothergilla 'Mount Air flower spikes in early with a range of red, ye borders, foundation p a high organic content	spring are effec ellow and orang lantings, or ma	tive for three to fo ge. It has a vigorou	ur weeks. Dark l s upright habit a	blue-green fol nd tends to su	iage eme ucker, cre as. It per	rges afte ating colo forms be	r flowering onies. Use st in moist	: Fall color this native , well-draine	is superb plant in ed soil with	
Woody: Shrub	Hamamelis vernalis 'Kohankie Red'	Vernal Witchhazel	Winter	Sun to Partial Shade	7-9' x 8-10'						✓
	Hamamelis vernalis 'K flower consists of 4 ril the foliage. Superior v moisture, well-drained	bbon-like, curly vinter-flowering	, strap-shaped peta g shrub for the land	als with dull purp dscape in borders	le calyces.Flor s, and woodla	wers in ax nd garder	killary clu ns.Easily {	sters prior grown in a	to the eme verage, med	rgence of	ı
Woody: Shrub	Hamamelis vernalis 'Purple Ribbons'	Vernal Witchhazel	Early Spring	Sun to Partial Shade	10' x 10'				✓		✓
	'Purple Ribbons' is a n to yellow-orange in th ribbon-like petals are seed capsules. Prune a grown in average, me organically rich soils.	e fall. Fragrant held over an ex after flowering	, lavender-purple f tended period of t in the spring to cor	lowers are freely ime. As the leavent of the second shape and s	v produced in es develop the ize if desired.	very early e flowers Pleasing	/ spring. fade, foll yellow-o	These bea owed by ir range leaf	utiful bloom nconspicuou color in fall	ns of wavy Is woody Easily	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer s Resistant	Drought Tolerant	Native
Woody: Shrub	Hamamelis virginiana	Virginia Witchhazel	Fall	Sun to Partial Shade	20' x 15'						✓
	Native understory tre is the last woody plan moist, cool, acidic soil dense multi-stemmed	t to flower. Ex . Tolerates cla	cellent for naturali y soil and poor dra	stic areas as well inage. It forms a	as shady area	is. Likes f	ull sun to	partial sha	ade and pre	fers a	
Woody: Shrub	Hydrangea arborescens 'Annabelle'	Smooth Hydrangea	Summer	Partial Shade	3-5' x 3-5'						✓
	'Annabelle' is one of t and are produced on weather. Cut flowers ground in late winter	new wood star at the base an	ting light yellow-gr d hang to dry for w	een turning a cre ⁄inter bouquets. l	amy white. B Jse massed, a	looms m s a low h	ay persist	t for two m	onths in co	ol	5
Woody: Shrub	Hydrangea arborescens 'Haas' Halo'	Smooth Hydrangea	Summer to Fall	Sun to Partial Shade	3-5' x 3-5'			✓			✓
	Deep, blueish-green, beautiful native select walking past with it's smooth hydrangea th and humidity. It is be would prefer morning	tion stands tall truly incredible at will not wilt autiful planted	and never flops, even blooms and stout on the first dry day as a specimen and	ven with it's mass and sturdy statur of summer. It ca lovely en masse	sive blooms. I re. It is a favo an handle ma along a wood	t's an up rite of be ssive drou lland edge	right, yet es and buy ughts and	bushy plar utterflies!'I I a long, ho	nt that will s Haas' Halo' t summer f	top anyone is one ull of heat	2
Woody: Shrub	Hydrangea quercifolia 'Alice'	Oakleaf Hydrangea	Summer to Fall	Sun to Partial Shade	6-8'						✓
	The wonderful large c white flowers bloom i foliage turns a rich bu	n 10" long clus	ters. Through the s	summer and fall,		-			-		
Woody: Shrub	Hydrangea quercifolia 'Munchkin'	Oakleaf Hydrangea	Early Summer	Sun to Partial Shade	3' x 4-5'						
	A new cultivar of the rains. In early summe growth, and flower he full sun or light shade	er, flowers oper eads held uprig	n white and gradua	lly turn medium	pink.Growing	3-4 feet 1	all and 4	-5 feet wid	e after nine	years of	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Hydrangea quercifolia 'Ruby Slippers'	Oakleaf Hydrangea	Spring to Fall	Sun to Partial Shade	3.5' x 5'						✓
	In summer a profusio leaves of this exceptio The rich green foliage ideal used in mass pla	onal hydrangea turns a brillian	. Robust blossoms t mahogany-red in	open white, quic fall. The compac	kly age to dee t form of 'Rub	ep pink, a by Slipper	nd remai s' is well	in upright e suited for s	ven after h mall landso	eavy rains.	
Woody: Shrub	Ilex verticillata 'Southern Gentleman' (Male)	Winterberry Holly (male)	Winter	Sun to Partial Shade	7' x 7'	✓					
	Introduced by Robert 'Shaver', 'Sparkleberr	•	•	-	he "southern	" types of	f winterb	erry hollies	including '	Cacapon',	
Woody: Shrub	llex verticillata 'Winter Gold'	Winterberry Holly	Winter	Sun to Partial Shade	7' x 7'	✓					✓
	The winterberry holly an otherwise drab wi bears yellowish tinger come late, so it requi organic matter soils.	nter landscape. d pinkish orange	A rounded, multi- e fruit. The berry s	stemmed shrub. et on female pla	The selectior nts is as bount	n 'Winter tiful and p	Gold', a k persistan	oranch spoi t as 'Wintei	rt of 'Winte Red'. The	r Red', blooms	
Woody: Shrub	llex verticillata 'Winter Red'	Winterberry Holly	Fall to Winter	Sun to Partial Shade	9' x 8'	✓					✓
	The winterberry holly an otherwise drab wi bountiful quantities. they return from thei Gentleman'). Prefers	nter landscape. Berries reliably r winter "vacati	A rounded, multi- persist through wi on". The blooms of	stemmed shrub. nter, well into sp come late, so it re	The selectior ring. Fruit is c	n 'Winter often con	Red' bea sumed by	rs intense r y hungry Ce	ed fruit in a dar Waxwi	amazingly ngs once	
Woody: Shrub	Itea virginica 'Henry's Garnet'	Virginia Sweetspire	Spring to Fall	Sun to Shade	3-5'						✓
	'Henry's Garnet' is a s green in summer and Swarthmore College o	put on an autu	mn display of dazz	ling purples and o	rimsons. 'Her	nry's Garr					

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Itea virginica 'Merlot'	Virginia Sweetspire	Spring to Fall	Sun to Shade	3-4' x 4'				✓		✓
	This lovely, compact The fall brings a grea moist, fertile soils an is over.	at show of burga	ndy foliage. 'Mer	lot' is a medium to	o fast grower	given ade	equate nu	trition and	moisture.	It prefers	
Woody: Shrub	Lindera benzoin	Spicebush	Spring to Fall	Sun to Partial Shade	6-12' x 6-12'	✓					
Woody: Shrub	the spring landscape pollinator in order to fragrance similar to shrub. Lindera is nan soils. Morella (Myrica) pensylvanica	o set fruit, howev "Old Spice" when	ver.Fall color is a g n bruised. The lary	ood clear yellow, /a (caterpillar) of t	especially wh he spicebush a moist, acid	en growr swallowi	i in full su ail butte	in. Stems, f rfly feeds o	fruit and leave	aves emit a s of this	9
	Morella (Myrica) pe plants provide the fi and for areas where spray.	ragrance for bay	perry candles. This	c, native shrub tha s is a useful shrub	for massing ir	n borders	, erosion	control for	highway p	lantings	:
Woody: Shrub	Photinia (Aronia) arbutifolia (pyrifolia) 'Brilliantissima'	Red Chokeberry	Spring to Fall	Sun to Partial Shade	6-8' x 3-5'			✓	✓		✓
	Red Chokeberry is a Small white cluster deep green leaves t	of flowers in the urn brilliant red i	spring followed by	1/4" fruit which t tivar has been sele	turn bright red ected for supe	d in the fa erior blos	all and pe soms, fol	rsist thru N iage, fall co	lovember.	Lustrous	

Aronias prefer soils with adequate drainage but are well adapted to many soil types, including poor soils.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Physocarpus opulifolius 'SMPOTW' Tiny Wine®	Ninebark	Late Spring	Sun to Partial Shade	4' x 4'						
	This is definitely for the buds that open into w reveal several layers of in average garden soit conditions. Prune as r	vhite to light pin of reddish to ligh I that is well-dra	k flowers.Physoca nt brown inner bar inged. Best in full	rpus are noted fc k. This characteri sun but appreciat	or exfoliating k stic makes it i tes some after	oark (on r nvaluable moon sha	nature br e during t ade. Tolei	anches) wi	hich peels ir months.Eas	n strips to ily grown	
Woody: Shrub	Prunus americana	American Plum	Spring to Fall	Sun to Partial Shade	10-20' x 15- 25'						✓
	Prunus americana is a leaves that are 3-4" lo July-August and can b grown in average, dry thickets provide good plant for several spec	ong, turn yellow we used to make v to medium, we l cover for songl	to red in autumn. jellies and jam. St Il-drained soils. Re pirds and small ma	White showy flo ems, leaves, and emove suckers to	wers appear l seeds contair prevent unwa	pefore th cyanide anted spr	e leaves i , TOXIC to ead or to	n Spring.Tl o humans a train into	ne plum fru and animals a small tree	it ripens in !It is easily e. Its	
Woody: Shrub	Rhododendron 'Louisa Duemling'	Hybrid Azalea	Mid Summer	Partial Shade	10' x 6'						
	Rhododendron 'Louis southeastern native a was named at Winter flowers attract humm	azaleas; Rhododo thur Museum a	endron serrulatum nd Gardens for Lou	n (swamp azalea) uisa Duemling, wl	and Rhodode ho is said to h	ndron pri ave dona	unifolium ted the o	(plum leat riginal plar	fazalea). Tł	ne plant	
Woody: Shrub	Rhus aromatica	Fragrant Sumac	Spring to Fall	Sun to Partial Shade	2-6'	✓				✓	✓
	Fragrant Sumac is a d spring and small, fuzz purple. The foliage is berries are eaten by b partial shade in moist	y red berries ap lemon scented. pirds. The spring	pear in late summ Fragrant sumac is g azure and red-ba	er. In fall the gre an excellent opti nded harisreak u	en foliage turi on for stabilzi se this plant a	ns beauti ng banks s a larval	ful shade and slope	s of orange es, prevent	e, red, and r ing soil ero	eddish sion. The	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Shrub	Rhus aromatica 'Gro- Low'	Fragrant Sumac	Spring to Fall	Sun to Partial Shade	2' x 6-8'						
	This selection has a fruits. Fall color is a to part shade. Toler	good orange-red	. It makes a grea	it groundcover; eas	sily grown in a					•	1
Woody: Shrub	Rhus copallina 'Lanham's Purple'	Flameleaf Sumac	Spring to Fall	Full Sun	10' x 10'			✓	✓	✓	✓
	'Lanham's Purple' Su has matured to burg dry sites, and coloni resistant. It attracts	gundy-green, and zes banks, hillside	the fall color is a es and rocky area	striking combinati s well with its suck	on of purple, cering habit.It	red, oran is native,	ge and y	ellow. It is v	very tolerar	nt of poor	
Woody: Shrub	Rosa carolina	Rose	Summer & Winter	Sun to Partial Shade	3-6'	✓		✓		✓	
	Rosa carolina is a na streams. It has a lov moisture and keep t disease resistance o	ely pink flower in he roots cool. Pru	the summer and	l red fruits that per	sist through t	he winter	.Mulch c	an be appl	ied to help	retain	
Woody: Shrub	Rubus odoratus	Purpleflowerin g Raspberry	Summer	Sun to Partial Shade	3-6'						
	Purple-flowering ras they have a nice flav scent somewhat like susceptible to honey like clay. Prefers a s	vor. A very ornam e cedarwood. A vi y fungus.Easily gro	nental plant, it is gorous suckering own in a good we	hardy to about -30 shrub, it has pere ell-drained loamy s)°c. The gland nnial stems w oil in sun or s	ular hairs ithout pri emi-shad	on the s ckles. Pl e. Grows	tems have ants in this s well in a s	a powerful genus are i andy soil bu	resinous notably ut does not	:
Woody: Shrub	Salix discolor	Pussy Willow	Early Spring	Sun to Partial Shade	6-15'	✓					
	Salix discolor, also k to the pads on the p leaves are also a fav Hummingbirds are a to a rain garden. Th of pussy willows, pro	aws of cats. This ored food source Ilso known to use ey also adapt wel	large native shru for numerous ca the catkin fluff t I to drier sites ar	b serves as an imp aterpillars, which ir o construct their n ad their rapid grow	ortant food so turn provide ests.Pussy wil th is useful in	purce for provide e lows thriv	early bee esential f ve in wet	es and othe ood for nes soils, maki	r pollinator stling birds. ng it an ide	s. The al addtion	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer 8 Resistant	Drought Tolerant	Native
Woody: Shrub	Viburnum dentatum 'Synnestvedt' Chicago Lustre®	Arrowwood Viburnum	Summer	Sun to Partial Shade	8' x 8'	✓	✓				
	An outstanding Vibur mid to late June, follo later bloom than the mass plantings. All V seashore conditions.	wed by an orna species. Summ	imental cluster of er fruit attracts so	blue-black fruit in ngbirds. An extre	autumn. Re mely durable	ddish pur and adar	ple or go table cho	ld fall colo pice for he	r and with a dging, scree	slightly ning and	
Woody: Shrub	Viburnum nudum 'Bulk' Brandywine™	Possomhaw Viburnum	Spring to Fall	Sun to Partial Shade	5-12' x 5-12'	✓		✓			✓
	Dutch plantsman Man berries. Leaves turn a close together results groups for cross pollin	a dark maroon r s in huge crops c	ed in autumn. Pla of berries.Will grov	ant with Viburnum w in a wide range	'Winterthur'	as a com ons from	panion a	s planting t ined to eve	wo distinct n boggy soi	clones	
Woody: Shrub	Viburnum nudum 'Winterthur'	Possomhaw Viburnum	Spring to Fall	Sun to Partial Shade	5-6' x 5-6'	✓		✓			✓
	This handsome flowe spectacular vibrant re form, beginning white pollination for good f shaded sites and sum	ed-purple in fall. e changing to pi ruiting. Possom	In May-June, crean nk and finally brilli haw grows natura	amy white flower iant blue. Its habi	s are 2-4" acr t is more com	oss. As tl pact and	ne leaves refined t	turn in aut han the sp	tumn fruit c ecies. It ne	lusters eds cross-	
Woody: Shrub	Viburnum prunifolium	Blackhaw Viburnum	Spring to Fall	Sun to Partial Shade	15-30'	✓		✓			
	Blackhaw is usually gr small, single trunk tre native plant has white which often persist in turn attractive shade	ee. As a shrub, it e flowers in flat- ito winter and a	t typically grows 1 topped cymes app re quite attractive	2-15' tall with a spearing in spring. to birds and wild	oread of 6-12' Flowers give life. Ovate, fir	, but as a way in au nely tooth	tree may itumn to ned, gloss	y reach a h blue-black sy dark gree	eight of 30' , berry-like en leaves (te	. This drupes o 4" long)	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer 8 Resistant	Drought Tolerant	Native
Woody: Shrub	Viburnum trilobum 'Wentworth'	American Cranberrybus h	Year Round	Sun to Partial Shade	10-12' x 10- 12'						
	'Wentworth' is an ou become clusters of 1 lobed foliage takes of hedge. Plants flowe	./4" berries start	ng green then ch es of burgundy.'W	anging pink to spa /entworth' has an	rkling red. Fro upright habit	uit is quit that mak	e delicio es it usef	us. Finally, ul as a scre	in autumn, en or an in	the 3-	
Woody: Evergreen	Arctostaphylos uva-ursi 'Massachusetts'	Bearberry	Late Spring	Sun to Partial Shade	6" x 3'-6'	✓			✓		✓
	Common Bearberry solution for a difficu large rock.Its small g abundantly and is a selection originated	It site since it gro reen leaves have disease-resistant	ws where few otl silver grey backs selection with sm	ner plants are hap and often appear	py. Artostaph to be edged i	iyllos is lo n silver.	ovely drai 'Massach	ped over th usetts' flow	e edge of a wers and fru	a wall or uits	
Woody: Evergreen	llex glabra 'Gem Box'	Inkberry Holly	Year Round	Sun to Partial Shade	24-36" x 24- 36"						✓
	This cool new dwarf dainty, dark green le looks bare-legged lik climates.Grows best	aves with attract e other cultivars	ive red tips durin may. It's great as	g the spring flush. a small evergreer	It maintains hedge or use	good bra ed as a co	nching rig ntainer s	ght to the g pecimen in	round so it milder	never	
Woody: Evergreen	llex opaca 'Maryland Dwarf'	American Holly	Year Round	Sun to Partial Shade	2-3' x 3-10'	✓					✓
	The finest low sprea fruits are red.	ding form of Ame	erican Holly. Its m	nounding habit of	less than 3' ar	nd soft gr	een spiny	/ leaves ma	ikes a focal	point. The	<u>}</u>
Woody: Evergreen	Illicium parviflorum 'Florida Sunshine'	Small Anise- tree	Year Round	Partial Shade to Shade	5' x 3'				✓		✓
	'Florida Sunshine' fe The stems redden in shaded situations to scorch. Requires mo	cool weather, co add bright color	ontrasting with th spring through w	e foliage. Foliage inter. Anise tree i	produces an a	nise-like	scent wh	nen rubbed	or crushed	l. Use in	əf

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Evergreen	Illicium x 'Scorpio'	Florida Anise- tree	Year Round	Partial Shade							
	This evergreen shrub flowers bloom multip facing to nodding. The May and again in Sep damp, and wet sites v	le times throug ey last 5-10 days tember-Noveml	hout the year and s and each has a sl per, blooming spor	the shrub is com ight anise fragrar radically in betwe	pact in shape nce. The shrul een.It does be	and size. b itself ha	Flowers s two ma	are solitary iin bloom s	and are ou easons, firs	itward- t in April-	
Woody: Evergreen	Kalmia latifolia 'Firecracker'	Mountain Laurel	Spring	Sun to Partial Shade	3' x 2'						✓
	An excellent Mountai plantings or in a wood organic matter and po	dland garden. T	he glossy, dark gre	en foliage is attr	active year ro	und.Does	best in n	noist acid s	oils; amend	l with	
Woody: Evergreen	Kalmia latifolia 'Minuet'	Mountain Laurel	Late Spring	Sun to Shade	3' x 3'						✓
	A dwarf variety with p upright when young t root zone cool. Toler immediately to prom	hen spreads wit ates wide range	h age.Best grown of light condition	in moist, acidic, ł s (full sun to full s	numusy, well-	drained s	oils. Mul	ch to retair	n moisture a	and keep	
Woody: Evergreen	Kalmia latifolia 'Peppermint'	Mountain Laurel	Year Round	Partial Shade	7-10'						✓
	This selection forms a the center like the sp locations and require	okes of a wheel	Mountain laurels	s are popular for						-	
Woody: Evergreen	Kalmia latifolia 'Tiddlywinks'	Mountain Laurel	Spring to Summer	Partial Shade	3' x 3'						✓
	'Tiddlywinks' is a very flowers. These bloom year and in different deeper-colored flowe growing conditions w	ns are held in lar exposures.Much rs. Mountain L	ge trusses 3 to 4 in like the cultivar 'f aurel loves moist,	nches across and Elf' in growth rate acid soil as do ot	open from M e, but 'Tiddlyw her members	ay to Jun vinks' has of the Er	e. The co a broade icaceae fa	olor intensit r multiple-l amily but it	y varies fro branching h should hav	om year to habit and ve exacting	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer 8 Resistant	Drought Tolerant	Native
Woody: Evergreen	Kalmia latifolia 'Tinkerbell'	Dwarf Mountain Laurel	Late Spring	Sun to Shade	1-3' x 1-3'						
	'Tinkerbell' is a minia new growth instead o large corymbs 3 to 4 as do other members informal border or w	of red. The sma inches across, c of the Ericacea	II evergreen leaves open from May to J ae family. This bush	are oval, dark gr une. Other flowe	een, glossy, to er colors may	5 inches range fro	s long. Th m red to	ne cup-sha white too.	bed flowers Loves mois	s, held in st, acid soil	
Woody: Evergreen	Leucothoë axillaris 'ReJoyce' ™	Coast Leucothoe	Year Round	Partial Shade	24-36" x 24- 36"						✓
	This showy coastal na new foliage, white ur foundation plantings,	n-shaped flowe	ers on gracefully arc	ching branches, a	nd brilliant wi	nter colo	r.Perfect	•		-	
Woody: Evergreen	Taxus canadensis	Canada Yew	Year Round	Partial Shade to Shade	5' x 10'	✓					✓
	Canada yew is a low g and pale green below fruit grows at the tips Like other yews, it is and robin.	 v. Evergreen fo of the branche 	liage takes on a rec es.Ecologically, Can	ddish-brown tint i ada yew can be d	n winter. Spr lescribed as ai	eading lir n underst	nbs dips ory shruł	at the tips. o of late su	Bright-red ccessional f	, berry-like orests.	
Woody: Edible	Asimina triloba	Pawpaw	Fall	Sun to Partial Shade	15-20'						
	Interesting native tre flavor and are eaten			-		streams.	The frui	ts have a s	weet, banaı	na-like	
Woody: Edible	Sambucus canadensis 'Bob Gordon'	American Elder	Summer	Full Sun	7-8'	✓		✓			✓
	Elderberries are large profusion of dark pur droop down, often be The fruit is high in an best fruit production	ple berries in Ju elow the foliage tioxidents. Elde	Ily. The berries of ' e, which decreases rberries tolerate a	'Bob Gordon' are bird predation.Th wide variety of w	larger and sw ne 1/4" edible vet to dry soils	eeter tha berries c but pref	in other v an be use ers rich, r	varieties. T ed for pie, j moist soil.	he berries o am, wine, o Plant in full	of fruit or syrup.	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Edible	Vaccinium corymbosum 'Elizabeth'	Highbush Blueberry	Mid Summer	Sun to Partial Shade	4-6'	✓					✓
	Highbush blueberry ca woods, bogs and low green foliage turns a l marketing the first co production plant in fu birds, so netting or ca	areas. Clusters brilliant red. Th mmercial blue Il sun. Grow w	of small white, ur e cultivar 'Elizabet perry crop. Best gr ith a different vari	n-shaped flowers h' honors Elizabet own in acidic, org	bloom in spri h Coleman W anically rich, r	ng follow hite who nedium t	ved by blu was inst o wet we	ueberries in rumental in Il-drained s	a July. In fal n developing soil. For be	l the dark g and st fruit	
Woody: Edible	Vaccinium corymbosum 'Jersey'	Highbush Blueberry	Spring to Fall	Sun to Partial Shade	6-12' x 8-12'	✓		✓			✓
Woody: Edible	This late-producing cu survive late spring fro branches form a dens Flowers are pale pink, Vaccinium corymbosum 'Legacy'	sts and bad win e thicket, inter	nters. Blueberry b esting combined w	ushes can be used vith other plants i	d effectively as n the border. -5.5), organic	s orname Leaves a	ntals. Th	eir multi-st	temmed, sp	oreading	I V
	Legacy blueberry is pr and under ideal condi species growing near average to evenly mo acidic soils to ensure from being planted in	oductive enoughing tions can be expoyed of the second seco	pected to live for et fruit. Fall color does not tolerate ct to chlorosis of tl	atch and ornamen approximately 30 is exceptional and standing water. It he leaves in alkali	years. This va I in the orange is very fussy ne soils. It is c	riety req e range. about its juite into	uires a di Grows wo soil cond	fferent sele ell in full su itions and	ection of the n to partial must have s	e same shade in sandy,	
Woody: Edible	Vaccinium corymbosum x angustifolium 'Top Hat'	Hybrid Blueberry	Spring to Summer	Sun to Partial Shade	1-2' x 1-2'	✓					✓
	This pint-sized cultiva comparatively huge o soil and evenly moist	n the tiny plan	t. Then in fall the	foliage turns brigh	it red and ora	nge befoi	re droppi	ng.Give thi	s little beau	ity acidic	

soil and evenly moist conditions. Due to variety is nearby.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Woody: Edible	Vaccinium x 'Chippewa'	Blueberry	Spring to Summer	Sun to Partial Shade	4' x 4'	✓					✓
	Combining the more of exceptional cold-hard berries in early summ oval dark green leaves moist well drained act disturbance. For heav hungry songbirds. An	iness of lowbus er. The firm suc s that turn brilli idic soil in full to viest fruit produ	h blueberry (V. ang culent fruits are pr ant orange and rec partial sun. Mulch ction, team it with	gustifolium), this receded by small d in fall. Like all b h around it to ma another half-hig	"half-high" cu white urn-sha lueberries, thi aintain moistu gh blueberry.	Iltivar bea aped flow s Univers re and to Protect p	irs quant ers. The ity of Mir protect t lants fror	ities of larg upright ch nnesota int he root zoo n wind, ho	e sweet lig est-high pla roduction f ne from we t afternoon	nt blue nts have lourishes ir eds and	١
Woody: Edible	Vaccinium x 'Pink Lemonade'	Blueberry	Year Round	Sun to Partial Shade	5' x 5'	✓		✓			✓
	'Pink Lemonade' bring flavor. The fruit is rip attractive reddish-bro flavor will attract both vigorous habit that wi	e when it is dee wn. 'Pink Lemo n gourmet cook	p pink in color. Le onade' provides fou s and those seekin	aves put on a dis ur seasons of del g a culinary nove	play of color i ight for your g elty, however,	n the fall, arden an it is the b	and in th d is a vigo eauty of	ne winter the vinter the prous grow the plant, i	he twigs tur er. Berry co its rosy fruit	n an olor and t and	
Perennial: not Grass/Fern	Achillea millefolium 'Oertel's Rose'	Yarrow	Summer	Full Sun	12-36"			✓			
	Valuable drought resis the plants that spread color when dried. Ess heat and drought. He feet when in bloom.	l like groundcov ential plant for	er. Early summer drought resistant	blooms in poten color. Suited to l	t magenta pin borders, rock	k are bor gardens, l	ne on stif nerb gard	f 2 foot sta lens and co	alks. Flower ontainers. T	rs retain olerant of	
Perennial: not Grass/Fern	Achillea millefolium 'Pomegranate'	Yarrow	Summer to Fall	Full Sun	18" x 18"			✓	✓		✓
	'Pomegranate' is an u growing habit. Yarrow tolerate hot, humid su height. Deadhead aft and self-seeding, and	w is best grown ummers and dro er bloom period	in lean, dry to mec ought. Consider cu d to encourage mo	dium, well-draine utting back plant rre blooms and d	ed to sandy so stems in late s ivide clumps a	ils in in fu spring bef is needed	ll sun. Dr ore flowe .Plants sp	ainage mus ering to rec pread aggre	st be good. duce overall essively by r	Plants will plant	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Achillea millefolium 'Terra Cotta'	Yarrow	Summer	Full Sun	2-3' x 2'			✓		✓	✓
	Yarrows are among months. This hybrid produce an airy effe 4" across. Excellent or early spring. Easil fade in extended, he	features salmon ect and are fragra as cut flowers, fr y grown in avera	-pink flowers that nt when crushed. esh or dried. Rem ge, dry to medium	age to rusty terra Tiny flowers are ove spent flower , well-drained so	cotta orange, densely packe s regularly to p l in full sun. T	then created in large promote for	amy yello , flat-top continue f heat an	ow.Delicate, ped, termir d blooming d humidity,	, fern-like lo nal flower o . Easily divi . but flowe	eaves :lusters 2- ded in fall r color may	
Perennial: not Grass/Fern	Actaea (Cimicifuga) pachypoda	White Baneberry	Summer to Fall	Partial Shade to Shade	30" x 30"	✓		✓	✓		✓
	White Baneberry is of small white flowe pedicels.Acteas pre- plant are poisonous	ers that float abov fer moist, rich soi	ve the foliage. In a	autumn they deve	elop panicles c	of eye-cat	ching wh	ite fruit bor	ne on red		
Perennial: not Grass/Fern	Allium stellatum	Prairie Onion	Summer	Sun to Partial Shade	12-18"				✓	✓	<
	The dainty clusters of August. The narrow optimum conditions thrives in open dry s vigorous perennials	y green leaves oft s. The flowers are sandy soils and ro	en die back by the e pollinated by sm ocky sites, but is al	time of flowerin all native bees. N so happy in avera	g.Plants will na ative to the pr ge garden soil	aturalize rairies of t I. It does	by self-se the midw not com	eding and l est, this is a pete well w	oulb offsets a tough pla ith larger, i	s in Int that more	
Perennial: not Grass/Fern	Amsonia hubrichtii	Bluestar	Early Summer	Partial Shade	28"		✓		✓	✓	
	This uncommon spe The show realyl hea excellent low maint	ts up with the ind	credible fall color a	as the leaves char	•						
Perennial: not Grass/Fern	Anemone (Hepatica) acutiloba	Sharplobe Hepatica	Early Spring	Partial Shade	6"						✓
	Downy-covered buc above the three-lob jewels.	ls open in early s		•			•		•	•	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Aquilegia canadensis	Wild Columbine	Spring	Sun to Partial Shade	24"		✓				✓
	This is an erect, brand spurred petals alterna leaves are attractive i as long as drainage is seed freely. The smal	ating with sprea n their own righ good. Soil that i	ding, colored sepa t.Easily grown in a s too rich encoura	ls and numerous average well-drain ges weak stems a	yellow stamen ned soil in full and shorter life	ns hangin sun to sh espan. In	g below ade, it w optimun	the petals. ill tolerate an growing co	The component wide range ponditions in	ound ge of soils,	
Perennial: not Grass/Fern	Aquilegia canadensis 'Corbett'	Wild Columbine	Spring	Partial Shade	18 inches tall	✓	✓	✓	✓		✓
	This cultivar is a select somewhat more com as other columbines. is good. Soil that is to	pact and tends t Easily grown in a	to flower more hea average well-drain	avily than the spe ed soil in full sun	ecies. Like its p to shade, it wi	oarent, th	is plant i	s not as sus	ceptible to	leaf mine	
Perennial: not Grass/Fern	Aquilegia canadensis 'Little Lanterns'	Wild Columbine	Late Spring- Early Summer	Sun to Partial Shade	10"	✓	✓	✓			✓
	This is a compact grow A long blooming spec June. Since it's little, i	ies, it produces	many brilliant red	flowers with a ye	ellow corolla th	nat dangl		-			
Perennial: not Grass/Fern	Arisaema triphyllum	Jack-in-the- Pulpit	May-June	Partial Shade	16-20"						
	One of the most desin purple-green spath (t in the fall. Prefers wo	he pulpit) enclo	ses a slender spadi	ix (jack). After th	e flower fades					-	t
Perennial: not Grass/Fern	Aruncus dioicus	Goat's Beard	Early Summer	Sun to Partial Shade	4-6' x 4-5'			✓			✓
	Aruncus dioicus is an it achieves shrublike p where it becomes mo leaves topped off by look-alikes and deligh	proportions, gro pre impressive w oose plumes of	wing 5–6' tall and /ith age.A commar creamy white. Its	almost as wide. nding specimen fo display is like an	It is useful in t or the back of t astilbe on ste	he back o the borde	of the bo er, this sp	rder and in voecies featu	woodland res green o	gardens,	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Asarum canadense	Wild Ginger	Spring	Partial Shade	1"	✓		✓			✓
	Kidney-shaped, leath spreads slowly by and to North America.Thi requires high organic	d can be propaga s plant prefers li	ated through its fra ight to deep shade	agrant undergrou and it is often fo	nd rhizomes o und on rocky	or throug acidic soi	h seeds. T ls. It has	This is a wo poor drouរ្	odland pla	nt, native	
Perennial: not Grass/Fern	Asclepias incarnata	Swamp Milkweed	Early Summer	Sun to Partial Shade	3-4'	✓			✓		✓
	Deep pink flowers clu and July. Later, large source for the monar attract insectivorous drained gardens as w	pods form whic ch caterpillar. B birds.Swamp mi ell. Full sun is b	h will break open looming from late ilkweed, true to its est and some shac	to reveal seeds th spring to early fa name, prefers co le is tolerated.	nat will float a ll, nectar-rich onsistently mo	way in th Milkweed	e wind.M d attracts	lilkweeds a many inse	re an impo cts, which i	rtant food in turn	
Perennial: not Grass/Fern	Asclepias incarnata 'Ice Ballet'	Swamp Milkweed	Summer	Full Sun	38-42"						✓
	This white flowered s followed by the distir is a great butterfly pla	nctive milkweed	•	-	-	•					:
Perennial: not Grass/Fern	Astilbe biternata	False Goat's Beard	Early Summer	Partial Shade to Shade	3-6'						✓
	Large, elongated, terr moist soil. Use in the	minal cluster of	,		-	•			hree parts.	Needs	
Perennial: not Grass/Fern	Baptisia australis	False Blue Indigo	Summer	Sun to Partial Shade	3-4' x 3-4'			✓			✓
	Baptisia is a magnifici blue pea like flowers flowering. Leaves are mainenence plant rec	rise on 3' spikes gray-green sma	. These last for up all and rounded. T	to four weeks. S The seed pods are	showy 2" seed ornamental i	pods of	black or d	dark brown	develop af	ter	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Baptisia 'Ivory Towers'	False Indigo	Late Spring	Sun to Partial Shade	48" x 24"			✓	✓	✓	✓
	The tall stems of Bap beautiful pure white upright and vase-sha trial.Easily grown in a once established. Fo 3 years to establish.	flowers that last ped with blue-gr average, dry to n	for 3 weeks. The een trifoliage foli nedium soil in full	ourple but slowly f e large, blocky frui age.'Ivory Towers sun or partial sha	t pods that fo received ver de. Plants de	llow pers y high rat velop a la	ist throug ings in th rge tapro	gh the winte e Mt. Cuba pot and are l	r. The plan Center's Ba pest left ur	nt habit is aptisia ndisturbed	
Perennial: not Grass/Fern	Baptisia sphaerocarpa	False Yellow Indigo	Spring	Sun	2-3' x 3'			✓		✓	✓
	False Yellow Indigo is like leaves and pure of interest. A mature is best left undisturb	yellow pea-like f plant is an impr	lowers on 12-15"	spires. Later it de	velops curiou	s spheric	al tan see	d pods whic	ch extend t	he season	
Perennial: not Grass/Fern	Caltha palustris	Marsh Marigold	Spring	Partial Shade to Shade	12 - 18"				✓		✓
	Native to northern st seed in to form a der green carpet of cord Alaska.Clatha palustr that stays wet most o	nse groundcover ate foliage. Dee is likes moist co	in a consistently r usually leave thin ditions and rich	moist site. In earl s along! Found in soils. It is most at	y spring hund marshes, swa home near a	reds of bi mps, and pond or s	right yello I wet mea tream, b	ow buttercu adows from ut can be ha	p flowers o North Caro ppy in a lo	dot the olina to	ı
Perennial: not Grass/Fern	Chamaelirium luteum	Fairy-wand	Early Summer	Partial Shade to Shade	1-4'						✓
	From a basal cluster white, tightly packed and prefers rich, moi	white flowers.	Ranging through	out the eastern US	, this interesti	ng peren	nial flowe	ers in late sp		•	
Perennial: not Grass/Fern	Chelone glabra	White Turtlehead	Late Summer	Sun to Partial Shade	23-35" x 18- 23"		✓	✓			✓
	Chelone glabra is a n flowers. Foliage is na with the more comm	arrow with 3-6" :	sharpley toothed		-	-		-			ł

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Chelone Iyonii 'Hot Lips'	Pink Turtlehead	Late Summer	Sun to Partial Shade	24-28"			✓			✓
	Glossy, dark green, ov raceme. Native to the	•	s clothe stems tha	at are topped wit	h rose-pink ho	oded flo	wers arra	nged in a t	ightly cluste	ered	
Perennial: not Grass/Fern	Coreopsis tripteris 'Gold Standard'	Tall Tickseed	Summer to Fall	Full Sun	6' x 6'			✓			✓
	Selected by a local put tickseed is shorter and weeks in total. Gold S	d sturdier than t	he straight specie	s and therefore l	•		•				
Perennial: not Grass/Fern	Coreopsis x verticillata 'Creme Brulee'	Threadleaf Coreopsis	Summer	Sun to Partial Shade	16-20" x 24- 30"			✓			
	'Crème Brulee' is as de robust plant. Starting delicately serrated at lightly in late summer	in early summe the tips. The br	r and continuing t ight green, lacy fo	hrough fall, doze: liage is also very	ns of butter-y ornamental, g	ellow, da iving the	isy-type f plant a s	flowers app oft, wispy l	bear, each p ook. Shear	petal	
Perennial: not Grass/Fern	Dalea purpurea	Purple Prairie Clover	Summer	Full Sun	12-36" x 12- 18"			✓		✓	✓
	Dalea purpurea is a na the far southeastern o Compound, odd-pinna prairie restorations. T taproot enables this p	counties. Featur ate leaves, with his plant is not p	res tiny purple flow 3-5 narrow linear picky when it come	wers in dense, co leaflets. A nitrog es to the soil cha	ne-like heads en-fixing plant racteristics, as	(to 2" lor that is a long as t	g) atop e n importa he site is	erect, wiry s ant compo	stems in su nent of Mic	mmer. Iwestern	
Perennial: not Grass/Fern	Dennstaedtia puntilobula	Hayscented Fern	Summer to Fall	Partial Shade to Shade	2' x 1'						✓
	Hayscented fern has la native that has leaves conditions. Best grow tolerates full sun. Rec established, dry soils a	, when bruised, in in moist, rich, quires low main	smell like fresh m humusy, acidic, n tenance and sprea	own hay. This is nedium moisture ids. Tolerates a v	a popular gard loams in part vide range of s	den fern l shade to soils, incl	peing ver full shad uding poo	y adaptabl e. With co or rocky so	e and tolera	ant of man oisture, it	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Dicentra cucullaria	Dutchman's Breeches	Mid Spring	Partial Shade to Shade	8-12"						✓
	One of our most deli down, inflated trous plant goes dormant i	ers. The delicate	-								
Perennial: not Grass/Fern	Dodecatheon meadia	Common Shooting Star	Spring	Sun to Partial Shade	6-10"						✓
	Shooting stars are m tall stems, which rise meadows, preferring Easy to grow in avera	e above the basa glots of spring m	l rosette of thin suo oisture. Like Virgir	cculent leaves. T nia bluebells, the	his species is a	a native o	of our eas	tern and ce	entral wood	ds and	n
Perennial: not Grass/Fern	Doellingeria (Aster) umbellata	Flat-topped White Aster	Summer to Fall	Sun to Partial Shade	2-5"						✓
	Doellingeria umbella American plant speci stem. Leaves are 3 t sun, slightly wet to n adapt to other kinds	ies in the aster fa o 6 inches long a noist conditions,	amily.Flowers are land to 1 inch wide, and calcareous soi	oose to dense, fla lance-elliptic, tap I that contains sa	at, branching o pering to a poi	clusters u nt at bot	p to 10 ir h ends.Th	nches acros ne preferer	ss at the top nce is full or	o of the partial	
Perennial: not Grass/Fern	Echinacea 'TNECHKIO' Kismet ® Intense Orange	Coneflower	Summer	Sun to Partial Shade	15-24" x 18- 24"			✓		✓	✓
	Echinacea Kismet Int diameter. The dense June - August. The fl for floral arrangemen Adaptable and tolera	ely branched hab owers attract bu nts. Easily grown	it provides a neat a atterflies and pollin in average, dry to	appearance in the ators and the see medium moistu	e garden. This ed heads prov ire, well-drain	s easy to ide food ed soils i	grow, de for birds. n full sun	er tolerant The show to part sha	plant bloor y flowers ca	ms from an be cut	
Perennial: not Grass/Fern	Echinacea purpurea	Purple Coneflower	Summer to Fall	Sun	3-4'						✓
	This has been one of and have short, stiff droop slightly toward	the backbone p hairs. The cente	rs of the flowers a	re cones of orang	ge-brown, and	are surr	ounded b	y bright pir			

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Echinacea tennesseensis 'Rocky Top'	Tennessee Coneflower	Spring to Fall	Full Sun	2-3'	✓				✓	✓
	Echinacea 'Rocky Top flowers with black co to the blooms. The p	nes bloom from	n June till frost. Th	ne flowers last we	ell cut or dried	d, and bird	s are attr	acted to the			S
Perennial: not Grass/Fern	Erigeron pulchellus var. pulchellus 'Lynnhaven Carpet'	Robin's Plantain	Late Spring	Partial Shade to Shade	12-15"					✓	✓
	This outstanding form spring with a profusion deer tolerant in dry s suited for moderate s	on of very pale l hade a condit	avender daisies of ion that many oth	n 1 foot tall stalk	s a butterfly	favorite.	Erigeron	pulchellus i	s very drou	ight and	
Perennial: not Grass/Fern	Eupatorium coelestinum	Hardy Ageratum	Late Summer	Sun to Partia Shade	2-3'	✓		✓			✓
	The fuzzy blue flower works well as a filler adapted to most soil wet sites, such as low conditions.	or groundcover types, but is es	planting. It's brill becially suited to h	iant blue flowers neavy textured ar	make a uniqu nd to highly or	ue and long	g-lasting o s. Natural	cut flower. stands are	lardy agera found on r	atum is noist to	I
Perennial: not Grass/Fern	Eurybia (Aster) divaricata (divaricatus) 'Eastern Star'	White Wood Aster	Early Fall	Partial Shade to Shade	e 12"						
	Wood asters are one The selection 'Eastern than the species and	n Star' was obse	erved and collecte	d from coastal RI	node Island. I	t is has go	od green	foliage all s			r
Perennial: not Grass/Fern	Eurybia (Aster) macrophylla (macrophyllus)	Big Leaf Aste	r Early Fall	Partial Shade to Shade	2-3'						✓
	Our native Eurybia m The large heart-shape it a valuable grounded well as a larval food s the growing season is shade.	ed leaves create over for shade o source for sever	e a dense carpet. E or woodland garde al butterflies and	Big leaf aster spre ens. It is an impo moths. Best grov	ads by under rtant late sea /n in well-drai	ground sto son nectai ined soils i	olons and r source f n part sha	is very droi or butterlie ade. Moist	ught tolera is and pollin ure in the b	nt, making nators as peginning o	f

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Eutrochium (Eupatorium) maculatum 'Gateway'	Spotted Joe Pye Weed	Late Summer	Sun to Partial Shade	50-64"						
	'Gateway' is an unma serrated and lance-sh Stopford Family Mea	aped. Great n		•							
Perennial: not Grass/Fern	Gaillardia aristata 'Arizona Red Shades'	Blanket Flower	Summer	Full Sun	12" x 12"			✓		✓	✓
	'Arizona Red Shades' compact habit of this cone and keep comin variety as an outstand	Blanket Flower g all summer. (, it is perfect for gr Dnce established, t	rowing in pots.The plants perform	e gorgeous flo n best with o	owers hav nly occasi	ve brick re onal dee	ed petals an p watering.	nd a darker We recomr	burgundy nend this	
Perennial: not Grass/Fern	Gaillardia x grandiflora 'Arizona Sun'	Blanket Flower	Summer	Full Sun	12" x 24"			✓			✓
	This Gaillardia has sho performer. Plants bl Deadhead occasional	oom heavily the	e first year and sho	ould be divided ev	ery third yea	r.Plant in	well-drai	ned infertil	e soils for b		
Perennial: not Grass/Fern	Gentiana andrewsii	Closed Gentian	Late Summer	Sun to Partial Shade	24" x 18"						
	Gorgeous blue to viol actually pollinate Ger threatened in many s	ntiana andrewsi	i is the bumble bee	e. Does best in ful	ll to partial su	n and mo	ist rich so	oil. This na	tive plant is	-	
Perennial: not Grass/Fern	Geranium maculatum	Spotted Geranium	Mid Spring	Sun to Partial Shade	1-2'			✓			✓
	Blooming earlier thar clusters of violet-rode	•			•				merica. Th	e airy	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Geranium maculatum 'Huggy Bear'	Spotted Geranium	Late Spring	Sun to Partial Shade	12-24"			✓		✓	
	'Huggy Bear' is a new beautifully with its un species is a common as well as several spe drought tolerant. Sp	nique chocolate woodland nativ ecies of butterfli	red foliage. It is e throughout the es.Prefers partial	part of the local plate East Coast. It is version of the second state of the second st	antsman David ery attactive to	d Culp's E o pollinat	Brandywii tors, inclu	ne Cottage Iding solita	Collection. ry beeds, b	The umblebees	
Perennial: not Grass/Fern	Gillenia (Porteranthus) stipulata	Indian physic	Late Spring	Sun to Partial Shade	2-3'		✓				✓
	Gillenia stipulata has on delicate narrow st or moist soils.	talks at ends of	oranches. Will na	turalize nicely alon	g woodland e	dges and	has won	derful fall le	eaf color. G	rows in dry	ý
Perennial: not Grass/Fern	Helianthus divaricatus	Woodland Sunflower	Summer	Partial Shade	3-5'	✓		✓			
	The large, yellow dai plants, 3 to 5 feet, cr expand over time.Na butterfly adults and l soils. Drought tolera	eate a dramatic tive to eastern a arvae, and birds	presence in shad and central North . Woodland Sunf	y gardens or along America and cons	woodland ed idered a high	ges. The value wil	plant spr dlife plan	eads via rh t, supportii	izomes and ng native be	d and will ees,	
Perennial: not Grass/Fern	Heuchera americana	American Alumroot	Summer	Sun to Partial Shade	12-24" x 12- 18"						✓
	Alumroot (aka Coral leaves are slightly ru	ffled, kidney-sha	ped and green w		the veins, bec	oming re	ddish wit	ch cold wea	ther. Slend	ler spikes	

bearing tiny pinkish-green flowers rise a foot or more above the foliage in May. The flowers look like they are perpetually in bud and are themselves not particularly showy but the effect is nice, like a cloud or haze about the plant. It is quite at home in sun or partial shade, making it very adaptable for garden use. The foliage is outstanding.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Heuchera americana 'Green Spice'	Coral Bells	Year Round	Partial Shade to Shade	8-10" x 16"			✓		✓	✓
	Heuchera americana gray edges. Their be appear in summer re humusy well-drained trees because they a	auty extends int aching 24-28".C I soils. Is drough	to fall when they to creates a bold colo nt tolerant once es	urn warm pumpki r contrast in conta tablished and will	n-orange and ainers and per thrive in dry	red shad ennial bo shade.He	es. Delic orders. P	ate sprays o erforms be	of tiny whit st in part sh	e flowers nade in	:
Perennial: not Grass/Fern	Heuchera 'Magma'	Coral Bells			18-24" x 24- 30"		✓				✓
	Heuchera 'Magma' w leaves. Pink flowers Hosta or ferns in the under Black Walnut t	bloom in spring garden, border	and summer. A voor containers. Ma	ery vigorous Coral agma stays fiery ho	l Bells perfect ot pinkish-red	for mixe from spr	d borders ing until	S.Stunning v frost! Heuc	when plante	ed next to	
Perennial: not Grass/Fern	Heuchera micrantha 'Palace Purple'	Roundleaf Alum Root	Spring to Fall	Sun to Partial Shade	12"						✓
	This selection was th containers and tubs. white flowers appear Evergreen in mild wir spring. A former Per	Plants form a lo r in early summe nter areas, but p	ow mound of map er. In hot summer plants may be clipp	le-shaped leaves, areas a part shade	from bronzy- _{ e location will	green to i help to p	rich purpl prevent th	e-red. Spik ne leaf colo	es of small ur from fad	creamy- ling.	
Perennial: not Grass/Fern	Heuchera villosa (macrorhiza) 'Autumn Bride'	Hairy Alumroot	Early Fall	Partial Shade to Shade	24"					✓	✓
	Large, softly hairy, lig rise up above the fol bit of shade in the af summers than most	iage, adding spla ternoon would l	ash to the fall gard be well received.	en. Hairy alumroo This species has go	ot is native to ood drought t	the Appl olerance	achians. I and seen	Performs w ns to do be	ell in full su tter in hot a	in altho a and humid	
Perennial: not Grass/Fern	Heuchera villosa 'Caramel'	Hairy Alumroot	Spring to Fall	Partial Shade to Shade	18" x 24"				✓		✓
	Bred by Thierry Delal red. Its lobed fuzzy f longevity.Long panic	oliage typical of	Heuchera villosa	stays clean. An ea	astern US nati	ve specie					-

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer s Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Iris cristata	Crested Iris	Spring	Partial Shade	6"						✓
	This interesting nati shaped, blue, upwar slowly until hindere	rd facing flowers a				-		-			
Perennial: not Grass/Fern	Jeffersonia diphylla	Twin Leaf	Spring	Partial Shade	12-18"						✓
	Jeffersonia diphylla hence the common honor of President	name "Twinleaf."	' Fruit pods, pear			genus nan	ne Jeffers	onia is give		ant in	_
Perennial: not Grass/Fern	Krigia biflora	Two-flowered Cynthia	Spring to Summer	Full Sun	28"			✓			\checkmark
	and Canada. Single t continue over the d achene. Upland plar	uration of the sur	nmer. Sap has m	ilky consistency.	Fruiting body	is a single	e incapus	ated seed ents.	that resemb	oles an	
Perennial: not Grass/Fern	Liatris microcephala	Dwarf Blazing Star	Summer	Sun to Partial Shade	18" x 18"						
	An exceptional com like rosy purple flow unfurling of brilliant Southern Appalachi	pact native with f vers in August and color. Excellent	l September. Uni as a cut flower. L	ique to the genus iatris microcephal	the flowers o la can be four	pen from nd in sand	top to bo ly, dry pra	ottom on tl airies and c	ne spike in a	a slow	
Perennial: not Grass/Fern	Liatris pycnostachaya Liatris pycnostachya	Prairie Blazing Star	Late Summer	Full Sun	36-48"'	✓	✓	✓			✓
	Liatris pycnostachay Blooms from Augus it is a popular pollir seeds are attract to humidity. It does no	t through Septem nator plant, it attr songbirds. Prairie	ber.It is perhaps acts bees, butter Blazing Star thriv	the tallest Liatris in flies, and humming	n cultivation. gbirds and is a	Native to a larval ho	the centrost plant	al and sour for several	theastern o moths. The	f the USA, e small	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Liatris spicata	Spike Gayfeather	Summer	Full Sun	2-4'	✓		✓			
	Spike Gayfeather is a typically grows 2-4' ta of sessile, rounded, fl medium, well-drained moist soils than most	all in cultivation, uffy, deep purpl d soils in full sun	but can reach a h e flower heads ap . Somewhat toler	eight of 6' in som pearing atop rigi- rant of poor soils,	ie parts of its i d, erect, leafy but prefers m	native hal flower st noist, fert	bitat. Fea alks in su ile ones a	tures termi mmer. Eas Ind generall	nal spikes (ily grown i y performs	(6-12" long n average,)
Perennial: not Grass/Fern	Lilium michiganense	Michigan Lily	Early Summer	Full Sun	2-5'						✓
	Michigan lily is native grows 2-5' tall. Elliptio red, Turk's cap-type f inflorescence atop up moist, humusy soils in	c to lance-shape lowers (to 3" wi pright stems in e	d, lower leaves (to de) with densely-s arly summer.Easil	o 4" long) are arra spotted, broadly- y grown in averag	anged in whor reflexed sepal ge, medium, w	ls around s and pet vell-drain	l the stem als. Usua ed soils ir	ns. Downw ally 1-8 flow	ard-facing, ers appear	orange- in a loose	
Perennial: not Grass/Fern	Lilium superbum	Turk's Cap lily	Mid Summer	Sun to Partial Shade	4-6'			✓			✓
	Lilium superbum Turk and thickets, and roa commonest over mos best in consistently m	dsides. Blooms a st of its range. It	are orange, spotte t is easily grown in	ed maroon.Turk's n average, mediu	cap lily is the m wet to wet,	largest Li well-drai	ilium east ned soils	of the Roc in full sun t	ky Mounta	ins and the	
Perennial: not Grass/Fern	Lobelia cardinalis	Cardinal Flower	Summer	Partial Shade	3-4'		✓	✓		✓	✓
	Tall spikes of rich scar meadows, cardinal flo		-		n mid to late si	ummer. I	Native to	our stream	sides or da	mp	
Perennial: not Grass/Fern	Lobelia siphilitica	Giant Lobelia	Summer	Partial Shade to Shade	2-3'	✓			✓		✓
	Giant Blue Lobelia is a moist, well drained so share. Low rosettes o resistant. Tolerates f	oil in the shady g of leaves are the	arden. This is a vi launching pad for	igorous plant, on	ce established	l it self so	ws, gene	rously creat	ing new pl	ants to	ı

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Mertensia virginica	Virginia Bluebells	Spring	Partial Shade to Shade	12-24"				✓		✓
	One of our most bel are purple-grey, turn conditions when est	ning blue-green	at maturity. The e								
Perennial: not Grass/Fern	Mitchella repens	Partridge Berry	Year Round	Part to Full Shade	1-2"						✓
	Our native partridge provide a perfect se Prefers moist, shady	tting for the sma	-		-				-		
Perennial: not Grass/Fern	Monarda bradburiana	Eastern Beebalm	Spring to Summer	Sun to Partial Shade	2' x 3'		✓			✓	✓
	Eastern beebalm is a earliest beebalm to attractive to pollinat sunny to partially su	flower. Flowers tors and occurs	are light pink and	great for cutting.	A member of	the mint	family, th	is native be	ebalm is ve	ery	n
Perennial: not Grass/Fern	Monarda fistulosa	Wild Bergamot	Summer	Sun to Partial Shade	2-5'		✓				✓
	Wild Bergamot is a p 2-5 ft., open-branch leaves was formerly in dry to medium m Deadhead flowers to	ed stems. This fi used to treat re oisture, well-dra	ragrant perennial, spiratory ailments ined soils. Tolera	frequently cultivat s. The leaves smell tes somewhat poo	ted, has arom minty. Flowe	atic leave ers are at	es used to tractive to	o make mint o bees and l	tea. Oil fr butterflies.	om the Best grown	
Perennial: not Grass/Fern	Monarda 'Gardenview Scarlet'	Hybrid Beebalm	Summer	Partial Shade	36"		✓		✓		✓
	'Gardenview Scarlet 3' tall. Leaves light g of monarda are wha massed.Most hybric sun to part shade.	green, mildew re It give earl gray f	esistent, and arom tea its unique flave	atic foliage. Tooth or. Attractive to h	ned, aromatic ummingbirds,	leaves ca , butterfli	in be use es and be	d for tea and es, particul	d in salads. arly when	The leave	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Monarda 'Judith's Fancy Fuschia'	Beebalm	Mid Summer	Sun to Partial Shade	3-4'		✓				✓
	Beebalm is a popular purplish red flowers the ranked among the top powdery mildew resist once established. Spr	hat resemble pla performers in tance.Best grov	ayful jester's hats Mt. Cuba Center's vn in rich, moist, v	Blooms over an s plant trials for it	extended per s abundant flo	iod of 3 t ral displa	o 4 week iy, sturdy	s. 'Judith's upright ste	Fancy Fuscl ems, and ex	hia' was cellent	
Perennial: not Grass/Fern	Napaea dioica	Glade Mallow	Summer	Partial Shade	4-8' x 2-3'			✓			✓
	Napaea dioica is a tall lobes per leaf.Glade n to mid summer,June - attractive to pollinatin flowering.Hydrophilic	nallow has a sing early August. T ng insects. Schiz	gle upright centra hese 5 petal flow cocarp, a dry fruit	al stem. Small, fra ers are produced that splits into tw	grant, bractles at stem apices	ss, tubula s in a den	r white fl se cluste	owers bloc r arrangem	om in panic ent and are	les in early e highly	
Perennial: not Grass/Fern	Pachysandra procumbens	Allegheny Pachysandra	Year Round	Sun to Partial Shade	6-8"				✓		✓
	Similar in form to the mottled with lighter f A wonderful native gr	ecks. Barely no		•			-		-		
Perennial: not Grass/Fern	Parthenium integrifolium	Wild Quinine	Summer	Full Sun	24-48"			✓	✓	✓	✓
	Parthenium integrifol name refers to its for gardens. It spreads vi full sun, it is also drou	mer use in tea to a rhizomes and	o reduce fever. At may not be suita	ttracting an array ble for small garde	of pollinators, ens. Easy to g	Wild Qu	inine is p	articularly	well suited	to wildlife	
Perennial: not Grass/Fern	Penstemon digitalis	Beard-tongue	Early Summer	Full Sun	3-5' x 2'		✓		✓		✓
	Beard-tongue is a most longer beginning in ea sandy soils; however, variety of pollinators.	irly summer. Rigit will tolerate c	gid stems arise fro lay. Mass in sunn	om basal rosettes	of attractive f	oliage.Pe	enstemor	prefers w	ell-drained	loam and	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer s Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Penstemon digitalis 'Blackbeard'	Beard-tongue	Late Spring	Full Sun	24-36"		✓	✓		✓	✓
	The dramatic dark pur Flowers are followed other pollinators.Pens drainage.	by attractive bu	rgundy seed pods	that provide exte	ended seasona	al interes	t.A favor	ite of humi	mingbirds as	s well as	
Perennial: not Grass/Fern	Penstemon digitalis 'Mystica'	Beard-tongue	Year Round	Full Sun	28-32"'	✓	✓	✓			✓
	The Penstemon 'Myst planted in full sun to I spring then produces elegant than other Pe don't miss out on this	ight shade in a v numerous bron nstemon in its f	well drained area. ze stems over a lo	'Mystic' is an all ng period in early	year bloomer / summer. Wi	that star th a plan	ts with b t height o	ronze rose of 28-32", '	ttes of folia 'Mystic' is m	ge in early Iore	
Perennial: not Grass/Fern	Phlox divaricata 'Blue Moon'	Woodland Phlox	Spring	Partial Shade to Shade	12" x 18"		✓	✓			✓
	'Blue Moon' woodland producing a tapestry o soil.Great companion	of billowy light b	olue display. Best	planted in woodl	-						1
Perennial: not Grass/Fern	Phlox paniculata 'Jeana'	Summer Phlox	Summer to Fall	Sun to Partial Shade	2-4' x 2-3'		✓				
	'Jeana' is an unusually from summer into fall weaker stems. Toleran Garden phlox is a stap host of pollinators. Bl	.It thrives in org nt of drought or Ile of the pereni	ganic, moist to avence established. B nial border. Good	rage soil in full su enefits from occa	un to light sha asional fertiliza	de. Plant ation. De	ts in shad adhead t	e will have o prolong ł	e smaller flov plooming se	wers and ason.	а
Perennial: not Grass/Fern	Phlox subulata 'Emerald Blue'	Moss Pink	Late Spring	Full Sun	6" x 18"			✓		✓	✓
	This phlox is a spring p bright green, needle-l walls or as a carpet of	ike foliage, it is	great for rock gard	lens, borders or s	lopes.'Emeral				•		I,

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Phlox subulata 'Emerald Pink'	Moss Pink	Late Spring	Full Sun	6" x 18"			✓			
	This phlox is a spring bright green, needle-l walls or as a caarpet o	ike foliage, it is	great for rock ga	rdens, borders or	slopes.'Emera				-		
Perennial: not Grass/Fern	Phlox subulata 'Purple Beauty'	Moss Pink	Late Spring	Full Sun	4-6" x 18"						
	This spreading ground and tolerates drought spring pocket of color	t. A natural for									
Perennial: not Grass/Fern	Phlox subulata 'Snowflake'	Moss Pink	Mid Spring	Full Sun	6" x 24"						✓
	Your neighbor is sure perennial for the sum the hell strip or front	ny spot. The id	eal soil is quick dr	aining especially o	luring the wint	ter time. I	Plant mo		-		
Perennial: not Grass/Fern	Physostegia virginiana	Obedient Plant	Summer	Sun to Partial Shade	2-4'		✓		✓		✓
	Physostegia virginiana snapdragon-like, pink stems. Flowers bloor plant for adding late-s staking.Easily grown i summer temperature	to pale lilac flo n bottom to to season flowers n average, moi	owers in upright te p on each spike, v to a garden. Fert st, acidic, well-dra	erminal spikes bloo with each flower b tile soils produce r ained soils in full s	om throughou eing subtende obust growth un. Stems ten	t summe d by a sm and wide d to flop i	r (late Jur all leaf-li spreadin in rich so	ne-Septemk ke bract.It i g, and the _l	per) atop so is considere plant may r	uare ed a good equire	
Perennial: not Grass/Fern	Podophyllum peltatum	Mayapple	Spring	Partial Shade to Shade	12-18"						✓
	Mayapple is a rhizom 12-18" tall and featur one leaf will not flow appears on a short, th way to an edible, fles and roots are poisono	es one or two, er. From the cr nin stem in earl hy, greenish fru	deeply-divided, p rotch (leaf axil) on y spring. Flowers	almately-lobed, un two-leafed plants are quite showy,	mbrella-like, p s, a single, nod but usually hic	ale green ding, wa> lden by tł	leaves (t xy, 6-9-pe ne umbre	to 12" diam etaled, whit Ila-like leav	eter). Plant e flower (3 ves. Each fl	ts with only " diameter ower gives)

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Polemonium reptans	Jacob's Ladder	Late Spring	Partial Shade	8-18"						
	Jacob's Ladder is a wil rise above fern like fo								olue, bell-lil	ke flowers	
Perennial: not Grass/Fern	Pycnanthemum muticum	Mountain Mint	Summer	Sun to Partial Shade	24-36"			✓			✓
	Pycnanthemum mutic through September. It butterflies love this pl	t is a slow sprea									У
Perennial: not Grass/Fern	Pycnanthemum tenuifolium	Narrowleaf Mountain Mint	Summer	Sun to Partial Shade	2-3' x 2-3'			✓			✓
	This summer flowerin period. It is adapted t is a good garden plant Mountain Mints, this	to a variety of co that may form	onditions and will g dense colonies. T	grow in dry to me	oist soils and f	full sun to	partial s	hade. It is	easily estab	olished and	-
Perennial: not Grass/Fern	Pycnanthemum virginianum	Common Mountain Mint	Summer	Sun to Partial Shade	3' x 2'			✓			✓
	Tiny, white, mint-like a few at a time, arise leafy plant is covered source for many pollir in full sun. Excellent fo	from leaf axils a with a whitish b nators including	t the stem tips. Th loom and is very f bees, wasps, flies,	e straight, uprigh ragrant; when cr , small butterflies	nt stems gives ushed they ha and beetles.	it a good ave a stro	l looking : ong minty	structure. odor. Exce	The foliage llent necta	of this r and polle	n
Perennial: not Grass/Fern	Ratibida columnifera 'Red Midget'	Prairie Coneflower	Summer to Fall	Sun to Partial Shade	36" x 36"	✓		✓		✓	✓
	For a showy native pla unique flowers dance in the red/yellow ratio conditions A must for	above mounds o in the flowers.	of fine green foliag A native prairie p	ge from June unt plant, this dwarf v	il frost. This p variety of the s	olant is gr	own fron	n seed, so t	here will be	e variation	

conditions. A must for the wildlife garden, it attracts pollinators and birds.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Ratibida pinnata	Gray-headed Coneflower	Summer	Full Sun	3-6'	✓			✓		
	Ratibida pinnata is a raised central disk of throughout the midw other birds. Yellow o sum. Prefers clay or	the flower start vest.A good polli coneflower make	s out grey-green nator plant, it att es an excellent, lo	and turns deep ch tracts many native ong-lasting cut flow	ocolate-brow bees and but ver. Grow in a	n as it ma terflies ar verage, m	tures. It nd the see edium m	is native to ed is eaten loisture, we	prairies an by goldfind	id savanna: h and	S
Perennial: not Grass/Fern	Rubus 'APF-153T' Prime-Ark® Freedom	Freedom Thornless Blackberry	Summer	Full Sun	5-6' x 5-6'						
	Prime-Ark Freedom l flavorful fruit both ea drained soil. Mulch a	arly in the seaso	n and again in lat	e season, producir	ng two crops p	-					
Perennial: not Grass/Fern	Rubus 'APF-45' Prime- Ark® 45	Blackberry	Summer	Full Sun	5-8'						✓
	Prime-Ark blackberry well-drained soil. M						eason.Bla	ickberries t	hrive in full	sun with	
Perennial: not Grass/Fern	Rudbeckia maxima	Giant Coneflower	Summer	Full Sun	7'	✓		✓		✓	✓
	Huge glaucous, gray surrounded by droop featured in the Butte	oing yellow petal	s; very striking in	the landscape. The	nis is a unique		-				
Perennial: not Grass/Fern	Rudbeckia subtomentosa 'Henry Eilers'	Sweet Coneflower	Mid Summer	Sun to Partial Shade	3-5' x 2'	✓					✓
	Henry Eilers' is a swe that are rolled instea strong, sometimes-b undeniable potential vigorous, but very m humidity, but will no Tolerates hot and hu additional bloom.	d of flat, giving t ranching stems a l as a cut flower anageable perer t withstand long	the flower a quille and leaves have a with its unique ap anial that favors a periods of droug	ed effect. Dome-s a mild sweet aroma opearance, sturdy average to moist so ght. Best grown in	haped brown a. Makes a gr straight stem pils and full su medium moi	center dis eat specir s and long n to part sture soils	sks. Flow nen in th vase life shade. It s that are	ers bloom e back of tl .Rudbeckia is quite to well-drain	in clusters a he border a subtomen lerant of he ed loams ir	atop Is well as tosa is a Pat and In full sun.	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Salvia azurea	Blue Sage	Fall	Sun to Partial Shade	4-5'				✓	✓	✓
	The small light blue fl butterflies, it is a host good drainage. This p in early summer, stak	t plant for the h plant has a tend	ermit sphinx moth ency to "lodge" or	. Rabbits and de flop over, especi	er dislike the ally in rich sc	aromatic	foliage.	Grow in me	dium to dr	y soils with	
Perennial: not Grass/Fern	Salvia lyrata 'Purple Knockout'	Lyre-leaved Sage	Summer	Sun to Partial Shade	18"			✓			✓
	The lyre-leaved sage Compact basal rosett blue flowers. Attract groundcover - a great	es of shiny burg s the bees and b	undy leaves turnir outterflies. Very ea	ng to deep purple	in summer a	and then to	o red in tl	he fall with	spikes of p	ale lilac	
Perennial: not Grass/Fern	Salvia pachyphylla	Rose Sage	Summer	Full Sun	24-36"		✓	✓	✓	✓	✓
	Salvia pachyphylla fea summer. It is an ever and a variety of bees. landscapes. Requires	rgreen shrub pro Native to the r	oducing slightly cup nountains and hig	pped silvery grey h desert of Califo	aromatic fo rnia, Nevada	liage.It is a	ittractive	to butterfl	ies, hummi		
Perennial: not Grass/Fern	Sanguinaria canadensis	Bloodroot	Early Spring	Shade	12"						
	An early spring native terminal flower rises paint.				-	-					
Perennial: not Grass/Fern	Sanguisorba officinalis	Great Burnet	Late Spring	Full Sun	24-36"		✓	✓	✓		✓
	The dark purple, oblo three leaflets. Often u are excellent in salad	used as a culinar	ry herb, both the y	oung leaves and	flowers, app	earing in la	ate spring	g, taste sim	ilar to cucu	mber and	

spent flowers will prevent unwanted seedlings.

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer s Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Sedum ternatum 'Larinem Park'	Stonecrop	Late Spring	Sun to Partial Shade	4" x 23"				✓		
	The evergreen creep Park forms a low car spring. A fast grower containers. Easy to p shade and moisture t	pet of small, rou , this is best kep propagate; simpl	nded green leaves t away from slowe y break pieces off	s, spreading to for er alpine plants th	rm a thick path at it might sm	ch. Clusto other. A	ers of wh Iso a goo	ite starry f d choice fo	owers appe r tubs and i	ear in late mixed	
Perennial: not Grass/Fern	Sibbaldiopsis (Potentilla) tridentata	Three-leaved Cinquefoil	Spring to Fall	Full Sun	6" x 15"			✓	✓		
	Sibbaldiopsis tridenta forming mats provide branchlets and are hi much competition. I endangered species i too clustered.	e significant grou ighly attractive t t does not comp	und cover. Leaves o bees and other bete well, and is be	s turn dark red to pollinators. Does est not to be grow	bronze in the best in dry ha vn in rich soils	Fall. Whit bitats, an . Great p	te flowers d thrives lant for r	s bloom in in poor so ock garden cessary, sho	clusters at t ils where th s.Classified	the end of ere is not as a	
Perennial: not Grass/Fern	Solidago caesia	Blue Stemmed Goldenrod	Late Summer	Partial Shade	18-36"	✓					✓
	Gracefully arching sto turning blue-grey or shaded garden. Pref	burgandy-grey.	Songbirds, insects	s, and other wildli	fe are attracte	0	•		•	0 0	ı
Perennial: not Grass/Fern	Solidago shortii 'Solar Cascade'	Goldenrod	Fall	Sun to Partial Shade	24-30" x 18- 24"			✓		✓	✓
	'Solar Cascade' is a cl panicles of small brig drought tolerant onc who first discovered drained soils in full su	ht golden yellov e established.Sc this plant in 184	v flowers from late Ilidago shortii is oi O within the Falls	e summer to early n the Federal End of the Ohio River	y fall (Septeml angered Speci near Louisvill	ber-Octol es list. It e, Kentuc	per) that is named ky.Best g	attract but d after Dr. (rown in mo	terflies and Charles Will pist, gravelly	bees and is kins Short	S

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Stokesia laevis 'Peachie's Pick'	Stokes Aster	Mid Summer	Full Sun	18' x 18'				✓		✓
	Stokesia are native Ar plantwoman who diso addition to pollinator flowering.	overed it, blooi	ms longer and a b	it later than other	types.Stokesi	a attract	s bees ar	d butterlies	s, making it	a valuable	
Perennial: not Grass/Fern	Stylophorum diphyllum	Wood Poppy	Spring to Fall	Partial Shade to Shade	12-18" x 12- 18"						
	Stylophorum diphyllu undersides, clear yello intermittently throug seedlings but they are	ow cup-like flow h the summer, t	vers and grey fuzz then the leaves tu	y seed pods. It ha	s a heavy bou	quet of fl	owers in	the spring b	out blooms		
Perennial: not Grass/Fern	Symphyotrichum (Aster) cordifolium	Blue Wood Aster	Fall	Partial Shade to Shade	3' x 3'			✓	✓		
	Clouds of blue flower Astilbes, which look p or shade. Flowers be	retty rough by S	September. Foun	d in woods and dr	y meadows.Pi	refers a p	artially s	haded site,	but will tol	erate sun	
Perennial: not Grass/Fern	Symphyotrichum (Aster) ericoides 'Snow Flurry'	Heath Aster	Early Fall	Sun to Partial Shade	4-6" x 18"					✓	✓
	'Snow Flurry' is a pros mat. Small, single ast butterflies. Distinctiv Tolerates some light s a dense, weed-smoth over rocks. Good for	ers with white r e leaves are 1" hade. Good dr ering carpet of	rays and yellow ce long, narrow, rigio ought tolerance.U bright green stem	enters cover the fo d and linear. Easily Jse 'Snow Flurry' a ns and tiny leaves.	bliage in a prof grown in ave as a robust gro It is great in r	fuse fall k rage, dry undcove ock gard	loom. T to mediu r through ens wher	he flowers a um, well-dra nout your flo re it can spra	are attracti ained soil ii ower beds	ve to n full sun. to provide	
Perennial: not Grass/Fern	Symphyotrichum (Aster) novae-angliae 'Purple Dome'	New England Aster	Early Fall	Sun	18-24"			✓	✓		
	This cultivar stays ver in Greenville, DE. Aste after blooming to avo	ers are very easy	y to grow in avera	age garden soil, wi							

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds		Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Symphyotrichum (Aster) novi-belgii 'Woods Pink'	New York Aster	Fall	Sun to Partial Shade	15"			✓			✓
	A prime choice for fal October. Butterflies a		•	lew resistance of	this selection	. Bright p	ink flowe	ers adorn th	nis plant in i	September	
Perennial: not Grass/Fern	Thelypteris palustris	Marsh Fern	Spring to Fall	Sun to Partial Shade	18" x 18"				✓		
	Marsh fern features b soils in open woodlan be used in bog plantir water.	ids, marshes, an	d wet meadows. I	Unusually for a fe	rn, it grows ha	appily in f	ull sun if	kept consis	stantly mois	st and can	
Perennial: not Grass/Fern	Tiarella cordifolia	Foamflower	Late Spring- Early Summer	Partial Shade to Shade	6-12"				✓		✓
	The Foamflower make shaped leaves in the s its burgundy hued lea	spring. When p		-		•				•	h
Perennial: not Grass/Fern	Tiarella cordifolia 'Slick Rock'	Foamflower	Late Spring	Partial Shade	6-12" x 12- 18"						
	Tiarellas are native wi Spreading stolons for by local plantsman Jir than other varieties, r rich organic soils in fu	m attractive even n Plyler, 'Slick R making it an exc	ergreen mats of m ock' features leave ellent groundcove	aple-like foliage, es about half the er. The 6" spires o	creating a gree size of other T f light pink flo	en living i ïarellas a wers drav	mulch. F nd plants w many s	ound near s s that sprea	Slick Rock C d much mo	Creek in NC pre quickly	
Perennial: not Grass/Fern	Trillium cuneatum	Trillium	Mid Spring	Partial Shade to Shade	12-18"						✓
Trillium cuneatum is a robust, erect, clump-forming perennial with stalkless, widely ovate-rounded, mid-green leaves, marked pale or silver-green. Produces musk-scented, dark maroon flowers with wedge-shaped petals and purple-tipped, olive-green septals are borne above the leaves. Flowers in early March to mid April.Establish rhizomes in shady location where soil is rich and moist. Trillium cuneatum is native to parts of the southeastern United States.											

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Trillium grandiflorum	Showy Trillium	Spring	Partial Shade to Shade	10-12"						✓
	Broad, green, heart grandiflorum is the very gradually if left	easiest trillium to		-			-			ls. Spreads	i
Perennial: not Grass/Fern	Trillium luteum	Toad Trillium	Spring	Partial Shade	10-12"						✓
	Wide heart-shaped Native from norther		-						ragranted f	lower.	
Perennial: not Grass/Fern	Trillium sessile	Toad Wakerobin	Mid Spring	Partial Shade	10"						✓
	Quite rounded leave within a color range	•	-	•	v sepaled flow	vers are h	eld vertic	al and may	sometimes	s vary	
Perennial: not Grass/Fern	Uvularia grandiflora	Big Merrybells	Mid Spring	Partial Shade	18-24"						✓
	Arching stems with Northeastern United	•		Flower petals and	d leaves have	an intere	sting slig	ht twist. Na	ative to the	!	
Perennial: not Grass/Fern	Uvularia perfoliata	Perfoliata Bellwort	Mid Spring	Partial Shade to Shade	12" x 12"						
	Perfoliate Bellwort of the leaves, appea moist, lightly shaded redbuds.	aring to pierce the	m. The stems bea	ar a single droopi	ng flower, yel	low with	orange b	umps.Bellw	orts are ha	ppiest in	r
Perennial: not Grass/Fern	Verbena hastata	American blue vervain	Summer to Fall	Full Sun	4' x 2'			✓			✓
	This tall clump-form purplish-blue flower making it useful for bottomlands, strear	rs. The flowers op the back of the bo	oen gradually from order or in natura	n bottom to top o lized meadows.	over a long pe Native plant tl	riod from nat comm	July-Sep	tember. It h	nas an uprig	ght habit	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: not Grass/Fern	Vernonia angustifolia 'Plum Peachy'	Narrow-leaf Ironweed	Late Summer	Full Sun	48"	✓	✓				
	This southeast native leaves are tinted with lodging. It attracts be moist.	purple and con	tribute fine texture	e to the flower g	arden.'Plum P	eachy' wa	as selecte	ed for its sti	ong stems	that resist	
Perennial: not Grass/Fern	Zizia aptera	Heart-leaved Golden Alexander	Late Spring	Sun to Partial Shade	1-3' x 1'						✓
	Heart-leaved Golden a green heart-shaped b the flowers for nectar sun, and mesic to dry near a garden path or	asal leaves. The and pollen. The conditions. The	blooming period caterpillars of Bla soil can contain lo	occurs during lat ck Swallowtail b oam, clay-loam, c	e spring and la utterfly feed o or some rocky	asts abou on the foli material	t a montl age. Th	n. Various k is plant pre	inds of inse fers light s	ects visit hade to ful	I
Perennial: Grass	Bouteloua curtipendula	Sideoats Grama grass	Summer to Fall	Full Sun	30" x 30"	✓			✓		
	Sideoats grama is a na attractive bluish green garden.Perfect for na moths.Tough and dro	n in spring and s turalistic or prai	ummer, turning sh rie style plantings,	ades of gold in f Sideoats Grama	all. This is a cl is a larval foo	ump forn d host for	ning grass several s	s and is not skipper but	aggressive terflies and	in the	
Perennial: Grass	Bouteloua gracilis 'Blonde Ambition'	Grama grass	Summer	Full Sun	28" x 20"					✓	
	'Blonde Ambition' pro Chartreuse flowers co fall into early winter. Goldenrod.Blonde Am Walnut.	ontrast nicely wit Very low mainte	th the blue-gray le enance grass for th	af blades. Flowe ne dry area. Wo	rs give way to nderful perenr	blond se nial comp	ed heads anions w	which typi ould be Lia	cally remai tris, Asters	in through and	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: Grass	Carex albicans	White Tinge Sedge	Spring to Fall	Partial Shade to Shade	18" x 18"						
	White Tinge Sedge fe and feature a distinct plant intermingles we full shade. Slowly sp	t white margin.T ell with both ear	he very fine leaf b ly spring bulbs, na	lades can be up t	o 20" long an	d form flo	wing tus	sucks in the	shade gar	den. The	
Perennial: Grass	Carex appalachica	Appalachian Sedge	Spring to Fall	Partial Shade to Shade	6" x 12"	✓			✓	✓	✓
	Carex appalachia is n also performs very w plantings.Appalachia seeds are eaten by a those of skipper and late winter.	ell as a moundir n sedge is clump variety of birds a	g, fine textured gr forming and slow and by turtles and	roundcover, a sof ly, gradually form it is an importan	t edging to a ns colonies th t larval food s	path, or a at provide ource for	s a grace e habitat several s	ful addition for wildlife. pecies of ca	to contain In additio aterpillars i	er n, the ncluding	
Perennial: Grass	Carex pensylvanica	Pennsylvania Sedge	Spring	Sun to Shade	6-8" x 6-8"	✓					
	Carex pennsylvanica Foliage is green, red seasonal cover for sn resistant.	to purple. Reddi	sh brown thimble	-like flowers top	the narrow fir	ne texture	ed leaves	in spring.It	provides a	n excellent	
Perennial: Grass	Carex stricta	Tussock Sedge	Year Round	Sun to Partial Shade	1-3' x 1-2'						✓
	Carex stricta is a rhize swales, marshes, bog atop stems rising abo in a variety of upland cover for shady areas water margins and an colonies.	s, wet meadows ove the foliage. G l locations as lon s. Easily grown ir	and creek margir Good selection for g as soils are kept moist to wet soil	ns in eastern Nort low spots, strean consistently mois s including standi	h America. Fl n/pond margi st. It is an eff ng water in fu	lowers ap ins or area ective acc ull sun to	pear in la as with se cent for se part shad	ite spring in easonal floo maller gard e. Grows w	oreddish-broding. May ens and a g rell in wet lo	rown spike be grown ground ow spots,	s

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer 8 Resistant	Drought Tolerant	Native
Perennial: Grass	Eragrostis spectabilis	Purple Love Grass	Summer to Fall	Sun to Partial Shade	2' x 3'						✓
	Fluffy clouds of bronz fall. Irresistable textu foliage to the ground in open woodland are	re plant for the in early spring b	late summer gard before new growth	en.Spreads via rh 1 occurs. Use in p	nizomes. Prop perennial bord	agate by lers, mass	division o planting	of clumps e	every few ye	ears. Cut	S
Perennial: Grass	Panicum virgatum 'Shenandoah'	Switchgrass	Summer to Fall	Full Sun	4'				✓	✓	✓
	This is the reddest of seed heads in late sur		-			burgundy	y red in fa	all. Topped	d with airy,	dark tan	
Perennial: Grass	Schizachyrium scoparium 'Standing Ovation'	Bluestem Grass	Year Round	Full Sun	3-4' x 1'						
	This little bluestem is transition through pu amber tone. It tolerat growth. It will self-se	rple down to blu es a wide range	ue-green at the ba	se. Beautiful eve	en in winter, w oor, dry soils.	hen its fi Cut back	ne, uprigl in early s	nt foliage t pring to ma	akes on a re ake way for	eddish new	
Perennial: Grass	Sorghastrum nutans 'MNYG318153' Golden Sunset®	Yellow Indian Grass	Late Summer	Full Sun	5-6'	✓			✓	✓	✓
	'Golden Sunset' is a se rising up to 5 - 6' abov the landscape.Develo through the winter.'G established. Cut back	ve the plant in la ped by the Mini olden Sunset' is	ate summer. The v nesota Landscape adaptable to a wi	wheat-like seedh Arboretum, 'Golo de range of cond	eads are 10 - : den Sunset' re	12" and h mains up	old their right duri	form addir ng the gro	ng winter in wing seaso	terest to n and	
Perennial: Fern	Asplenium trichomanes	Maidenhair Spleenwort	Year Round	Partial Shade to Shade	4-8" x 12"				✓		✓
	This small, fragile-loo green and appear like even easy to grow in rich well-drained soil, established. Prefers r	miniature versi dry shade. This but it will grow	ions of our commo easy but slow-gro well in most soil t	on sword fern. As wing fern perforr ypes except thos	splenium trich ns well in ligh e that become	omanes i t, open, d e water lo	s very cu lappled, c ogged. It	te and onc or deep sha	e it is estab ade. It grow	lished it is vs fastest ir	1

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: Fern	Athyrium filix-femina	Lady Fern	Spring to Fall	Shade	26-30"				✓		✓
	Athyrium felix-femina fronds. Plant in shad strong wind, since fro	e in a slightly aci	d, moist fertile soi	I. Easy to grow a	nd vigorous, i	t will forr	n dense (clumps rap	idly.Protect	from	
Perennial: Fern	Athyrium filix-femina 'Lady in Red'	Lady Fern	Spring to Fall	Partial Shade to Shade	30" x 24"						✓
	Strong-growing and c features red stems, n choice for perennial throughout the seaso clay. Tolerates sun if	naking it a great borders and woo on for a continuo	choice to combine dlands alike. A br usly fresh look.Lad	e with purple-leav eathtaking flush o	ved plants. To of new fronds	ough and appears	easy to g in the sp	row, this suring, with r	ultry beauty new leaves a	/ is the righ appearing	t
Perennial: Fern	Dryopteris goldieana (goldiana)	Goldie's Fern	Spring to Fall	Shade	3-4'						✓
	This is the largest of a to form a 6-foot clum fronds. The fronds ta prefers a bright shad	np. It is easy to d aper near the tip	istinguish from oth Use in a woodland	ner ferns not only d garden, along p	y by its size bu onds, streams	t also by s or bogs,	the back , or mass	ward-archi	ng, oblong-	triangular	
Perennial: Fern	Matteuccia struthiopteris	Ostrich Fern	Spring to Fall	Partial Shade to Shade	2-4'						✓
	In the spring, emerginour moist woodlands can cover large areas	or stream edges	-	-							
Perennial: Fern	Onoclea sensibilis	Sensitive Fern	Spring to Summer	Partial Shade to Shade	1' - 3'	✓				✓	✓
	Sensitive fern has me stalk.The fronds die o species is reported to riverbanks, swamps a soil that is loamy, silt	quickly with the f be poisonous to and bogs; uncom	irst autumn frosts b livestock and rar	, which is why the ely, if ever, is tro	e plant has ga ubled by brow	ined its c /sing dee	ommon ı r.lt is fou	name of the nd in wet v	e sensitive f voods, alon	^f ern. This g streams,	

TypeDesc	Botanical Name	Common Name	Season of Interest	Exposure	Size	Attract Birds	Attract Hbirds	Attract Butterflies	Deer Resistant	Drought Tolerant	Native
Perennial: Fern	Osmunda cinnamomea	Cinnamon Fern	Spring to Fall	Partial Shade to Shade	2-5'						
	Cinnamon fern derives its name from its first leaves which unfold in the spring and are erect and covered with brown spore capsules, resembling cinnamon sticks. These are followed by larger, coarse-testures fronds. Osmunda ferns prefer moist, acid soils and are handsome additions to wet woodland or stream-side gardens.										
Perennial: Fern	Osmunda claytoniana	Interrupted Fern	Spring to Fall	Partial Shade to Shade	2-3' x 2-3'				✓		✓
This is a native fern which usually growns in moist, wooded slopes of ravines and wet woodlands. The interruputed fern typically grows in a spreading-vase form to 2-3' tall, but with constant moisture can reach 5' in height. Broad fronds are "interrupted" in the middle by spore-bearing pinnae (leaflets) which typically fall off in mid summer, thus giving rise to the common name. The rhizomes (roots) are the source for Osmunda fiber used in the potting of orchids. Does not tolerate drought.Companion plants to false solomon seal, wood phlox, foam flowers, royal ferns and hairy alum root.											
Perennial: Fern	Osmunda regalis	Royal Fern	Spring to Fall	Shade	3'				✓		✓
	Bright brown plumes emerge from the ground in spring. Leafy, lance-shaped fronds are attractive all season long. Prefers an acid soil and a lot of moisture.										